## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



# PRINCETON NURSERIES

PRINCETON, NEW JERSEY

# Wholesale Price List FALL 1926

WM. FLEMER'S SONS

Proprietors also of the F. & F. NURSERIES Springfield, N. J.

Princeton, N. J. Aug. 1st, 1926

Dear Friends:

We are glad of the opportunity to send you this, our 13th fall catalogue and to be able to say the stock offered is of our regular high quality, in fact if anything a little better, as we try hard to make improvements each year.

As our list is increasing each year and now embraces a number of items that are evergreens in the south and practically deciduous in the north, so that it is difficult to know where to put them in the list, we have listed them twice both as deciduous and evergreen.

There is much confusion often in trying to separate the trees from the shrubs when we take the class of small trees or large shrubs, we so have put them all in one list alphabetically with figures of approximate sizes the plant reaches at maturity and a brief description of its outstanding characteristics.

We have also added an appendix with classified lists of plants for various purposes, which we believe will help our customers in making up their lists.

We look forward with pleasure to supplying your requirements this fall and invite you to visit us at any time. If you are too far away to come by auto, take the Pennsylvania Railroad to Princeton Junction where we will meet you by appointment or when notified by phone.

Fall prospects are good as stock seems to be in demand and our Princeton Products are established as the "Standard of Excellence" in Ornamentals.

Yours very truly,

PRINCETON NURSERIES,

WILLIAM FLEMER, Jr.,

Manager



Office and grounds, Princeton Nurseries.

Members: American Association of Nurserymen.

Eastern Nurserymen's Associaton.

New Jersey Nurserymen's Association.

Quotations, prices, and grading are based on Horticultural Standards adopted by the American Association of Nurserymen, June 1923.


#### PRICES

Prices are as low as is consistent with the market, taking into consideration that the stock offered is of the best quality, carefully grown, with ample room for full development. Princeton grown stock should not be compared with poorly grown plants often offered. Prices are for Fall 1926.

#### CREDIT AND TERMS

We are glad to extend credit on the basis of our regular terms to established nurserymen who are known to us, or are rated satisfactorily. Cash before shipment is required from parties unknown to us, who have no commercial rating.

Terms, 2% 10 days, 1% 30 days from date of invoice. Interest at 6% will be charged on overdue accounts, Spring accounts from July 1st, Fall accounts from Jan. 1st.



Packing house and storage cellar, Princeton Nurseries. They are on our own siding which insures the minimum of exposure when loading and facilitates rapid shipment. We specialize in carload orders for which no charge is made for packing.

#### LIABILITY AND CLAIMS

We are not liable for injury to stock from frost, hail, fire, or other causes beyond our control, and book all orders with this understanding. Errors made by us will be gladly corrected, but complaints must be made within ten days time after receipt of stock.

Plants become your property upon delivery to transportation company, and we cannot be responsible for loss, damage, or delay in transit.

After the botanical name, in the following pages, we have embodied a new feature of giving the approximate height the plant attains at maturity; and a short description, giving the chief quality or characteristic of the plant, feeling that it would be a help to you in making up your order.

Princeton Nurseries employ no agents.

All stock offered herein is grown on our own nurseries under our own direct supervision.

#### PACKING

Bales and Boxes charged at cost. No packing charge is made for stock packed in full carlots. Boxes are made in the following sizes:

31 in. x 36 in.—10 ft. long	\$5.25
28 in. x 32 in.—10 ft. long	4.75
23 in. x 28 in.—10 ft. long	4.25
19 in. x 24 in.—10 ft. long	3.75
17 in. x 20 in.—10 ft. long	
15 in. x 16 in.—10 ft. long	
12 in. x 15 in.—10 ft. long	2.00

Add 50 cents for each additional 2 feet of length.

Decreases are in the same proportion, 50 cents for each 2 feet.

### Deciduous Trees, Shrubs, Evergreens and Vines

NOTE—The figures in italics, following each variety, indicate in feet the approximate height of that plant when mature. It must be understood, however, that many varieties in their native habitant greatly exceed this height, but soil and climatic conditions modify their growth and character to a variable extent, and allowance for this has been made in the heights given here.

	Each	Per 10	Per 100
ABELIA grandiflora, 3'-4'		GLOSSY A	
Choice small evergreen shrub, with	h white	tinted lila	flowers.
produced throughout the entire su			,
3 inch pots	\$ .35	\$3.00	\$25.00
ABIES, (See EVERGREENS)			
ACANTHOPANAX pentaphyllum, 7'-8	o/ 10-	T Des	
Graceful, arching habit; splendid		IVE LEAF A	
good foliage for smoky exposures.	ioi ban	ks, very ac	iaptame,
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
ACER buergerianum, 12'-15'		TRIDENT I	MAPLE
5 to 6 ft	.75		
8 to 7 ft	1.00		
—ACER campestre, 25'-30'		Hedge 1	MAPLE
Useful for dry locations in unde	rgrowtl		
grows slowly.	Ü		
3 to 4 ft	1.00		
4 to 6 ft	1.50		
— dasycarpum, 60'-80'		SILVER I	
Quick growing, graceful shade tree			derneath.
6 to 8 ft	.75	6.00	50.00
8 to 10 ft	1.00	9.00	75.00
8 to 10 ft.—1¼ to 1½ in	1.25	11.50	100.00
10 to 12 it.—1½ to 1¾ in	1.75	$16.50 \\ 18.50$	$150.00 \\ 175.00$
10 to 12 ft.—1% to 2 m	$\frac{2.00}{2.50}$	$\frac{13.50}{22.50}$	175.00
12 to 13 ft.—2½ to 2½ in	$\frac{2.75}{2.75}$	~~.00	
10 to 12 ft.—1½ to 1½ in 10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 12 to 13 ft.—2 to 2¼ in 12 to 13 ft.—2¼ to 2½ in 12 to 14 ft.—2½ to 3 in	3.50		
— pyramidale, 30'-40' Py	RAMIDA	L SILVER	MAPLE
A narrow form, useful for accent of			
6 to 8 ft	1.00	9.00	
8 to 10 ft	1.50	14.00	
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	18.50	
9 to 10 it.—1½ to 2 in	2.50	23.50	
8 to 10 ft.—1¼ to 1½ in 9 to 10 ft.—1½ to 2 in 10 to 11 ft.—2 to 2¼ in 11 to 12 ft.—2¼ to 2½ in	$\frac{3.00}{3.50}$	$28.50 \\ 33.50$	
— wieri, 60'-80'			I. nr n
Graceful, drooping form; very des	iroble	Cutleaf I	VIAPLE
8 to 10 ft	1.25	11.50	
8 to 10 ft	1.75	16.50	
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in 10 to 12 ft.— $1\frac{3}{4}$ to 2 in	2.00	19.00	
10 to 12 ft.— $1\frac{3}{4}$ to 2 in	2.75		
— negundo, 60'			ELDER
Will grow where other trees fail	l; espec	cially good	for dry,
barren places and seashore.	0.0	<b>27.00</b>	
8 to 10 ft	$\frac{.80}{1.00}$	7.00 - 9.00	
10 to 19 ft —1½ to 1½ in	1.35	$\frac{9.00}{12.50}$	
10 to 12 ft.—13/4 to 2 in	1.75	15.00	
12 to 13 ft.—2 to 2½ in	2.50	22.50	
10 to 12 ft.—1½ to 1¾ in	2.75	25.00	

	~		
ACER—continued	Each	Per 10	Per 100
— palmatum (polymorphum), 12'-15' (	REEN J	APANESE T	VIAPLE
Develops into a splendid specimen			ŗ.
3 to 4 ft., B. and B		\$22.50	
4 to 5 ft., B. and B	3.00	27.00	
— pennsylvanicum (striatum), 20'-30'		STRIPED I	LADIE
Green bark striped with white; th	rives in		MAPLE
	.75	wet sons.	
3 to 4 ft	1.00		
4 to 6 ft	1.00		
— platanoides, 50'-75'		Norway I	MADIE
The most popular street tree; ret	ains its	green lea	ves until
late autumn.	anis it.	, green iea	ves until
6 to 8 ft	1.75	16.50	\$140.00
8 to 10 ft	2.25	21.50	190.00
8 to 10 ft	3.00	27.50	150.00
10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—2¼ to 2 in 12 to 13 ft.—2 to 2¼ in 12 to 13 ft.—2¼ to 2½ in 12 to 14 ft.—2½ to 3 in	3.50	32.50	
10 to 12 ft. 1/2 to 1/4 m 10 to 19 ft —13/ to 9 in	$\frac{3.50}{4.50}$	42.50	
10 to 12 ft. 1/4 to 2 m	5.50	T 2.00	
10 to 10 ft. 2 to 274 in	6.50		
12 to 13 ft. 2/4 to 2/2 m	7.50		
12 to 14 It.—272 to 3 III	7.50		
— schwedleri, 40'-60' Schwedleri	ER PURI	PLE LEAF I	MAPLE
Probably the best large growing p			Table 11
4 to 5 ft	1.00		
5 to 6 ft	1.50		
6 to 8 ft	2.00		
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00		
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.75		
10 to 12 ft. 1/2 to 1/4 m	0.10		
— rubrum, 50′-75′	RED OR	SCARLET I	MAPLE
Best in moist locations; also thriv			
autumn coloring.		•	
6 to 8 ft	1.50	12.50	110.00
8 to 10 ft	2.00	17.50	150.00
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.35	22.50	
— saccharum, 50′–75′		Sugar I	MAPLE
Most popular in northern states;			ring.
6 to 8 ft	1.25	11.50	100.00
8 to 10 ft	1.50	14.00	
8 to 10 ft —11/2 to 11/2 in	2.00	19.00	
10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 12 to 13 ft.—2 to 2¼ in	2.50	23.50	
10 to 12 ft.— $1\frac{3}{4}$ to 2 in	3.50	32.50	
12 to 13 ft.—2 to $2\frac{1}{4}$ in	4.50		
	TD		v.r
— tataricum ginnala, 10'-12'		ARTARIAN I	
Graceful and valuable for bright r			ıg.
2 to 3 ft	.40	3.50	
3 to 4 ft	.60	5.50	
4 to 5 ft	1.00	9.50	
ACTINIDIA arguta, 20'-30'	В	OWER ACT	INIDIA
Greenish white, July. Rich, da			
berries.	ik gice	ii ionage.	LCHOW
18 to 24 in	.35	3.00	
2 to 3 ft	.40	0.00	
~ 10 5 11	.10		
AILANTHUS glandulosa, 50'-60'	7	REE OF H	EAVEN
Succeeds under most adverse city			
4 to 6 ft	.65	5.00	40.00
6 to 8 ft	.85	7.00	60.00
8 to 10 ft	1.00	9.00	80.00
10 to 12 ft	1.50	13.50	
		-3.00	
AKEBIA quinata, 15'-20'		'iveleaf A	
Dainty beautiful vine, purple fl	ower, I	May. Dec	ep green
leaves—persisting till winter.			
2 yr	.35	3.00	

AMELANCHIER canadensis (botryapium), 10'-12'	Each Dov	Per 10 VNY SHADI	Per 100
White flowers in early spring before	re leaves;	fruits are	relished
by birds.	0 10	<b>\$0.70</b>	
2 to 3 ft	\$ .40 .50	\$3.50 $4.50$	
AMORPHA canescens, 2'-3'		Lead P	LANT
Bluish purple flowers in June. 18 to 24 in	.40	3.50	
— fruticosa, 8'–10'	.40	Indigo I	Впен
Deep purple flowers, June, spread	ling habit		ousn
2 to 3 ft	.25 .30	$\frac{2.00}{2.50}$	
AMPELOPSIS quinquefolia, 30'-50' Valuable for rich, fiery autumn co		ginia Cre	EPER
2 year light, 18 to 24 in	.12	1.00	\$ 6.00
2 year medium, 2 to 3 ft	.18	1.60	12.00
— — engelmanni, 30'–40' A good, self-clinging woodbine; v	erv hardy	MANN CRE	EPER
2 year light, 18 to 24 in	.15	1.20	8.00
2 year medium, 2 to 3 ft	.20	1.80	15.00
– veitchi, 40'–50' Brilliant autumn coloring, blu		NESE CRE turning	
closely self clinging. 2 year med., 18 to 24 in	.35	3.00	20.00
2 year 1st cl., 2 to 2½ ft	.40	3.50	30.00
2 year extra, $2\frac{1}{2}$ ft	.50	4.50	40.00
— atropurpurea, $40'-50'$ Similar habit as the type, with spring, persisting more or less de 3 inch pots	purplish uring the .40	3.00	n early nonths.
— — lowi, 6'-8' Dwal A good variety of the type, with Very graceful and distinct. 3 inch pots		AF Boston leeply cut 2.50	
AMYGDALUS nana, 5'-6'	From	ERING ALI	MOND
Flowers double, May; very showy varieties.			
18 to 24 in	.40	3.50	30.00
2 to 2½ ft	.50	4.50	40.00
$2\frac{1}{2}$ to 3 ft	$.60 \\ .75$	$\frac{5.50}{6.50}$	50.00 $60.00$
- persica (PRUNUS), 8'-10'	.10	0.50	00.00
Pink, Red			
Very decorative double flowering			
2 to 3 ft		4.00	35.00
3 to 4 ft	.55 .65	$\frac{5.00}{6.00}$	45.00
5 to 6 ft	.75		
ANDROMEDA (See LEUCOTHOE GREENS)	AND PI	ERIS IN	EVER-
- aborea (See OXYDENDRON)			
ARALIA pentaphyllum (See ACANTH	OPANAX	)	
— spinosa, 18'–20'		lercules	Curp
Useful for tropical effects and sha			
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	30.00
5 to 6 ft	.55	5.00	
ARISTOLOCHIA sipho 2 year	.60 .60	TCHMAN'S $5.00$	Pipe



Lombardy Poplars, the type grown at Princeton. Note how evenly branched from the ground up. See page  $30\,.$ 

	Each	Per 10	Per 100
ARONIA arbutifolia, 6'-8'	R	ер Сноке	BERRY
/ Valuable because of its red berri	es; very	handson	e in fall.
/ 18 to 24 in	\$ .40	\$3.50	\$30.00
2 to 3 ft	.50	4.50	40.00
3 to 4 ft	.60	5.50	50.00
4 to 5 ft	.70	6.50	
— melanocarpa (nigra), 8'-10'		ск Сноке	
Delicate white flowers in May; bla			
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.50	4.50	40.00
AZALEA arborescens, 10'-12' Fragrant white flowers, June.		Sweet A	AZALEA
12 to 15 in., B. & B	1.00	9.00	
15 to 18 in., B. & B	1.35	12.50	
1½ to 2 ft., B. & B	1.75		
— amoena, 3'-4' Conspicuous purple-red flowers, A rich, bronze-green in winter. 6 to 8 in	.60 .75 1.00	5.50 6.00 9.00	45.00 50.00
— Calendulacea, 4'-5'		FLAME A	
The great flame Azalea of Carolin burnt orange flowers.	a Mour	ıtains; ver	y showy;
12 to 15 in., B. & B	1.25		
— hinodegiri, 3'-4'  Larger leaves and looser growth bright crmine-pink; effective in 1 dron. 6 to 8 in	than a masses o .85 1.10 1.35	tbove; flow or with R 7.50 10.00 12.50	vers very hododen- 65.00 90.00
— indica alba (ledifolia alba), 3'-4'			
Pure white flowers and a profuse			
10 to 12 in., B. & B	1.00	8.50	75.00
12 to 15 in., B. & B	1.25	11.50	

AZALEA—continued	Each	Per 10	Per 100
— — lilacina, 3'-4'			
A beautiful addition to the indic	a type	with very	large in-
dividual flowers of pure lilac color	\$1.00	0.00	@## OO
10 to 12 in., B. & B	1.25	$\$8.50 \\ 11.50$	\$75.00
	11.00	11.00	
— — rosea (magnifica), 3'–4' Rose colored flowers.			
15 to 18 in., B. & B	1.50	13.50	
— kaempferi, 4′–5′	1.00	Torch .	\aire.
Warm brick-red flowers, May.		TORCH 2	AZALEA
3 yr. seedlings transplanted	.35	3.00	25.00
12 to 15 in., B. & B	1.50		
— macrantha, $2\frac{1}{2}'-3'$	RED	Salmon .	ZALEA
A beautiful plant, with large flowe	rs that	appear at	intervals.
and not at one time like the prece		• •	
8 to 10 in., B. & B	1.00	9.00	80.00
10 to 12 in., B. & B	1.25	12.00	
12 to 15 in., B. & B	1.35	12.50	
— mollis, 4'-6'		Chinese .	
Large showy flowers in shades of or	range ar	nd red. M	lay–June.
Large hairy leaves.	90	0.50	20.00
3 yr. seedlings	$\frac{.30}{1.25}$	$\frac{2.50}{11.00}$	20.00
15 to 18 in., B. & B	1.75	15.00	
$1\frac{1}{2}$ ft	2.00		
— nudiflora, 6'-8'		PINXTE	DICOM
Sweet scented pink flowers in Ma	v. Pre	efers mois	
shady place. A beautiful variety.		acis mois	c, sngner,
12 in., B. & B	1.00		
15 in., B. & B	1.25		-
1½ ft., B. & B	1.50		
— vaseyi, 8′-9′	Pin	K SHELL .	AZALEA
Delicate pink,—April and May.			
12 to 15 in., B. & B	1.25		
15 to 18 in., B. & B	1.50		
− viscosa, 6′−7′		SWAMP .	AZALEA
White, very fragrant, June, July.			
12 to 15 in., B. & B	1.25		-
15 to 18 in., B. & B	1.50		
— yodogawa, 3'–4'		DOGAWA .	
Double pinkish-lavender flowers,	May.	Very har	dy and of
exceptional merit. 8 to 10 in	.75	6.00	
10 to 12 in	1.00	8.50	
12 to 15 in., B. & B	1.25	11.00	
15 to 18 in., B. & B	1.50	13.50	
18 to 24 in., B. & B	2.00	17.50	
KURUME AZAI	LEAS		
A new evergreen Japanese type, w	ith sen	ni-double	flowers in
white, pink, red and lavender, making			
list of plants that can be easily forced	l for Ch	ristmas a	nd Easter
trade. These are also suitable in protec			
hardy from Washington south.			
8 to 10 in	1.25	10.00	
10 to 12 in	1.50	12.50	



Oriental Planes, the finest that can be grown. Note straight stems and well-shaped heads. See page 29.

#### HARDY JAPANESE AZALEAS

We have a number of named varieties of Japanese Azaleas which have proven hardy in this section. They are very desirable for landscape work. Sizes run from 10 inch to 18 inch and prices will be gladly quoted on application.

Each Per 10 Per 100

	Eacn	1 61 10	reriou
BACCHARIS halimifolia, 9'-10'	G	ROUNDSE	L Bush
Conspicuous fluffy seed pods in	Sept.	Good for	seashore
planting.	•		
18 to 24 in	\$ .30	\$2.50	
2 to 3 ft	.35	3.00	
3 to 4 ft	.45	4.00	
BENZOIN aestivale (LINDERA benz	oin). 10'	-12' Spic	CERUSH
Flowers yellow, April. Scarlet			
coloring, leaves aromatic.	остись,	neudend	ttatam.
18 to 24 in	.35	3.00	
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	
BERBERIS ilicifolia, 5'-6'		OLLY BAR	DEDDY
Holly-like leaves, persisting un			
flowers yellow. Semi-evergreen.	itii ness	Tollage	appears,
15 to 18 in., B. and B	.55		
18 to 24 in., B. and B	.65		
·		REEN BAR	DEDDY
Beautiful evergreen hardy variety			
nice glossy green foliage through	y, or cor	npact gro	will, with
3 inch pots		6.00	
1	.13	0.00	
— subcaulialata, 5'-6'		337	
A new Chinese introduction simil			
stronger grower. Especially attra	etive in	the winter	r months,
with its mass of pink berries.	*0	1.00	
3 inch pots		4.00	
		Per 100	
— thunbergii, 4'-5'		NESE BAR	
A splendid low hedge plant, or for	massing	g; brillian	t autumn
coloring; scarlet berries.			***
9 to 12 in	.75	5.00	\$40.00
12 to 15 in	1.00	7.50	65.00
15 to 18 in	1.50	10.00	90.00
18 to 24 in	2.00	15.00	130.00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 30$	2.50		

BERBERIS—continued	Each	Per 10	Per 100
— — minor, 2'-3'		Box Bari	BERRY
A dwarf, compact form of Japanese ly. Used for edging where Box is	e Barbe not ha	erry; fruits rdy.	sparing-
6 to 8 in	\$ .15	\$1.00	
8 to 10 in	.18	1.30	
10 to 12 in	.20	1.50	
12 to 15 in	.25		<i>′</i> —
- vulgaris, 7'-8' Yellow flowers, May. Fruit red,	Euro persis	PEAN BARI	BERRY dwinter;
upright habit. 18 to 24 in	.20	1.50	\$10.00
2 to 3 ft	.25	$\frac{1.50}{2.00}$	15.00
3 to 4 ft	.30	2.50	
— — purpurea, 7'–8'	URPLE	Eur. Bari	BERRY
Has pleasing soft purplish foliage.			
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.40	3.50	
	UROPE	AN WHITE	BIRCH
Known by its white bark.	0.5	<b>7</b> -0	
4 to 5 ft	$\begin{array}{c} .85 \\ 1.00 \end{array}$	$7.50 \\ 9.00$	
6 to 8 ft	1.25	9.00	
		***	
—— laciniata, 30'-40' Cu Graceful tree for lawn planting.	JTLEAF	WEEPING !	BIRCH
3 to 4 ft	1.25	11.00	
4 to 5 ft	1.65	15.00	
5 to 6 ft	2.00	18.50	
— purpurea, 30′–40′ Pur A desirable purple sort.	RPLELE	AF WHITE	Вівсн
3 to 4 ft	1.00		-
—— pyramidalis, 30'–40' Py Dense and columnar.	YRAMID	AL WHITE	Вівсн
3 to 4 ft	1.00		
— <b>youngi,</b> 20'-30' Y A dwarf, spreading, pendulous tree	OUNGS	WEEPING I	Birch
3 to 4 ft			
4 to 5 ft	1.50		
— lenta, 40′–60′		Sweet 3	Вівсн
Has attractive, smooth, reddish catkins in spring.	bark,		
3 to 4 ft	.60	5.00	
4 to 6 ft	.80	7.00	
6 to 8 ft	1.00	9.00	
— lutea, 50'-70' Makes fine windbreak.		Yellow l	Віксн
3 to 4 ft	.60	5.00	
4 to 6 ft	.85	7.50	70.00
6 to 8 ft	1.15	10.00	90.00
— nigra, 50'-60' Thrives in moist places; its torn, ra	gged b	River I ark is quite 8.50	
4 to 6 ft	1.00 $1.25$	$\frac{3.30}{11.00}$	
— papyrifera, 40′–50′	PAPER (	or Canoe I	Віксн
Picturesque paper bark, very whit			
4 to 6 ft	.90	8.00	70.00
6 to 8 ft	1.25	11.00	90.00
8 to 10 ft	1.75	16.50	140.00
10 to 12 ft	2.50	22.50	185.00

BETULA—continued — populifolia, 30'–40'	Each	Per 10	Per 100 Birch
Will grow in poor soil and dry	places.	Common	ыксн ly found
native in New Jersey.			
4 to 6 ft		\$ 7.50	
6 to 8 ft	1.25	11.50	-
BIGNONIA radicans, 20'-30' Showy, trumpet-shaped flowers,		RUMPET Ci	
Roots as it climbs.			
1 year, 18 to 24 in	$.20 \\ .25$	$\frac{1.50}{2.00}$	\$10.00 15.00
— <b>— grandiflora,</b> 10'–20' Сн	INESE T	RUMPETCI	REEPER
One of the handsomest of flowerin	g vines v	with large	trusses of
orange yellow flowers, July and A	ugust.		
1 yr. grafts	.40	3.00	
2 yr. grafts	.50	4.00	
— — Mad. Gallen, 10'-20'			
An improved variety better than			
Very handsome and a valuable ac	dition		
1 yr. grafts	.50	$\frac{4.00}{5.00}$	
z yr. grans	.00	5.00	
BIOTA (See EVERGREENS)			
BUDDLEIA variabilis magnifica, 5'-6			
Very effective with gray-green fol	liage and	d deep lila	c flowers
likes sun. June, September. 18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	$\frac{1.50}{2.00}$	15.00
3 to 4 ft	.30	2.50	20.00
— — nanhoensis, 3'-4' A good new variety recently intro	duced fo	uam China	Dloon
similar to the type but of good d			
3½ inch pots		IIpact Inc	
BUXUS (See EVERGREENS)		· ·	
·	a	D	D
CALLICARPA purpurea, 3'-4' Lilac-violet berries, especially attr	CHINESE active in	BEAUTY August	BERRY Gracefu
habit.	active II	. zragusti	Jacord
15 to 18 in	.25	2.00	15.00
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.45	4.00	35.00
CALYCANTHUS floridus		SWEET	SHRUB
18 to 24 in	.35	3.00	25.00
2 to 3 ft	.45	4.00	
3 to 4 ft	.55	5.00	
CARAGANA arborescens, 10'-12'	Str	ERIAN PE.	A-TREE
Yellow pea-shaped flowers, May-			
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
4 to 5 ft	.40	3,50	
CARPINUS caroliniana, 30'-40'	AMER	ICAN HOR	NBEAM
Closely resembles the Beech in ap	pearanc	æ.	
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	
4 to 5 ft	.60		
CARYOPTERIS incana (mastacantha	), 2'-3'	BLUE	EBEARD
Lavender-blue flowers, SeptO			
Requires protection.	•		
2 year	25	2.00	15.00



Pin Oaks at Princeton. We use every possible care to make our trees the best that can be produced. Pin Oaks are one of our specialties, and it is one of the best shade trees.

	Each	Per 10	Per 100
CATALPA bungei, 10'-15'	Umbrella Catalpa		
Useful in formal planting.			
Light Heads, 1 yr., 5 to 6 ft., 1 in.	\$1.10	\$10.00	\$ 90.00
Med. Heads, 1 yr., 5 to 6 ft., 11/4	1.25	11.50	100.00
in			
First Class Heads, 2 yr., 5 to 6 ft.,			
$1\frac{1}{2}$ in	1.60	15.00	135.00
$1\frac{1}{2}$ in Extra Large Heads, 2 yr., 5 to			
6 ft., $1\frac{3}{4}$ in	2.00	17.50	165.00
— speciosa, 30'–35'	$W_1$	ESTERN CA	TALPA
4 to 6 ft	.50	4.00	
6 to 8 ft	.60	5.00	
8 to 9 ft., 1½ in	.75		
9 to 10 ft., $1\frac{1}{2}$ in	1.25		
CEANOTHUS americanus, 3'-4'	4	JERSE	Y-TEA
Very attractive, dwarf native shr	ub; whit		
✓ 12 to 18 in	.40	3.50	30.00
18 to 24 in	.45	4.00	35.00
CELASTRUS orbiculatus	ORIENT	AL BITTER	SWEET
(articulatus), 15′–20′			
Has very decorative orange and cr			h persist
all winter. Picturesque, shrubby	growth.		
2 year	.25	2.00	15.00
3 year	.30	2.50	20.00
		AN BITTER	
Most adaptable vine with orange	and red	berries th	at retain
color when cut and dried.			
1 year—18 to 24 in	.20	.1.50	10.00
2 year—2 to 3 ft	.25	2.00	12.00
3 year—3 to 4 ft	.30	2.50	15.00
CELTIS occidentalis, 50'-60'		Hack	BERRY
Similar foliage and habit as Elm.			
3 to 4 ft	.30		
4 to 5 ft	.40		
CEPHALANTHUS occidentalis, 5'-6'		Butto	NBUSH
Round heads of creamy white	flowers,	July-Sept	. Good
foliage; likes moisture.			
√ 18 to 24 in	.20	1.50	
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	

14 FRINCETON	NURSERIE	<u>.</u>	
	Each	Per 10	Per 100
CERASUS (See Prunus)			
CERCIDIPHYLLUM japonicum, Develops into a magnificen spring and autumn colors.	60'–80' t, symmetric	Katsur eal tree;	TREE beautiful
3 to 4 ft	\$ .75	\$6.50	\$50.00
4 to 5 ft	85	7.50	65.00
	1.00	9.00	
CERCIS canadenis, 12'-15' Rosy-pink, April, very effecti good foliage.	Am ve when plan	ERICAN R	ервгр Jogwood;
2 to 3 ft		3.50	30.00
3 to 4 ft		5.00	
— chinensis, 10'-12' Flowers a little larger and	durker than	HINESE R	EDBUD
compact habit of growth.	darker than	above, i	out more
12 to 18 in		3.50	30.00
18 to 24 in		4.00	35.00
2 to 3 ft	60	5.00	
CHIONANTHUS virginica, 15'-1		WHITE I	RINGE
Fragrant tassel-like white flooplum-like fruits follow.	owers. May-	June. B	lue-black
18 to 24 in	60	5.00	
2 to 3 ft	70	6.00	
3 to 4 ft	80	7.00	
CLADRASTIS lutea (tinctoria), & A striking tree with long pan	30'–40' icles of fragra	YELLOW- nt white f	Wood lowers in
June.	1.07		
4 to 5 ft			
CLEMATIS jackmani, 10'-15'		KMAN CLI	and a marco
Large, very showy, rich purp	le flowers.	KMAN CLI	SMATIS
2 year No. 1	60	5.50	50.00
— monatana rubens, 15'–20' A strong climber with pink	anemone lik	e flowers	
the entire plant through the 3 inch pots		s. 4.00	
-	Sweet Au		
White, fragrant flowers, Sept tive.	. Woolly see	d pods als	o attrac-
2 year first class		2.00	15.00
2 year extra		$\frac{2.50}{3.00}$	$20.00 \\ 25.00$
3 year			
CLETHRA alnifolia, 4'-5' Spikes of very fragrant flow shady places.	ers, July-Sep	Summers et. Prefer	sweet s moist,
18 to 24 in		3.00	20.00
2 to 2½ ft	35	3.00	25.00
$2\frac{1}{2}$ to $\tilde{3}$ ft		3.50	30.00
COLUTEA arborescens, 8'-10'		BLADDER S	
Yellow flowers, June-August 2 to 3 ft		ary piaces 2.00	
3 to 4 ft		3.00	
4 to 5 ft		3.50	
CORNUS alba (sibirica), 8'-10' Bright red bark, porcelain bl		oral Doc	
for winter effect.		- O- 0 . / C	,
18 to 24 in		1.50	10.00
2 to 3 ft		2.00	15.00
3 to 4 ft		$\frac{2.50}{3.00}$	20.00
x (O O 10		0.00	



A block of young two-year Silver Maple and Weeping Willow showing how our shade trees are staked in the early stages to make absolutely straight trunks.

Each Per 10 Per 100

CORNUS—continued

COKNUS—commued	Each	rer 10	
— elegantissima, 5'-6' VARIEGA'	FED COR	RNELIAN-C	HERRY
Silver and green leaves; red bark.			
18 to 24 in	\$ .30	\$2.50	
2 to 3 ft	.40	3.50	
3 to 4 ft	.45	4.00	
		раетн Дос	GWOOD
The leaves are margined with yell	ow.		
18 to 24 in	.35	3.00	\$25.00
2 to 3 ft	.40	3.50	30.00
— alternifolia, 15′-18′	ъ	agoda Doc	TUCOD
Branches spread horizontally; mos			
fruit.	or pictu	resque. Di	uc-mack
2 to 3 ft	.40	3.50	
3 to 4 ft	.45	4.00	
4 to 5 ft	.55	5.00	
5 to 6 ft	.65	5.00	
	.05		
— amomum (sericea), 8'-9'		Silky Doc	
Pale blue fruits; young twigs pur	ple. Pr	refers mois	t places.
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	
5 to 6 ft	.40	3.50	
- florida, 15'-25' White	E FLOW	ERING DOG	doow:
Among the best of the spring flo			
locally collected stock.			
2 to 3 ft	.50		
3 to 4 ft	.75		
4 to 5 ft	1.00		
2		ERING DOG	
The pink flowers are more persisted 18 to 24 in	1.50	i the white	•
	$\frac{1.50}{2.00}$		
2 to 2½ ft	$\frac{2.00}{2.50}$		
2½ to 3 ft	$\frac{2.50}{3.00}$		
3 to 4 ft			
— kousa, 16'–18'		Cousa Doc	
White flowers in June. Conspicuor	ıs cherry	y-like scarb	et fruits,
attractive to birds.			
18 to 24 in	.40		
2 to 3 ft	.50		


CORNUS—continued	Each		Per 100
— paniculata, 10'-12' Numerous small white flowers in M	ay, foll	Gray Doo owed by wl	gwood nite fruits
on red stems.	8.25	60.00	91 - 00
18 to 24 in		\$2.00	\$15.00
2 to 3 ft	.30 .35	$\frac{2.50}{3.00}$	20.00
3 to 4 ft	.40	3.50	25.00
— stolonifera, 7'-8' Spreading habit, dark red bark, v moisture.		-Osier Do ruits. Do	
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	
— — lutea, 6'-7' Has distinct yellow bark; fine for		BARK Do	GWOOD
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
CORYLUS americana, 8'-9'	. 1	HAZE	л-Хит
Useful for natural plantings, delight 2 to 3 ft	s in na .75	II-snade.	
3 to 4 ft	1.00		
COTONEASTER acutifolia, 5'-6' Red flowers—black fruit.			
1½ to 2 ft	.50	4.50	
2 to 2½ ft	.60	5.00	
$2\frac{1}{2}$ to $3$ ft	.75	6.00	
Upright growing variety with spi	reading	ET COTONI	Leaves
dark green, white tomentum un orange, freely produced.	dernea	tii. Derri	es bright
3 inch pots	.50	4.50	
6 inch pots		6.50	60.00
<ul> <li>horizontalis davidiana, 1'-1½'</li> <li>Small box-like leaves; bright recrocks.</li> </ul>	Ro l berri	ек Сотох: es; effectiv	EASTER e among
3 inch pots	50	4.00	30.00
5 inch pots		6.50	60.00
<ul> <li>lemoinei, ¼-5'</li> <li>Similar to Francheti in habit with tomentose giving a silvery effect.</li> </ul>	n small Fruit	er foliage a	and more
3 inch pots	.50	4.50	
5 inch pots	.75	6.50	
<ul> <li>microphylla, 1½'-2'</li> <li>Very small leaves, very deep green the Rock Cotoneaster.</li> </ul>	. Ratl		SPRAY shy than
3 inch pots	.50	4.00	30.00
5 inch pots	.75	6.50	60.00
— — thymifolia, 1½'-2'	Тну	ME COTON	EASTER
3 inch pots	.50	4.50	40.00
5 inch pots	.75	6.50	
- rotundifolia (buxifolia), 1½-2' Prostrate growing, semi-evergreed green foliage and bright red berrie	n shrul	with sma	all round
3 inch pots	.50	4.50	40.00
5 inch pots		6.50	60.00
— simonsi, 5'-6' Almost evergreen. Good grower		oxs Coтox: ose habit. 6.50	EASTER
6 inch pots	.10	0.50	

	Each	Per 10	Per 100
CRATAEGUS coccinea, 15'-20'		KET HAW	
Large scarlet fruits in autumn.	2.1110		monn
2 to 3 ft	\$ .65	\$5.00	
3 to 4 ft	.75	6.00	
4 to 5 ft	.90	7.50	
<ul> <li>cordata, 12'-15'</li> <li>Berries are small, brilliant red, an brilliant autumn foliage.</li> </ul>	Vashing d persis	ton Hawi t nearly al	гновх l winter.
2 to 3 ft	.65	5.00	
3 to 4 ft	.75	6.00	
4 to 5 ft	.90	7.50	
— crusgalli, 15' Deep green, shiny leaves make t		оскsрик Т vthorn dis	
white flowers are also conspicuous			
2 to 3 ft	.65	5.00	
3 to 4 ft	.75	6.00	
4 to 5 ft	.90	7.50	
— oxycantha, 12'-15'	Eng	LISH HAW	THORN
18 to 24 in	.50	4.00	
2 to 3 ft	.65	5.00	
— Pauls scarlet, 12'-15' DOUB	LE SCAE	RLET HAW	THORN
2 to 3 ft	1.00	8.50	
3 to 4 ft	1.25		
4 to 5 ft	1.50		
5 to 6 ft	2.00		
— — dbl. white, 12′-15′			
2 to 3 ft	1.00	8.50	
3 to 4 ft	1.25		
4 to 5 ft	1.50		
5 to 6 ft	2.00		
dbl. pink, 12'-15'			
2 to 3 ft	1.00	8.50	
3 to 4 ft	1.25		
4 to 5 ft	1.50		
5 to 6 ft	2.00		
— pyracantha lalandi (See PYRACAN'	ГНАЕ	VERGRE	ENS)
CYDONIA japonica, 4'-5' Scarlet flowers in April, May.		OWERING Q	
12 to 18 in	$.30 \\ .35$	$\frac{2.50}{3.00}$	\$20.00 $25.00$
18 to 24 in	.40	3. <b>5</b> 0	30.00
·	. 40	5.50	50.00
CYTISUS scoparius, 4'-6'		Scotch I	3room
Thin, green branches, covered wit			
18 to 24 in		2.50	-
2 to 3 ft	.40	3.50	
DAPHNE cneorum (See EVERGREEN	NS)		
DESMODIUM (See LESPEDEZA)			
DEUTZIA candidissima, 9'-10' Graceful habit, double white, Jun		VFLAKE DE	CUTZIA
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	30.00
— crenata fl. pl., 6'-8' Pink, slightly fragrant, June.	Doubr	e Pink Di	EUTZIA
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	. 3.50	

DEUTZIA—continued	Each	Per 10	
— gracilis, 3'		ENDER DI	
Profuse bloomer, pure white, May		ul "facing	
10 to 12 in	\$.25	\$2.00	\$15.00
12 to 15 in	.30	2.50	20.00
15 to 18 in	.35	3.00	25.00
18 to 24 in	.45	4.00	35.00
— lemoinei, 4'-5' Large white flowers, June, gracefu		EMOINE DI	EUTZIA
15 to 18 in	.30	2.50	18.00
18 to 24 in	.35	3.00	22.00
2 to 2½ ft	.40	3.50	30.00
<ul> <li>longifolia veitchii, 3'-4'         Beautiful variety with large ligh produced in large corymbs.     </li> </ul>		eaved Di individua	
3 inch pots	.50	4.00	
— parviflora, 3'	Move	GOLIAN DE	TITZIA
Semi-erect habit, white, June. Di			CIZIA
15 to 18 in	.25	2.00	
18 to 24 in	.30	$\frac{2.50}{2.50}$	
2 to 2½ ft	.35	3.00	
<ul> <li>scabra pride of Rochester, 9'-10'</li> <li>Vigorous, large flower tinged pink,</li> </ul>		Flwd, Di	EUTZIA
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	
DIERVILIA trifida, 3' Dwa		Honeys	
Yellow, June-July. A good low sl			ices.
15 to 18 in	.30	2.50	
18 to 24 in	$.35 \\ .40$	$\frac{3.00}{3.50}$	
2 to 3 ft	rx Busi ling, Jui .30	HONEYS ne-July. 2.50	UCKLE
3 to 4 ft	.35	3.00	
DIOSPYROS virginiana, 15' Handsome foliage.		Pers	IMMON
3 to 4 ft	.65	5.00	
4 to 5 ft	.75	6.00	
ELAEAGNUS angustifolia, 15'-18' Silver-gray leaves and branchlets, massing.	, orang€	Russian- berries;	
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.35	3.00	20.00
4 to 5 ft	.40	3.50	30.00
5 to 6 ft	.45	4.00	
— longipes, 6'-8' Silvery leaves, fragrant yellow floberries ripe in July.		May. L	
18 to 24 in	.35	3.00	25.00
2 to 3 ft	.45	4.00	35.00
3 to 4 ft	.55	5.00	55.00
EUONYMUS alatus, 9'-10'	WIN	GED EUO:	YMUS
Interesting corky bark, warm of Makes fine specimen shrub.	rimson	autumn	coloring.
18 to 24 in	.40	3.50	30.00
2 to 2½ ft	.50	4.50	40.00
$2\frac{1}{2}$ to $3$ ft	.60	5.50	50.00
3 to 4 ft	.75	7.00	
— americanus, 7'-8' Pink fruits; prefers moist locations	$B_{\rm B}$	оок Егоз	NYMUS
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.00	
•			

EUONYMUS—continued	Each	Per 10	Per 100
Fruits profusely. The orange and	white s		YMUS ersist on
bush for a long time. Good autur 2 to 3 ft	\$ .30	\$2.50	\$20.00
3 to 4 ft		$\frac{3.50}{4.50}$	
. — europaeus, 12'-14' E Pink fruits on long stalks, persisti	ng a lon	n Burnin g time.	GBUSH
18 to 24 in	.30 .35	$\frac{2.50}{3.00}$	
— japonicus, 5'-6' Ev Lustrous, deep green leaves; up winter protection here.	ERGREE oright b	n Burnin ushy habi	<sub>GBUSH</sub> t; needs
8 to 10 in	.35	3.00	20.00
10 to 12 in	50	3.50	25.00
12 to 15 in	$.75 \\ .85$	$\frac{6.00}{7.50}$	40.00
18 to 24 in	1.00	9.00	
— japonicus latifolia marginata alba, 4		0.00	
Identical to the type in growth b nicely variegated.	ut with		age very
5 inch pots		4.00	
— patens (sieboldianus), 6'-8' Grows vigorously, forming broad, persist until late winter. Orn	rather		b; leaves
among denser conifers. 12 to 15 in	.50		
15 to 18 in			
18 to 24 in	.75		-
— pulchellus, 6"-8"  Low growing variety, with box like for edging. Hardy in protected Philadelphia. Perfectly hardy frogundary processing the potential process.	foliage; d locati om Wasl	AVED EUO evergreen ons in vid hington so 1.50	, suitable
- radicans, climbing to 15'	0.0	WINTERCR	
Self-clinging vine. Good for covered for under planting among every	reens.	v walls, al	so useful
9 to 12 in., 2 year, bushy 12 to 15 in., 3 year, bushy	.20	1.50	
		2.00	15.00
		WINTERCR	
A graceful form, with long narroy plish underneath.	w reaves	, white ve	ms, pur-
2 year	.20		
Has large, shiny, pointed leaves;	bushy h	Winterca abit.	
9 to 12 in	.25	$\frac{2.00}{2.50}$	$\frac{15.00}{20.00}$
15 to 18 in., 2 year	.30 .35	$\frac{2.30}{3.00}$	20.00
—— colorata, 6'–12'	.00	0.00	
Long narrow leaves purple under Very effective in winter.		nged purp	le above.
2 year	.30	D 100	D 1000
— minimus, 6''-12''	Per 10	WINTERCE	Per 1000
Has tiny evergreen leaves and Charming rock subject.			
3 inch pots	2.50	20.00	180.00
	Each	Per 10	Per 100
— variegatus, 12"-15" VARIEGA			
Leaves veined and marked yellow ing vine.	ish whit	e and pins	Cling-
9 to 12 in., 2 year bushy	.18	1.50	12.00
12 to 15 in., 3 year, bushy	.20	1.80	15.00

EUONYMUS—continued	Each	Per 10	Per 100
Bushy. interesting growth. Bushy.	IGLEAF	WINTERCRE	EEPER
Bright scarlet fruits, freely pro- evergreens.	aves, duced.	Handsome	green. among
9 to 12 in., 2 year	\$ .30	\$2.50	\$20.00
12 to 15 in., 3 year	.35	3.00	25.00
15 to 18 in., 3 year, bushy	.40	3.50	
EXOCHORDA grandiflora, 6'-9' Dazzling white flowers, May. Is	improv	Peari ed by pruni	ng.
18 to 24 in	.35	3.00	25.00
2 to 3 ft	.40 .45	3.50	30.00
4 to 5 ft	.50	$\frac{4.00}{4.50}$	$35.00 \\ 40.00$
FAGUS americana (ferruginea), 75'-1 One of our best native trees; dist	00' .	American E	ЕЕСН
2 to 3 ft	1.00	9.00	80.00
3 to 4 ft	1.50	14.00	
4 to 5 ft	2.00	19.00	
— sylvatica, 75′–100′	I	European B	EECH
Slow growing but makes a large,		me tree.	
2 to 3 ft	$\frac{1.00}{1.25}$		
8 to 10 ft., specimens, B, and B.	5.00		
— — purpurea, 75′–100′			
8 to 10 ft. specimens, B. and B.	7.50		
FORSYTHIA intermedia, 6'-8' Bright yellow flowers in April befand beautiful.	Bord ore leav	er Golden es unfold.	Bell Profuse
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	
— — spectabilis, 6'-8' Shows	BORD	ER GOLDEN	Bell
Most profuse of all, with large r		den yellow	flowers.
2 to 3 ft	.30 .40		
— suspensa, 4'-6'	WEEPI	NG GOLDEN	$_{ m Bell}$
Graceful drooping habit; excellent			
2 to 3 ft	$.30 \\ .35$	$\frac{2.50}{3.00}$	$20.00 \\ 25.00$
4 to 5 ft	.45	4.00	20.00
— — fortunei, 7′–8′	Fortu	NE GOLDEN	Bell
Good habit, arching branches, vig			1 ~ 00
2 to 3 ft	.25 $.30$	$\frac{2.00}{2.50}$	$15.00 \\ 20.00$
4 to 5 ft	.35	3.00	20.00
	GREEN	Stem Forsy , dark green	
Last to flower.			
18 to 24 in	.20	$\frac{1.50}{2.00}$	$10.00 \\ 15.00$
2 to 3 ft	$.25 \\ .30$	$\frac{2.00}{2.50}$	$\frac{15.00}{20.00}$
FRAXINUS americana, 70'-80'	100	WHITE	
Fairly rapid grower; assumes pleasi good in moist soils.	ng gold		
6 to 8 ft	.60	5.00	40.00
8 to 10 ft	.90	8.00	70.00
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	$\frac{1.00}{1.25}$	$\frac{9.00}{11.00}$	80.00
10 to 12 ft.—13/2 to 13/4 iii	$\frac{1.25}{1.65}$	15.00	
12 to 13 ft.—2 to 2½ in	2.15	20.00	
10 to 12 ft.—1½ to 1¾ in 10 to 12 ft.—1¾ to 2 in 12 to 13 ft.—2 to 2¼ in 12 to 13 ft.—2½ to 2½ in	2.50		



Viburnum Plicatum one of the fine three year blocks we have for this year. See page 43.


Each Per 10 Per 100

GENISTA tinctoria, 3'	WOAD	WAXEN
Yellow pea-shaped flower, June. 18 to 24 in	2 =	
	10 —	
' <del>"</del>	+0	
— scoparia (See CYTISUS)		
GINKGO biloba (Salisburia), 50'-75' Picturesque, interesting, quite distirmaidenhair fern; immune from insects	ct leaves sh	
6 to 8 ft		
8 to 10 ft 1.		
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in 1.		
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in 2.		
GLEDITSIA triacanthos, 60'-70'	HONEY	LOCUST
Thorny tree with fragrant white flow	vers in May;	good for
gravelly soil.		
	25 \$2.00	\$15.00
	40 3.50	30.00
	60   5.00	45.00
5 to 6 ft	80 7.00	60.00
GYMNOCLADUS dioica, 40'-50' KENT Light blue-green foliage of slow growt		
		ac outilite.
2 to 3 ft	50 —	
2 to 3 ft	50 — 75 —	
2 to 3 ft	50 —— 75 —— 00 ——	
2 to 3 ft	50 —— 75 —— 00 —— Great Silv	ERBELL
2 to 3 ft	50 —— 75 —— 00 —— GREAT SILV May, profus	ERBELL ely borne
2 to 3 ft	50 —— 75 —— 00 —— GREAT SILV May, profus as single sp	ERBELL ely borne
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  1.  HALESIA tetraptera, 12'-15'  Snow-white, bell-shaped flowers in along the branchlets. Can be grown massed. 18 to 24 in.	50 ————————————————————————————————————	TERBELL ely borne ecimen or
2 to 3 ft	50 75	TERBELL ely borne ecimen or 30.00 35.00
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  1.  HALESIA tetraptera, 12'-15'  Snow-white, bell-shaped flowers in along the branchlets. Can be grown massed. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	50 75 — 75 00 — 75 00 — 6 GREAT SILV May, profus as single sp 40 3.50 45 4.00 55 5.00	ERBELL ely borne ecimen or 30.00 35.00 45.00
2 to 3 ft	50 75 00 GREAT SILV May, profus as single sp 40 3.50 45 4.00 55 5.00 70 6.00	TERBELL ely borne ecimen or 30.00 45.00 55.00
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  1.  HALESIA tetraptera, 12'-15'  Snow-white, bell-shaped flowers in along the branchlets. Can be grown massed. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	50 75 — 75 00 — 75 00 — 6 GREAT SILV May, profus as single sp 40 3.50 45 4.00 55 5.00	ERBELL ely borne ecimen or 30.00 45.00
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  1.  HALESIA tetraptera, 12'-15'  Snow-white, bell-shaped flowers in along the branchlets. Can be grown massed. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.	50 75	TERBELL ely borne ecimen or 30.00 45.00 55.00
2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  1.  HALESIA tetraptera, 12'-15'  Snow-white, bell-shaped flowers in along the branchlets. Can be grown massed.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  HAMAMELIS virginiana, 10'-12'  Yellow ribbon-like flowers, Oct.—No	50 75	TERBELL ely borne ecimen or 30.00 35.00 45.00 55.00
2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  1.  HALESIA tetraptera, 12'-15'  Snow-white, bell-shaped flowers in along the branchlets. Can be grown massed.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.  HAMAMELIS virginiana, 10'-12'  Yellow ribbon-like flowers, Oct.—No foliage. Succeeds best in moist, half-	50 75	TERBELL ely borne ecimen or 30.00 35.00 45.00 55.00
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  1.  HALESIA tetraptera, 12'-15' Snow-white, bell-shaped flowers in along the branchlets. Can be grown massed. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  HAMAMELIS virginiana, 10'-12' Yellow ribbon-like flowers, Oct.—Nofoliage. Succeeds best in moist, half- 18 to 24 in.	50 75	TERBELL ely borne ecimen or 30.00 35.00 45.00 55.00 i-Hazel abit, good
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  HALESIA tetraptera, 12'-15' Snow-white, bell-shaped flowers in along the branchlets. Can be grown massed. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  HAMAMELIS virginiana, 10'-12' Yellow ribbon-like flowers, Oct.—No foliage. Succeeds best in moist, half-18 to 24 in.	50 75 75 76 77 77 77 77 78 78 78 78 78 78 78 78 78	TERBELL ely borne ecimen or 30.00 35.00 45.00 55.00
2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  1.  HALESIA tetraptera, 12'-15' Snow-white, bell-shaped flowers in along the branchlets. Can be grown massed. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft.  HAMAMELIS virginiana, 10'-12' Yellow ribbon-like flowers, Oct.—Nofoliage. Succeeds best in moist, half-18 to 24 in. 2 to 3 ft.	50 75 75 76 77 77 77 77 78 78 78 78 78 78 78 78 78	rerrection of the control of the con

	Each	Per 10	Per 100
HEDERA colchica dentata, 20'-50'	GTA	NT ENGLIS	an Ivv
Strong growing climber, with lar	ge ever		
leaves, very decorative.	ge ever	sicen near	t snaped
3½ inch pots	¢ 20	\$2.50	
	φ ,συ	φ2.30	
– gracilis, 8'–10'	Iniatu	RE ENGLIS	sh Ivy
Similar to English Ivy, with sm	all dark	green fol	iage. A
most graceful vine.		8	6
3 inch pots	.25	2.00	-
-			
− helix, 20′−50′		Englis	si Ivy
Evergreen; good ground cover in	shady lo	cations.	An ideal
wall cover.			
2 yr., field grown	.25	2.00	\$18.00
. 0			
HIBISCUS syriacus (Althea), 10'-12'	]	Rose of Si	HARON
Rather formal in outline, flowering	g in Aug	ust and Sei	otember.
Pink, purple, red, and white, sing			
18 to 24 in		2.00	
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
- variegata, 6'-8' VARIEGATED L	EAVED 1	ROSE OF SI	HARON
Leaves striped yellow; compact gr	rower.		
18 to 24 in	.40	3.50	
2 to 2½ ft	.45	4.00	
$2\frac{1}{2}$ to $3$ ft	.50	4.50	
272 to 3 tt	.55	5.00	
3 to 4 ft	.55	5.00	
IIBISCUS (MALLOW) See Perennial	s and G	round Cov	ers
YDRANGEA arborescens, 4'-5'		ртн Hydr.	ANGEA
White, June-July. Single white f	lower	August.	
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	
		α.	
– grandiflora alba (sterilis), 4′–5′			WHILL
Large double white flower panicle			
18 to 24 in	.35		
2 to 3 ft	.45	4.00	35.00
3 to 4 ft	.50	4.50	40.00
– paniculata (type), 8'–9'	Diagr	CLE HYDR.	ANGEL
Bears long, loose panicles of white			ANGEA
18 to 24 in	.35	3.00	
2 to 3 ft	.40	3.50	
3 to 4 ft	.50	4.50	
– — grandiflora, 8'–9'	PEF	GEE HYDR.	ANGEA
Very showy, blooming in August.	IEE	SEE HIDE	INGEA
	0.7	9.00	97.00
18 to 24 in	.35	3.00	25.00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	.40	3.50	30.00
$2\frac{1}{2}$ to 3 ft	.45	4.00	35.00
3 to 4 ft	.50	4.50	40.00
– – standard	T-	REE HYDR.	, aron
Medium, 3 to 4 ft		6.50	
First Class, 3 to 4 ft	.85	7.50	70.00
Extra, 4 to 5 ft	1.00	9.00	
– quercifolia, 3'–4'	OAKE	EAF HYDR.	NCFA
		l autumn	
	Spiendic	i autumn (	soloring,
succeeds in shade.	40	0.70	
12 to 15 in	.40	3.50	
15 to 18 in	.50	4.50	
18 to 24 in	.60	5.50	
2 to 2½ ft	.75		
– radiata (nivea), 4'–5'	SHAPPI	EAF HYDRA	NGFA
			INGEA
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	

	Each	Per 10	Per 100
		N ST. JOHN	
Yellow. July-August. Blue-gree 15 to 18 in	n foliag	ge; dense h: \$2.00	
18 to 24 in	φ .z5 .30	$\frac{52.00}{2.50}$	\$15.00 18.00
2 to 2½ ft	.35	3.00	22.00
— densiflorum, 4'-5' DENSE FLO	WEDIN	c St. Iohn	cwop#
Yellow. July-September. Free flo			
18 to 24 in		2.50	20.00
2 to 2½ ft	.35	3.00	25.00
$2\frac{1}{2}$ to 3 ft	.40	3.50	30.00
— moserianum, 2' Large waxy yellow flowers. Jul herbaceous, splendid mass plant.	ly–Aug	Goldf ust. Dain	LOWER ty, half-
2 yr., 12 to 15 in	.25	2.00	15.00
2 yr., 15 to 18 in	.30	2.50	20.00
2 yr., 18 to 24 in	.35	3.00	
— patulum henryi, 2½'-3' Of shrub-like growth, with large of and August.	elear ye	llow flower	s in July
2 yr., 12 to 15 in	.30	2.50	20.00
2 yr., 15 to 18 in	.35	3.00	25.00
ILEX crenata, 8'-10'		JAPANESE I	
Box-like leaves, rich, deep green, a			
ing, makes a good hedge. Black 12 to 15 in., B. and B	berries	s. Evergre 6.50	en.
15 to 18 in., B. and B	1.00	9.00	
18 to 24 in., B. and B	1.50		
Smaller leaves and more hardy th	nan pre		HOLLY
12 to 15 in., B. and B	$\frac{.75}{1.00}$	$\frac{6.50}{9.00}$	
18 to 24 in., B. and B	1.50	14.00	•
2 to 3 ft., B. and B	2.25	21.50	
— glabra, 5'-6' Shining, dark green leaves, purpli Useful for shady spots, also sue 12 to 15 in., B. and B	sh in w ceeds i .75	inter; blac	BERRY k berries. vergreen.
— verticillata (prinos), 6'-8'		WINTER	
Bright red berries persisting to birds. Prefers moist soil.  18 to 24 in	mid-wi	nter, not 3.00	eaten by 25.00
2 to $2\frac{1}{2}$ ft	.40	3.50	30.00
$2\frac{1}{2}$ to 3 ft	.50	4.50	40.00
3 to 4 ft	.60	5.50	
INDIGOFERA amblyantha, 1'-2' A handsome upright shrub with r pink flowers produced in large qua	numero		
$3\frac{1}{2}$ inch pots		4.00	
ITEA virginca, 3'-4'		SWEE	TSPIRE
Spikes of fragrant, white flower. brilliant autumn coloring.		Good for lo	w places;
18 to 24 in	$.30 \\ .35$	$\frac{2.50}{3.00}$	$20.00 \\ 25.00$
JASMINUM nudiflorum, 3' Yellow. April-May. Needs pro	tection	WINTER J.	ASMINE
One of the first to bloom in the sp 15 to 18 in	oring. .25	2.00	15.00
18 to 24 in	.30	$\frac{2.50}{2.50}$	20.00
2 to 2½ ft	.35	3.00	25.00
JUNIPERUS (See EVERGREENS)			

KALMIA (See EVERGREENS)



Two year California Privet, cut back last winter, and with room enough in the row to permit proper development. This is real Privet at a moderate price for the quality. See page 25.

Each Per 10 Per 100

	Lacn	rer 10	1 61 100
KERRIA japonica, 4'-5'	$J_{\perp}$	APANESE K	ERRIA
Golden yellow flowers, June-Sept.	Green	branches u	iseful for
winter effects.			
18 to 24 in	\$ .40	\$3.50	
2 to 2½ ft	.45	4.00	
—— fl. pl., 4'-5'		APANESE K	TODE
Desirable double form of above a			
18 to 24 in	.40	3.50	\$30.00
2 to 2½ ft	.50	$\frac{3.50}{4.50}$	40.00
$2\frac{1}{2}$ to 3 ft	.60	$\frac{4.50}{5.00}$	55.00
		5.00	33.00
KOELREUTERIA paniculata, 25'-30'		OLDENRAIN	
Has bright yellow flowers in July;	is a val	luable sma	ll flower-
ing tree.			
3 to 4 ft	.50	4.00	
4 to 5 ft	.75	6.00	
5 to 6 ft	1.00		
6 to 7 ft	1.25		
LABURNUM vulgare, 20'-25'		GOLDEN	COTTAIN
Beautiful clusters of yellow flower	o in one		CHAIN
2 to 3 ft	.35.	mg.	
	.50		
3 to 4 ft	.75		
4 to 5 ft	. 10		
LARIX europaea, 50'-60'	F	EUROPEAN	Larch
			LARCH
Especially good for spring effects:			Larch ——
	grows	rapidly.	Larch
Especially good for spring effects: 18 to 24 in	.35 .50	rapidly. 2.50 4.00	=
Especially good for spring effects 18 to 24 in	; grows .35 .50	rapidly. 2.50 4.00 Japanese	=
Especially good for spring effects 18 to 24 in	grows .35 .50	rapidly. 2.50 4.00  JAPANESE above.	=
Especially good for spring effects 18 to 24 in 2 to 3 ft  — leptolepsis, 60'-75' Fast growing, handsome tree, sim 18 to 24 in	; grows .35 .50 ailar to a .50	rapidly. 2.50 4.00  JAPANESE above. 4.00	=
Especially good for spring effects: 18 to 24 in. 2 to 3 ft.  — leptolepsis, 60'-75' Fast growing, handsome tree, sim 18 to 24 in. 2 to 3 ft.	35 .30 .30 .31 .30 .30 .70	rapidly. 2.50 4.00 JAPANESE above. 4.00 6.00	=
Especially good for spring effects: 18 to 24 in. 2 to 3 ft.  — leptolepsis, 60'-75' Fast growing, handsome tree, sin: 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	; grows .35 .50 nilar to a .50 .70 .90	JAPANESE above. 4.00 6.00 8.00	=
Especially good for spring effects:  18 to 24 in  2 to 3 ft  — leptolepsis, 60'-75'  Fast growing, handsome tree, sim  18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft	; grows .35 .50 nilar to a .50 .70 .90 1.00	rapidly. 2.50 4.00 JAPANESE above. 4.00 6.00 8.00 9.00	=
Especially good for spring effects: 18 to 24 in. 2 to 3 ft.  — leptolepsis, 60'-75' Fast growing, handsome tree, sin: 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	; grows .35 .50 nilar to a .50 .70 .90	JAPANESE above. 4.00 6.00 8.00	=
Especially good for spring effects:  18 to 24 in  2 to 3 ft  — leptolepsis, 60'-75'  Fast growing, handsome tree, sim  18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft	; grows .35 .50 nilar to a .50 .70 .90 1.00	rapidly. 2.50 4.00  JAPANESE above. 4.00 6.00 8.00 9.00 11.50	=
Especially good for spring effects:  18 to 24 in.  2 to 3 ft.  — leptolepsis, 60'-75'  Fast growing, handsome tree, sin  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  5 to 6 ft.	35 .50 .50 .50 .50 .70 .90 1.00 1.25	rapidly. 2.50 4.00  JAPANESE above. 4.00 6.00 8.00 9.00 11.50	LARCH
Especially good for spring effects:  18 to 24 in .  2 to 3 ft .  — leptolepsis, 60'-75'  Fast growing, handsome tree, sim  18 to 24 in .  2 to 3 ft .  3 to 4 ft .  4 to 5 ft .  5 to 6 ft .  LESPEDEZA bicolor, 5'-6'	35 .50 .50 .50 .50 .70 .90 1.00 1.25	Fapidly. 2.50 4.00 4.00 JAPANESE above. 4.00 6.00 8.00 9.00 11.50 Busho	LARCH
Especially good for spring effects: 18 to 24 in 2 to 3 ft  ightharpoonup lepsis, 60'-75' Fast growing, handsome tree, sim 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft  LESPEDEZA bicolor, 5'-6' Rose and white flower, Septembe 18 to 24 in	; grows .35 .50 nilar to a .50 .70 .90 1.00 1.25	rapidly. 2.50 4.00  JAPANESE above. 4.00 6.00 8.00 9.00 11.50  BUSHO der, gracef	LARCH
Especially good for spring effects:  18 to 24 in  2 to 3 ft  — leptolepsis, 60'-75'  Fast growing, handsome tree, sin  18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft  5 to 6 ft  LESPEDEZA bicolor, 5'-6'  Rose and white flower, Septembe  18 to 24 in  2 to 3 ft	; grows .35 .50 wilar to a .50 .70 .90 1.00 1.25 r. Slen .30	rapidly. 2.50 4.00  JAPANESE above. 4.00 6.00 8.00 9.00 11.50  BUSHO der, gracef 2.50	LARCH
Especially good for spring effects:  18 to 24 in  2 to 3 ft  — leptolepsis, 60'-75'  Fast growing, handsome tree, sin  18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft  5 to 6 ft   LESPEDEZA bicolor, 5'-6'  Rose and white flower, Septembe  18 to 24 in  2 to 3 ft  3 to 4 ft	; grows .35 .50 wilar to a .50 .70 .90 1.00 1.25 r. Slen .30 .35 .40	rapidly. 2.50 4.00 JAPANESE above. 4.00 6.00 8.00 9.00 11.50 BUSH der, gracef 2.50 3.00 3.50	LARCH
Especially good for spring effects:  18 to 24 in  2 to 3 ft  — leptolepsis, 60'-75'  Fast growing, handsome tree, sin  18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft  5 to 6 ft  LESPEDEZA bicolor, 5'-6'  Rose and white flower, Septembe  18 to 24 in  2 to 3 ft	; grows .35 .50 .50 .50 .70 .90 1.00 1.25 r. Slen .30 .35 .40 m), 3'-4	rapidly. 2.50 4.00  Japanese above. 4.00 6.00 8.00 9.00 11.50 BUSHC der, gracef 2.50 3.00 3.50	LARCH
Especially good for spring effects: 18 to 24 in 2 to 3 ft  leptolepsis, 60'-75' Fast growing, handsome tree, sim 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft  LESPEDEZA bicolor, 5'-6' Rose and white flower, Septembe 18 to 24 in 2 to 3 ft 3 to 4 ft  - formosa (Desmodium penduliflorum	35 .50 silar to a .50 .70 .90 1.00 1.25 r. Slen .30 .35 .40 mm), 3'-4 Pur	rapidly. 2.50 4.00 JAPANESE above. 4.00 6.00 8.00 9.00 11.50 BUSHG der, gracef 2.50 3.00 3.50	LARCH  CLOVER ul shrub.
Especially good for spring effects: 18 to 24 in 2 to 3 ft  ightharpoonup lepsis, 60'-75' Fast growing, handsome tree, sim 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft  LESPEDEZA bicolor, 5'-6' Rose and white flower, Septembe 18 to 24 in 2 to 3 ft 3 to 4 ft  - formosa (Desmodium penduliflorum Rosy purple flower conspicuous	35 .50 silar to a .50 .70 .90 1.00 1.25 r. Slen .30 .35 .40 mm), 3'-4 Pur	rapidly. 2.50 4.00 JAPANESE above. 4.00 6.00 8.00 9.00 11.50 BUSHG der, gracef 2.50 3.00 3.50	LARCH  CLOVER ul shrub.
Especially good for spring effects: 18 to 24 in 2 to 3 ft  ightharpoonup lepsis, 60'-75' Fast growing, handsome tree, sim 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft  LESPEDEZA bicolor, 5'-6' Rose and white flower, Septembe 18 to 24 in 2 to 3 ft 3 to 4 ft formosa (Desmodium penduliflorum Rosy purple flower conspicuous herbaceous shrub.	35 .50 silar to a .50 .70 .90 1.00 1.25 r. Slen .30 .35 .40 mm), 3'-4 Pur	rapidly. 2.50 4.00 JAPANESE above. 4.00 6.00 8.00 9.00 11.50 BUSHG der, gracef 2.50 3.00 3.50	LARCH  CLOVER ul shrub.
Especially good for spring effects: 18 to 24 in 2 to 3 ft  ightharpoonup lepsis, 60'-75' Fast growing, handsome tree, sim 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft  LESPEDEZA bicolor, 5'-6' Rose and white flower, Septembe 18 to 24 in 2 to 3 ft 3 to 4 ft  - formosa (Desmodium penduliflorum Rosy purple flower conspicuous	; grows .35 .50 .50 .50 .70 .90 1.00 1.25 r. Slen .30 .35 .40 m), 3'-4 Purs	rapidly. 2.50 4.00 JAPANESE above. 4.00 6.00 8.00 9.00 11.50 BUSHO der, gracef 2.50 3.00 3.50  // PLE BUSHO pt. An a	LARCH  CLOVER ul shrub.  CLOVER ttractive

	Each	Per 10	Per 100
LEUCOTHOE (See EVERGREENS)			
LIGUSTRUM amurense, 14'-15' Half evergreen; very hardy.		Amur ]	Priver
18 to 24 in	\$ .15	\$1.00	\$ 8.00
2 to 3 ft	.20	1.50	10.00
3 to 4 ft	.25	2.00	15.00
4 to 5 ft	.30	2.50	
— ibota, 9'-10' Good dense habit; flowers and	fruits	IBOTA I	Privet ecorative
black berries. Very hardy.	20	1.50	10.00
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25 .30	$\frac{2.00}{2.50}$	15.00 $20.00$
3 to 4 ft	.35	3.00	20.00
	.00	5.00	
— regelianum (cuttings), 5'-6'			
		G REGEL	
Makes a splendid, low, dense hed		good in s	hrubbery
or evergreen plantings. Very desi	.20	1.50	8.00
18 to 24 in	.25	2.00	12.00
2 to 2½ ft	.30	2.50	18.00
$2\frac{1}{2}$ to 3 ft	.35	3.00	22.00
		NG REGAL	Priver
A form between the above and Ib	ota.		
18 o 24 in	.15	1.00	
2 to 3 ft	.20	1.50	
3 to 4 ft	.25	2.00	
— lodense, 2½' Very compact, dwarf form.		DWARF	PRIVET,
1 year	.30	2.50	20.00
2 year	.35		
— lucidum, 6'-8'		Crosser	D
A very attractive evergreen prive Not hardy in the North.	et with	Glossy rich, gloss	rrivet sy leaves.
3 inch pots	.30	2.50	
5 inch pots	.50		
	Day 16	Per 100	D., 1000
— ovalifolium, 9'-10'		LIFORNIA	
Most popular hedge plant. We of	ffer goo	d bushy 2	vr. stock
well worth the price.	8	a sasing a	JII Stock
12 to 18 in	.60	3.50	25.00
18 to 24 in	.80	4.00	30.00
2 to 3 ft	1.00	6.00	45.00
3 to 4 ft	1.50	7.50	60.00
	Each	Per 10	Per 100
— aureum, 8'-9'		GOLDEN 3	PRIVET
Grows rather slowly.			
12 to 15 in	.20	1.80	15.00
15 to 18 in	.30	2.50	
18 to 24 in	.40		
- vulgare, 10'-12'	E	uropean I	PRIVET
Creamy-white flowers. June-July		k berries.	
2 to 3 ft	.25	2.00	$15.00^{\circ}$
3 to 4 ft	.30	2.50	20.00
	.35	3.00	25.00
LIQUIDAMBAR styraciflua, 75'-100'		Swee	r Gum
One of the best trees for autumn	color; g	rows well	in moist
places; has corky bark; rather diffi	cult to	transplant	
3 to 4 ft	.75		
4 to 5 ft	1.35		
5 to 6 ft	1.75		

	Each	Per 10	
LIRIODENDRON tulipifera, 60'-80' A quick grower; the yellow tulip	-like fl	Tul owers are	iptree produced
in June.			
4 to 6 ft	\$ .75	\$6.00	
6 to 8 ft	$\frac{1.15}{1.50}$		
LONICERA alberti, ?' Rose-pink fragrant flowers. May- Dwarf in habit.	$_{ m June.}^{ m Albe}$	rt Honey: Bluish-gre	suckle en leaves
12 to 18 in	.30 .40	$\frac{2.50}{3.50}$	
	re Bel	LE HONEY	SUCKLE
Grows vigorously. 2 to 3 ft	.25	2.00	\$15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
— fragrantissima, 6'-8'	WINT	ER HONEY	SUCKLE
Fragrant white flower, April-May 2 to 3 ft			1. 20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	30.00
— heckrotti, 15'-20' EVERE	BLOOME	NG HONEY	SUCKLE
Flowers purple outside, yellow ins		ly-Sept. 2.50	
2 year		3.00	
— henryi, 15′–20′	Henr	RY HONEY	SUCKLE
Strong vine, with dark green le	athery	foliage, p	ractically
evergreen. Flowers yellowish red 4 inch pots	.35	3.00	
— japonica (brachypoda), 15'–20' Rapid grower and blooms freely for covering steep banks. Almost 2 year	rom Ju evergi	ine to Sept	
	Gold	EN HONEY	SUCKLE
Leaves veined golden yellow.	0.5	2.00	1 * 00
2 year		$\frac{2.00}{2.50}$	15.00 20.00
— halliana, 15'-25' HALL	JAPANE	SE HONEY	SUCKLE
Grows rampantly. Blooms freely	, delici	ously fragr	
1 year first class	.20	1.50	10.00
1 year first class	.25	$\frac{2.00}{2.50}$	15.00 $20.00$
— maacki. 8'-9'		R Honeys	
Large white flowers; June. Scar midwinter. Very desirable.	let ber	ries persis	ting unti
2 to 3 ft	.30 .35	$\frac{2.50}{3.00}$	$\frac{20.00}{25.00}$
* n/ c/	31 -	77	
— morrowi, 7'-8' Spreading habit, white. May-Jur	ie. Re	d fruits, go	od foliage
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30 .40	$\frac{2.50}{3.50}$	20.00
—— (upright)			
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30 .40	$\frac{2.50}{3.50}$	20.00
— pileata, 2'		ET HONEY	SUCKLE
Dwarf evergreen shrub; needs pro	otection		
9 to 12 in., bushy, B. and B	.40		

LONICERA—continued	Each	Per 10	Per 100
— ruprechtiana, 8'-9' MAN	CHURIAN	HONEYS	UCKLE
Creamy white flowers, June. Ber			
18 to 24 in	\$ .20	\$1.50	\$10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
— sempervirens, 15'-20' Bright, scarlet, showy flowers, Jul		r Honeys	UCKLE
2 year	у-зерг. .30	2.50	
3 year	.35	3.00	
— tatarica, Pink, Red and White, 9'-1		0.00	
$T_{ m A}$	RTARIAN	HONEYS	UCKLE
Flowers and fruit freely produced.	A mos	t adaptab	le shrub.
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35		
LYCIUM barbarum 10'-12' BAR Violet flowers in June, followed by banks or hanging over retaining w	bright re	ATRIMONY ed fruits; i	
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	$\frac{2.50}{2.50}$	20.00
More vigorous and fruitful than p	receding		
18 to 24 in	.20	$\frac{1.50}{2.00}$	10.00
2 to 3 ft	$.25 \\ .30$	$\frac{2.00}{2.50}$	15.00
3 to 4 ft	.00	2.50	20.00
MAGNOLIA tripetala 30'-40' Very large leaves; flowers white, 4 to 5 ft		ella Mac ed pods a	
5 to 6 ft	2.00		
6 to 8 ft	3.00		
MAHONIA~(See~EVERGREENS)			
MALUS coronaria 15'-20' Blush pink flowers in early spring.		Sweet	Crab
3 to 4 ft	.50	4.00	
4 to 5 ft	.75	6.50	
5 to 6 ft	1.00	9.00	
— floribunda 10'-15' JAPA Literally covered with rose-colore		LOWERING	
3 to 4 ft	.60	5.00	
4 to 5 ft	.85	7.50	65.00
5 to 6 ft	1.00	9.00	
— atrosanguinea 10'-15' Deeper flowering form of above.		CARMINE	Скав
3 to 4 ft	.60	5.00	40.00
4 to 5 ft	.85	7.50	65.00
5 to 6 ft	1.00	9.00	
— halliana parkmani 10'-15'		Parkman	CARB
Semi-double pink; good, compact	.50	4.00	
2 to 3 ft	.30 .75	6.50	
4 to 5 ft	1.00	9.00	
— ioensis plena 10'-15'  Large double pure pink flowers v		BECHTEL	
vigorous grower.		, , , , , , , , , , , , , , , , , , ,	
18 to 24 in	.50	4.00	
2 to $2\frac{1}{2}$ ft	.60	5.00	
$2\frac{1}{2}$ to $\tilde{3}$ ft	.70	6.00	
3 to 4 ft	.90	7.50	
4 to 5 ft	1.35	12.50	

28 TRINGBION NO.	1651716117		
MALUS—continued	Each	Per 10	Per 100
— scheideckeri 10'-15'		EIDECKER	
Double pink; handsome flower of		EIDECKEI	CHAD
2 to 3 ft			
3 to 4 ft			
4 to 5 ft	.90		
– spectabilis 10'–15' Cı	HINESE F	LOWERING	CRAB
Beautiful pink or white flowers;		nted; doul	ble.
2 to 3 ft			
3 to 4 ft	.75		
IORUS alba pendula 8'-10' TE	A'S WEEL	PING MUL	BERRY
The most popular small "weepin	g "tree.		
Medium Grade, 1 yr. heads First Class Heads, 2 yr. heads	1.60	\$15.00	\$140.00
		19.00	
Extra, 3 yr. heads		24.00	
IYRICA cerifera 4'-5'	SOUTHE	RN WAXM	YRTLE
Does well in poor, gravelly soil.	Has deco	ratīve graj	y berries,
and glossy green foliage. Good f	for seasho		
12 to 15 in	.30	2.50	20.00
15 to 18 in		3.00	25.00
18 to 24 in		3.50	30.00
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$		4.00	35.00
$2\frac{1}{2}$ to 3 ft	.50	4.50	
XYDEDRUM aboreum 25'-30'			RWOOD
Graceful clusters of white flower	s. Augus	st. Good	leathery
foliage. Fine autumn coloring.		0.00	
2 to 3 ft		6.00	
3 to 4 ft		7.50	
4 to 5 ft	1.00	8.50	
SMANTHUS (See EVERGREENS)	1		
ACHYSANDRA (See Perennials and	l Ground	Covers)	
AULOWNIA tomentosa	Po:	YAL PAUL	OWNER
(imperalis), $30'-40'$	110	IALIACL	OWNIA
Grows rapidly; very large leaves	s: purple	flowers: r	ot quite
hardy in North.	, I I'.	, 1	-14200
4 to 6 ft	.85	7.50	
6 to 8 ft	1.25	11.50	
8 to 10 ft	1.75		
HELLODENDRON chinense 50'-6	0′ Снт	NESE COR	KTREE
A rapid growing, tropical appear			
3 to 4 ft		4.00	
4 to 5 ft	.75	6.50	
HLADELPHUS avalanche 3'-4'	Dwar	E MOCKO	RANGE
Graceful, arching habit.	DWAR	I MIOUNU	MANGE
18 to 24 in	.25	2.00	18.00
2 to 3 ft	.30	2.50	22.00
3 to 4 ft	.35	3.00	
boquet blanc 1'-5' Wura	E BOQUE	т Москої	RANGE
Low, dense habit. Blooms freely	. May-J		
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3,50	
coronarius 9'-10'		т Москої	
White fragrant flowers profusely	borne in l	May-June	е.
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
		<b>г</b> Москон	RANGE
Dwarf, compact form. Yellow le			
12 to 15 in	.30	2.50	20.00
15 to 18 in	.35	3.00	25.00
18 to 24 in	.40	3.50	30.00
2 to $2\frac{1}{2}$ ft	.50	4.50	40.00

PHILADELPHUS—continued		Per 10	
— grandiflorus 7'-8' LARGE F	LOWER	ер Моско	RANGE
Has no fragrance. 2 to 3 ft	\$ .25	\$2.00	\$15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.40	3.50	30.00
— gordonianus (lewisi), 10'-12'	Gordo	и Моско	RANGE
Flowers in June-July. Slightly fr	agrant.	Blooms 1	ate.
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30 . <b>4</b> 0	$\frac{2.50}{3.50}$	20.00
4 to 5 ft			
— lemoinei, 4'-5' Good compact habit. Flowers sw	LEMOIN ootly so	ve Mocko ented	RANGE
15 to 18 in		1.50	
18 to 24 in	.25	2.00	
2 to 2½ ft	.30	2.50	
— virginalis, 7'-8'	VIRGINA	аь Моско	RANGE
Beautiful semi-double flowers pr	$\operatorname{oduced}$	intermitt	ently all
summer.	<b>50</b>	4.50	
2 to 3 ft	.50	4.50	
— <b>zeyheri,</b> 8'-9' 18 to 24 in	.20	ER Mocko 1.50	RANGE
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
PHOTINIA villosa, 8'-9'	REDDE	RRIED PH	OTINIA
Flowers white, June. Rich scarlet			
autumn. Splendid foliage for colo			borne in
2 to 3 ft	.40	3.50	30.00
3 to 4 ft	.50	4.50	40.00
4 to 5 ft	.60	5.50	50.00
— glabra			
3 to 4 ft	.50	4.50	
	a		EBARK
Creamy white, June. Vigorous.		or shade.	
Creamy white, June. Vigorous. 18 to 24 in	.20	or shade. $1.50$	10.00
Creamy white, June. Vigorous. 18 to 24 in	.20 .25	or shade. 1.50 2.00	10.00 15.00
Creamy white, June. Vigorous. 18 to 24 in	.20	or shade. $1.50$	10.00
18 to 24 in	.20 .25 .30 .35	or shade. 1.50 2.00 2.50	10.00 15.00 20.00 25.00
Creamy white, June. Vigorous. 18 to 24 in	.20 .25 .30 .35 Gold	or shade. 1.50 2.00 2.50 3.00 0LEAF NIN	10.00 15.00 20.00 25.00
Creamy white, June. Vigorous.  18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft  — aureus, 9'-10' Golden-leaved variety; white flow.  18 to 24 in	.20 .25 .30 .35 Gold ers in ea .20	or shade. 1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50	10.00 15.00 20.00 25.00 EBARK
Creamy white, June. Vigorous.  18 to 24 in	.20 .25 .30 .35 Gold ers in ea .20 .25	or shade. 1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50 2.00	10.00 15.00 20.00 25.00 EBARK 10.00 15.00
Creamy white, June. Vigorous.  18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft  — aureus, 9'-10'  Golden-leaved variety; white flow 18 to 24 in  2 to 3 ft  3 to 4 ft	.20 .25 .30 .35 Gold ers in ea .20 .25 .30	or shade. 1.50 2.00 2.50 3.00 OLEAF NIN orly June. 1.50 2.00 2.50	10.00 15.00 20.00 25.00 EBARK 10.00 15.00 20.00
Creamy white, June. Vigorous.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  — aureus, 9'-10'  Golden-leaved variety; white flow  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.	.20 .25 .30 .35 Gold ers in ea .20 .25	or shade. 1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50 2.00	10.00 15.00 20.00 25.00 EBARK 10.00 15.00
Creamy white, June. Vigorous.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  — aureus, 9'-10'  Golden-leaved variety; white flow.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  PICEA (See EVERGREENS)	.20 .25 .30 .35 Gold ers in ea .20 .25 .30	or shade. 1.50 2.00 2.50 3.00 OLEAF NIN orly June. 1.50 2.00 2.50	10.00 15.00 20.00 25.00 EBARK 10.00 15.00 20.00
Creamy white, June. Vigorous.  18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft  — aureus, 9'-10'  Golden-leaved variety; white flow 18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft.  PICEA (See EVERGREENS)  PIERIS (See EVERGREENS)	.20 .25 .30 .35 Gold ers in ea .20 .25 .30	or shade. 1.50 2.00 2.50 3.00 OLEAF NIN orly June. 1.50 2.00 2.50	10.00 15.00 20.00 25.00 EBARK 10.00 15.00 20.00
Creamy white, June. Vigorous.  18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft  — aureus, 9'-10'  Golden-leaved variety; white flow 18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft  PICEA (See EVERGREENS)  PINUS (See EVERGREENS)	.20 .25 .30 .35 Gold ers in ea .20 .25 .30	or shade. 1.50 2.00 2.50 3.00 OLEAF NIN orly June. 1.50 2.00 2.50	10.00 15.00 20.00 25.00 EBARK 10.00 15.00 20.00
Creamy white, June. Vigorous.  18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft  — aureus, 9'-10'  Golden-leaved variety; white flow.  18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft  PICEA (See EVERGREENS)  PIERIS (See EVERGREENS)  PINUS (See EVERGREENS)  PLATANUS orientalis, 70'-80'	.20 .25 .30 .35 .35 .20 ers in ea .20 .25 .30 .35	or shade.  1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50 2.00 2.50 3.00	10.00 15.00 20.00 25.00 EBARK 10.00 15.00 20.00 25.00
Creamy white, June. Vigorous.  18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft  — aureus, 9'-10'  Golden-leaved variety; white flow.  18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft  PICEA (See EVERGREENS)  PIERIS (See EVERGREENS)  PINUS (See EVERGREENS)  PLATANUS orientalis, 70'-80'  A good tree for park and street to	.20 .25 .30 .35 GOLD ers in ea .20 .25 .30 .35	or shade.  1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50 2.00 2.50 3.00	10.00 15.00 20.00 25.00 EBARK 10.00 15.00 20.00 25.00
Creamy white, June. Vigorous.  18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft  — aureus, 9'-10'  Golden-leaved variety; white flow 18 to 24 in  2 to 3 ft  3 to 4 ft  4 to 5 ft.  PICEA (See EVERGREENS)  PIERIS (See EVERGREENS)  PINUS (See EVERGREENS)  PLATANUS orientalis, 70'-80'  A good tree for park and street withstands smoky city conditions.	.20 .25 .30 .35 Gold ers in ea .20 .25 .30 .35	or shade.  1.50 2.00 2.50 3.00 0LEAF NIN trly June. 1.50 2.00 2.50 3.00  AN PLANE ws rather	10.00 15.00 20.00 25.00 EBARK 10.00 20.00 25.00
Creamy white, June. Vigorous.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  — aureus, 9'-10'  Golden-leaved variety; white flow.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  PICEA (See EVERGREENS)  PIERIS (See EVERGREENS)  PINUS (See EVERGREENS)  PLATANUS orientalis, 70'-80'  A good tree for park and street withstands smoky city conditions.  6 to 8 ft.	.20 .25 .30 .35 Gold ers in ea .20 .25 .30 .35	or shade.  1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50 2.00 2.50 3.00  CAN PLANE ws rather 11.50	10.00 15.00 20.00 25.00 25.00 EBARK 10.00 20.00 25.00 TREE quickly;
Creamy white, June. Vigorous.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  — aureus, 9'-10' Golden-leaved variety; white flow.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  PICEA (See EVERGREENS) PIERIS (See EVERGREENS) PINUS (See EVERGREENS) PLATANUS orientalis, 70'-80'  A good tree for park and street twithstands smoky city conditions.  6 to 8 ft.  8 to 10 ft.  8 to 10 ft.  12 to 114 in.	.20 .25 .30 .35 Golders in ea .20 .25 .30 .35	or shade.  1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50 2.00 2.50 3.00  AN PLANE ws rather  11.50 14.50	10.00 15.00 20.00 25.00 EBARK 10.00 20.00 25.00
Creamy white, June. Vigorous.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  — aureus, 9'-10' Golden-leaved variety; white flow.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  PICEA (See EVERGREENS) PIERIS (See EVERGREENS) PINUS (See EVERGREENS) PLATANUS orientalis, 70'-80'  A good tree for park and street twithstands smoky city conditions.  6 to 8 ft.  8 to 10 ft.  8 to 10 ft.  12 to 114 in.	.20 .25 .30 .35 Gold ers in ea .20 .25 .30 .35	or shade.  1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50 2.00 2.50 3.00  CAN PLANE ws rather 11.50	10.00 15.00 20.00 25.00 25.00 EBARK 10.00 20.00 25.00 TREE quickly;
Creamy white, June. Vigorous.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  — aureus, 9'-10' Golden-leaved variety; white flow.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  PICEA (See EVERGREENS) PIERIS (See EVERGREENS) PINUS (See EVERGREENS) PLATANUS orientalis, 70'-80'  A good tree for park and street to withstands smoky city conditions.  6 to 8 ft.  8 to 10 ft.  8 to 10 ft.  12 to 114 in.	.20 .25 .30 .35 Golders in ea .20 .25 .30 .35 Europe ise; gro 1.25 1.60 2.00 2.25 3.00	or shade. 1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50 2.00 2.50 3.00  MAN PLANE ws rather 11.50 14.50 18.50	10.00 15.00 20.00 25.00 25.00 EBARK 10.00 20.00 25.00 TREE quickly;
Creamy white, June. Vigorous.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  — aureus, 9'-10' Golden-leaved variety; white flow.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  PICEA (See EVERGREENS) PIERIS (See EVERGREENS) PINUS (See EVERGREENS) PLATANUS orientalis, 70'-80'  A good tree for park and street twithstands smoky city conditions.  6 to 8 ft.  8 to 10 ft.  8 to 10 ft.  12 to 114 in.	.20 .25 .30 .35 Golders in ea .20 .25 .30 .35 EUROPE ise; gro 1.25 1.60 2.00 2.25 3.00 3.50	or shade.  1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50 2.00 2.50 3.00  AAN PLANE ws rather  11.50 14.50 18.50 21.00	10.00 15.00 20.00 25.00 25.00 EBARK 10.00 20.00 25.00 TREE quickly;
Creamy white, June. Vigorous.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  — aureus, 9'-10'  Golden-leaved variety; white flow.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  PICEA (See EVERGREENS)  PIERIS (See EVERGREENS)  PINUS (See EVERGREENS)  PLATANUS orientalis, 70'-80'  A good tree for park and street i withstands smoky city conditions.  6 to 8 ft.  8 to 10 ft.  8 to 10 ft.—1½ to 1½ in.  10 to 12 ft.—1½ to 1¾ in.  10 to 12 ft.—1¾ to 2 in.  12 to 13 ft.—2 to 2½ in.  12 to 13 ft.—2½ to 2½ in.	.20 .25 .30 .35 GOLD ers in ea .20 .25 .30 .35 EUROPE ise; gro 1.25 1.60 2.00 2.25 3.00 3.50 4.00	or shade.  1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50 2.00 2.50 3.00  MAN PLANE ws rather  11.50 14.50 18.50 21.00 28.50	10.00 15.00 20.00 25.00 EBARK 10.00 15.00 25.00  *TREE quickly; 100.00 135.00
Creamy white, June. Vigorous.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  — aureus, 9'-10'  Golden-leaved variety; white flow.  18 to 24 in.  2 to 3 ft.  3 to 4 ft.  4 to 5 ft.  PICEA (See EVERGREENS)  PIERIS (See EVERGREENS)  PINUS (See EVERGREENS)  PLATANUS orientalis, 70'-80'  A good tree for park and street is withstands smoky city conditions.  6 to 8 ft.  8 to 10 ft.  8 to 10 ft.  10 to 12 ft.—1½ to 1½ in.  10 to 12 ft.—1½ to 1¾ in.  10 to 12 ft.—1½ to 1¾ in.  12 to 13 ft.—2 to 2¼ in.  12 to 13 ft.—2 to 2½ in.  POPULUS bolleanu, 50'-60'	.20 .25 .30 .35 GOLD ers in ea .20 .25 .30 .35 EUROPE ise; gro 1.25 1.60 2.00 2.25 3.00 3.50 4.00 Bo	or shade.  1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50 2.00 2.50 3.00  MAN PLANE ws rather  11.50 14.50 18.50 21.00 28.50  DLEANA P	10.00 15.00 20.00 25.00 EBARK 10.00 15.00 20.00 25.00  TREE quickly; 100.00 135.00
Creamy white, June. Vigorous. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. —— aureus, 9'-10'  Golden-leaved variety; white flow. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  PICEA (See EVERGREENS)  PIERIS (See EVERGREENS)  PINUS (See EVERGREENS)  PLATANUS orientalis, 70'-80'  A good tree for park and street withstands smoky city conditions. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 12 ft. 1½ in. 10 to 12 ft1½ to 1¾ in. 10 to 12 ft1½ to 1¾ in. 12 to 13 ft2 to 2½ in. 12 to 13 ft2 to 2½ in. 19  POPULUS bolleanu, 50'-60' Leaves white underneath; simila	.20 .25 .30 .35 GOLD ers in ea .20 .25 .30 .35 EUROPE ise; gro 1.25 1.60 2.00 2.25 3.00 3.50 4.00 Bo	or shade.  1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50 2.00 2.50 3.00  MAN PLANE ws rather  11.50 14.50 18.50 21.00 28.50	10.00 15.00 20.00 25.00 EBARK 10.00 15.00 20.00 25.00  TREE quickly; 100.00 135.00
Creamy white, June. Vigorous. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. ——aureus, 9'-10' Golden-leaved variety; white flow. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. ——Heavis and street in the street of t	.20 .25 .30 .35 GOLDers in ea .20 .25 .30 .35 EUROPE ise; gro 1.25 1.60 2.00 3.50 4.00 Bour colur	or shade.  1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50 2.00 2.50 3.00  CAN PLANE ws rather  11.50 14.50 18.50 21.00 28.50 —— OLLEANA P mnar char	10.00 15.00 20.00 25.00 EBARK 10.00 15.00 20.00 25.00  TREE quickly; 100.00 135.00
Creamy white, June. Vigorous. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — aureus, 9'-10' Golden-leaved variety; white flow 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  PICEA (See EVERGREENS) PIERIS (See EVERGREENS) PINUS (See EVERGREENS) PLATANUS orientalis, 70'-80' A good tree for park and street to withstands smoky city conditions. 6 to 8 ft. 8 to 10 ft. 8 to 10 ft. 10 to 12 ft.—1½ to 1½ in. 10 to 12 ft.—1½ to 1½ in. 12 to 13 ft.—2½ to 2½ in. 12 to 13 ft.—2½ to 2½ in.  POPULUS bolleanu, 50'-60' Leaves white underneath; simila Lombardy Poplar. 4 to 6 ft. 6 to 8 ft.	.20 .25 .30 .35 GOLD ers in ea .20 .25 .30 .35 EUROPE ise; gro 1.25 1.60 2.00 2.25 3.00 3.50 4.00 Bo	or shade.  1.50 2.00 2.50 3.00 0LEAF NIN orly June. 1.50 2.00 2.50 3.00  MAN PLANE ws rather  11.50 14.50 18.50 21.00 28.50  DLEANA P	10.00 15.00 20.00 25.00 EBARK 10.00 15.00 20.00 25.00  TREE quickly; 100.00 135.00
Creamy white, June. Vigorous. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. ——aureus, 9'-10'  Golden-leaved variety; white flow. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. ——IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	.20 .25 .30 .35 GOLD ers in ea .20 .25 .30 .35 EUROPE ise; gro 1.25 1.60 2.00 2.25 3.00 3.50 4.00 Boar colur	or shade.  1.50 2.00 2.50 3.00 DLEAF NIN urly June. 1.50 2.50 3.00  CAN PLANE ws rather  11.50 14.50 18.50 21.00 28.50 ——— DLLEANA P nnar char 5.50	10.00 15.00 20.00 25.00 25.00 EBARK  10.00 15.00 25.00  TREE quickly; 100.00 135.00  COPLAR cacter to


PLATANUS—continued — monilifera, 75'-90'	Each	Per 10 AROLINA P	
A rapid grower; succeeds even in			
shore.			
8 to 10 ft	\$ .40	\$3.50	\$25.00
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	$.45 \\ .75$	$\frac{4.00}{6.50}$	$\frac{30.00}{60.00}$
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in 12 to 14 ft.— $1\frac{3}{4}$ to 2 in	1.15		
<ul> <li>nigra italica, 60'-80'</li> <li>Tall spire-like character; valued screens.</li> </ul>		омвавду Р ndscape w	
6 to 8 ft	.45	3.50	30.00
8 to 10 ft	.65	5.00	45.00
10 to 12 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in 11 to 13 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	.90	8.00	70.00
11 to 13 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	1.25	10.00	90.00
POTENTILLA fruticosa 3'-4' Blooms profusely, yellow, June-S useful shrub.		вву Сімұл ery adapta	
15 to 18 in	.30	2.50	20.00
18 to 24 in	.35	3.00	25.00
2 to 2½ ft	.40	3.50	30.00
PRINOS (See ILEX)			
PRUNUS cerasifera pissardi 12'-15' Valued chiefly because of purplish every year for best color effect.		urpleleaf e; should be	
2 to 3 ft	.50	4.50	
3 to 4 ft	.65	6.00	
4 to 5 ft	.85	7.50	
— J. H. Veitch 30'-40', B. and B.  The best double Japanese flowerin	g cherr	Sieвold Сi y; double r	
3 to 4 ft	4.00	المب	
— maritima 9'-10'	0	Beach	Prirat
Small white flowers, April. Fru subject for sandy soils or near sea			
18 to 24 in	.30		
2 to 3 ft	.35		
3 to 4 ft	.45		
<ul> <li>subhirtella pendula 12'-15'</li> <li>A most beautiful and graceful treesoms in early spring.</li> </ul>			
Grafted low and trained to stake.	0.00		
3 to 4 ft., B. and B	$\frac{2.00}{2.75}$		
4 to 5 ft., B. and B 5 to 6 ft., B. and B	4.00		
Grafted high, on standards.	1.00		
3 to 4 ft. stems, 1 yr. heads	2.00		
4 to 5 ft. stems, 1 vr. heads	2.50		
5 to 6 ft. stems, 1 yr. heads, extra	3.00		
<ul> <li>tomentosa 6'-7'</li> <li>Fruits are light red. Flowers wh Very showy.</li> </ul>	N ite, bef	anking Ci fore leaves	appear.
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.45	4.00	
4 to 5 ft	.50	4.50	
— triloba 7'-8'		UBLE FLG.	
Double pink flowers, April–May.		some and u	
18 to 24 in	.40	3.50	30.00
2 to 3 ft	.50 .60	$\frac{4.50}{5.50}$	40.00
3 to 4 ft	.00	9.90	

	T - al.	D 10	D. 100
PTELEA trifoliata 10'-12'	Each		Per 100 Tree
Has clusters of fruit that look and 3 to 4 ft	smell l \$ .30	11ke hops. \$2.50	
4 to 6 ft	.40	3.50	
6 to 8 ft	.50	4.50	
PYRACANTHA (See EVERGREENS)			
OUERCUS cerris 60'-70'		Turke	y Oak
Small-leaved, compact growing Oa	ık.	I Olline	· One
8 to 10 ft	1.50	14.00	
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	18.50	
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50	23.50	
— coccinea 75'-90'		SCARLE	т Оак
Most striking autumn colors; tall, leaves.	stately	grower, .de	eply cut
	1.50	13.50	
6 to 8 ft 8 to 10 ft.—1½ to 1½ in	2.65	25.00	
8 to 10 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00		
— palustris 75′–90′		Pn	N OAK
Takes most kindly to cultivation	; prefer	s moist soi	l, but is
very adapatable. Particularly fit	ting as	a street tre	ee; good
autumn effects.	2.00	10.50	0177.00
8 to 10 ft	$\frac{2.00}{2.50}$	18.50	\$175.00
8 to 10 ft.—1¼ to 1½ in 9 to 10 ft.—1½ to 1¾ in	$\frac{2.30}{3.00}$	$23.50 \\ 28.50$	225.00 $275.00$
10 to 11 ft.—13/4 to 2 in	3.75	36.00	350.00
10 to 11 ft.— $1\frac{3}{4}$ to 2 in 11 to 12 ft.—2 to $2\frac{1}{4}$ in	4.50	43.50	
12 to 13 ft.— $2\frac{1}{4}$ to $2\frac{1}{2}$ in	5.25		
— phellos 60′–80′		WILLOY	v Oak
Leaves long and entire, like the	Willow;	retain the	eir green
color until late in autumn.			
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.75		
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.00		
— robur 70′-80′		Englisi	i Oak
The large Oak of England. 8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	23.50	
10 to 10 ft.—174 to 172 in	$\frac{2.30}{3.00}$	$\frac{23.50}{28.50}$	
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in 10 to 12 ft.— $1\frac{3}{4}$ to 2 in	3.75	36.00	
rubra 75'-90'			о Оак
Comparatively quick growth; rich	autumi		
and reds.		0	
6 to 8 ft	1.50	13.50	
8 to 10 ft	2.15	20.00	
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	23.50	
8 to 10 ft. 8 to 10 ft.—1½ to 1½ in 9 to 10 ft.—1½ to 1¾ in 9 to 11 ft.—1¾ to 2 in	3.00	28.50	
9 to 11 ft.—1% to 2 in	$\frac{3.75}{4.50}$	36.00	
· · · · · · · · · · · · · · · · · · ·			
RETINOSPORA (See EVERGREENS		D	
RHAMNUS cathartica 9'-10' Dark green leaves, black berries. V		MON BUCK	
2 to 3 ft	.25	2.00	ia siirub.
3 to 4 ft	.30	2.50	
4 to 5 ft	.40		
— frangula 8'-9'	Gro	SSY BUCK	PHORN
Berries red, changing to black.			
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
RHODODENDRON (See EVERGREE	ENS)		
RHODOTYPUS kerrioides 4'-5'		$J_{E}$	TBEAD
Fresh green foliage, pure white flo	wers. M	lay–June.	Shining
black bead-like berries all winter.	40	0.*0	90.00
18 to 24 in	.40	$\frac{3.50}{4.00}$	30.00
2 to 3 ft	.45 .55	$\frac{4.00}{5.00}$	$35.00 \\ 45.00$
O to Tit	.00	0.00	10.00



General view from the greenhouses toward the office showing

	Each	Per 10	Per 100	
RHUS canadensis (aromatica) 4'-5'	F	RAGRANT	Sumac	
Clusters of small yellow flowers, Ap				
in June when covered with cora				
drought. Aromatic foliage.				
18 to 24 in	\$ .35	\$3.00		
2 to 3 ft	.45	4.00		
3 to 4 ft	.55	5.00		
— copallina 12'-13'		Shining S	SUMAC	
Showy crimson fruits; good autur	nn color	ing. Mal	kes show	
in poor arid situations; good for m				
18 to 24 in	.25	2.00	\$15.00	
2 to 3 ft	.30	2.50	20.00	
3 to 4 ft	.35	3.00		
— cotinus 10'-12'		Smoke	Tree	
Purple fringe.				
18 to 24 in	.65	6.00		
2 to 3 ft	.85	7.00		
3 to 4 ft	1.00	9.00		
– glabra 10'-12' Smooth Sumac				
Crimson fruits in bunches; rich au	ıtumn co	oloring; th	nrives in	
poor soils.		_		
2 to 3 ft	.25	2.00	15.00	
3 to 4 ft	.30	2.50	20.00	
4 to 5 ft	.35	3.00	25.00	
5 to 6 ft	.40	3.50		



splanting beds with lath nouse for azaleas in the distance.

RHUS—continued	Each	Per 10	Per 100
— — laciniata 4'-5'	Cutlear	SMOOTH	Sumac
Delicately cut leaves; grows slow	y.		
18 to 24 in		\$3.00	\$25.00
2 to 2½ ft	.40	3.50	
$2\frac{1}{2}$ to $\overline{3}$ ft	.45	4.00	
— typhina 15′–18′	s	TAGHORN	Sumac
Picturesque habit; brilliant autun	an effect		
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
5 to 6 ft	.40	3.50	30.00
—— laciniata 14'–15' Cu	TLEAF S	TAGHORN	Sumac
Leaves are finely cut, giving attra	ctive fe	athery app	earance.
18 to 24 in	.20		
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	30.00
5 to 6 ft	.45	4.00	
RIBES odoratum (aureum) 7'-8'	G	OLDEN CU	RRANT
Fragrant yellow flowers in May.	Useful	for under	planting.
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50	30.00

	Each	Per 10	
ROBINIA hispida 5'-6' Rosy pink, attractive flowers, Ma	ay-Jui		Acacia develops
into a mass.			
	3 .30	\$2.50	\$20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
— pseudoacacia 60'-80'		1	LOCUST
Has fragrant white flowers in May 4 to 6 ft	.50	4.00	30.00
6 to 8 ft	.60	5.00	40.00
ROSA blanda 4'-5'		MEADOV	v Rose
Pink, May. Almost thornless; rede	dish b	ranches.	
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	3.00	25.00
		Rose of	
A very desirable border rose with			
flowers.	11 (01,	attracti	e venon
2 yr. No. 1	1.00		
— lucida 5'-6'		VIRGINI	Rose
Pink. June. Red decorative fruits.			
15 to 18 in	.25	2.00	
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	
— multiflora japonica 9'-10'		JAPANESI	E Rose
White, June. Vigorous, free flower	ing ar		
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
— nitida 3'-4'	.00	Bristly	
Deep pink, June. Good for holding	a hanl		
planting; good autumn coloring.	g Dani	ts and gen	ciai mass
15 to 18 in	.25	2.00	15.00
	.30	$\frac{2.00}{2.50}$	
18 to 24 in		$\frac{2.50}{3.50}$	20.00
2 to 3 ft	.40		. D
- palustris (carolina), 6'-7'			P Rose
Pink, May-July. Good for swamp			
15 to 18 in	.20	1.50	
18 to 24 in	.25	2.00	
— rubiginosa, 5'-6'	1.		TBRIER
Bright pink flowers, June. Good for			
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
— rubrifolia (ferruginea), 5'-6'		REDLEAD	
Has distinct purplish-red leaves	and	bark; goo	d winter
subject.	0.0	2.70	
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	-
3 to 4 ft	.40		
— rugosa, 4'-5'	_ Ri	ED RUGOS.	Rose
Handsome shrub, large pink flowers			
foliage and large red fruits; useful e	ither i	n shrubbei	ry border
or as hedge.			
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.35	3.00	25.00
3 to 4 ft	.40	3.50	30.00
4 to $4\frac{1}{2}$ ft	.45	4.00	35.00
— — alba, 4′−5′	$W_{\rm HI}$	TE RUGOSA	Rose
18 to 24 in	.35	3.00	
2 to 3 ft	.40	3.50	
3 to 4 ft	.45	4.00	
— setigera, 5'-6'		PRAIRIE	Rose
Deep rose flower, June-July. Vigo	rous g		
18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00

ROSA—continued	Each	Per 10	Per 100
<ul> <li>spinosissima, 3'-4'</li> <li>A dainty grower, but compact; b</li> </ul>		SCOTCH	
thorns; attractive small foliage.	ranches	covered	with soi
12 to 15 in	\$ .30		
15 to 18 in	.40		
18 to 24 in	.50		
CLIMBING AND TRAIL	ING R	OSES	
wichuraiana, white		Memoriai	Rose
2 to 3 ft	.30	\$2.50	\$20.00
3 to 4 ft	.35	3.00	25.00
— albertine			
Very free flowering rambler with	well-sh	aped larg	e doubl
flowers of a pleasing cameo pir	ık with	silvery s	suffusion
Sweetly scented.	~0	4.00	
2 yr	.50	4.00	
- American pillar,—single red, whi			20.0
18 to 24 in	.30	2.50	20.0
2 to 3 ft	.35	3.00	25.0
- Dr. W. Van Fleet, shell pink	20	2.50	
18 to 24 in	.30	2.50	
2 to 3 ft	.35	3.00	-
3 to 4 ft	.40	3.50	
- Dorothy Perkins, pink		2.00	
18 to 24 in	.25	2.00	\$15.0
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
— — — white			
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
— Emily Gray			
A real yellow climbing rose with		aped long	pointe
buds. Color beautiful orange yell		* 00	
2 yr	.60	5.00	
— excelsa		окотну Рі	
2 to 3 ft	.30	2.50	20.0
3 to 4 ft	.35	3.00	25.0
— gardenia, yellow		0.00	
2 to 3 ft	.35	3.00	
3 to 4 ft	.40	3.50	
— hiawatha, single red 2 to 3 ft	.30	2.50	
	.35	$\frac{2.50}{3.00}$	
3 to 4 ft	.55	5.00	
18 to 24 in	.35	3.00	
2 to 3 ft	.40	3.50	
3 to 4 ft	.45	4.00	
yellow rambler	. 10	1.00	
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	
JBUS odoratus, 5'-6'		RING RASP	DEDDV
Rose-colored, fragrant flowers pro-	r Low Ei oduced	all summ	er. Pai
ticularly good for covering banks,	especia	lly in shad	le
2 to 3 ft	.25	2.90	
3 to 4 ft	.30	2.50	
4 to 5 ft	.35	3.00	
ALISBURIA adiantifolia (See GINKO		3.00	
`	,		
		EEPING W	
Particularly appropriate for water	side pla	nting with	i its lon
pendulus branches.	20	5.00	10.0
4 to 6 ft	.60	5.00	$\frac{40.0}{50.0}$
6 to 8 ft	.75	6.00	90.0
8 to 10 ft	1.00		

SALIX—continued — — salamoni, 60'-70' SAL		Per 10 EEPING W	
The most vigorous of all "weeping			ILLOW
4 to 6 ft	g winows - \$ - 50	\$4.00	
6 to 8 ft		5.00	
8 to 10 ft	.75		
- blanda (dolorosa), 40'-50' Wisco	W ZISZC	EEPING W	ILLOW
Very hardy.	-0		
4 to 6 ft	$.50 \\ .65$	$\frac{4.00}{5.50}$	
caprea (bush form), 15'-20'	100	Pussy W	TITOM
Very desirable for spring effects. as wet places.	Will do v	well on dr	y as well
2 to 3 ft	.25	2.00	\$15.00
3 to 4 ft	.30	2.50	29.00
4 to 5 ft	.35	3.00	25.00
5 to 6 ft	.40	3.50	30.00
		EEPING W	ILLOW
Vigorous upright grower; best for			00.00
4 to 6 ft	.50	4.00	30.00
6 to 8 ft	.65	5.50	
8 to 10 ft	$\frac{.80}{1.10}$	7.00	
incana (rosmarinifolia), 12'-15'		EMARY W	ILLOW
Good for fine texture in foliage eff	ects.		
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
pentandra, 20'-30'	I	AUREL W	ILLOW
Shining rich dark green leaves ma ground; valuable for seashore plan		worthwh	ile back-
3 to 4 ft	.30	2.50	20.00
4 to 6 ft	.35	3.00	25.00
6 to 8 ft	.45	4.00	35.00
vitellina aurea, 25'-30' Ru	essian G	OLDEN W	ILLOW
3 to 4 ft	.30	2.50	20.00
4 to 5 ft	.35	3.00	25.00
5 to 6 ft	.40	3.50	
— britzensis, 20'–25' B	RONZE G	OLDEN W	ILLOW
Particularly good when used with	i the pre	eceding va	riety.
3 to 4 ft	.25	2.00	15.00
4 to 6 ft	.35	3.00	25.00
— pendula WE	EPING G	OLDEN WI	ILLOW
Weeping habit, similar to babylon			
4 to 5 ft	.50	4.00	30.00
5 to 6 ft	.60	5.00	45.00
6 to 8 ft	$\frac{.75}{1.00}$	$\frac{6.50}{9.00}$	50.00
			N
MBUCUS canadensis, 8'-9' Useful for swampy places; fragran	A.	MERICAN H	LLDER
e serui for swampy places; fragran			20.00
2 to 3 ft		2.50	20.00
3 to 4 ft	.35	3.00	25.00
4 to 5 ft	.40	3.50 Merican E	
Leaves intricately cut.		LINIOAN L	TIPLE
2 to 3 ft	.30	2.50	
3 to 4 ft	.35	3.00	
4 to 5 ft	.40	3.50	
			IDED
Has conspicuous yellow foliage.	LDEN AN	ierican E	LDER
18 to 24 in	.25	2.00	15.00
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.35	3.00	25.00
O LO E IL	.00	0.00	~0.00

SAMBUCUS—continued	Each	Per 10	Per 100
— pubens, 7′–8′		SCARLET	Elder
Flowers in April-May. Bright red	l fruits 1	ripen in Ju	ne. Verv
attractive.		•	·
2 to 3 ft	\$ .30	\$2.50	
3 to 4 ft	.35	3.00	
4 to 5 ft	.40	3.50	
— racemosa		PEAN RED	Elder
2 to 3 ft	.30	$\frac{2.50}{3.00}$	
3 to 4 ft	$.35 \\ .40$	3.00	
4 to 5 ft			
SOPHORA japonica, 30'-40' White flowers in late summer; notic		SE SCHOLA	
2 to 3 ft		een bark i	n winter.
3 to 4 ft	1.00	8.50	
4 to 6 ft	1.25		
— viciifolia, 2'–3'		H-LEAF SO	PHORA
Slender spreading shrub, with blu	ish viol	et flowers	Hardy
at Arnold Arboretum. $3\frac{1}{2}$ pots	50	4.00	
SORBARIA aitchisoni, 4'-5'			
Graceful, compound foliage; flow	ers cre	amy whit	e, July-
Sept. 2 to 3 ft	.35	3.00	\$25.00
3 to 4 ft	.40	3.50	\$25.00 30.00 35.00
4 to 5 ft	.45	4.00	35.00
— sorbifolia, 4′–5′		False Si	
Fluffy heads of white flowers, June	-Augus	st.	
2 to 3 ft	.35	3.00	
2 to 3 ft	.40	3.50	
SORBUS americana, 25'-30'		Mountai	n Asн
A valuable tree with orange scarle			
3 to 4 ft		6.50	
4 to 5 ft		7.50	. ——
		MOUNTAI	
A valuable tree on a small lawn; the striking.	ie scarie	et perries a	ire quite
4 to 5 ft	.75	6.50	
5 to 6 ft	.85	7.50	
6 to 8 ft	1.25		
– — pendula			
5 to 6 ft. stems—1 yr. heavy			
(double budded)	1.50		
PIRAEA alba (salicifolia)	M	EADOW SP	IRAEA
18 to 24 in	.20	1.50	
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
– arguta, 5'–6'	$G_{\mathbb{A}}$	ARLAND SP	IRAEA
Small light green leaves; very free	flowering	ng. May.	Similar
to, but more vigorous than thunbe			
12 to 18 in		2.00	
18 to 24 in	.30	2.50	
2 to 2½ ft	.35	3.00	
- billiardi, 5'-6'		LLIARD SP	
Bright pink fluffy flower spikes, Ju	ly-Octo	ber. van	lable for
dry places. 18 to 24 in	.20	1.50	10.00
2 to 3 ft	.25	2.00	15.00
3 to 4 ft	.30	2.50	20.00
– bumalda, 3'		MALDA SP	
Light pink flower, July-Sept. A go			
18 to 24 in	.35	3.00	20.00
2 to 2½ ft	.40	3.50	25.00
2½ to 3 ft	.45	4.00	30.00



Two-year Spirea Anthony Waterer, averaging 2 and ½ ft. The plants are well-branched, well-grown, the best that can be found anywhere. See page 38.

SPIRAEA—continued	Each	Per 10	Per 100	Per 1000
— — anthony waterer, 3'			ATERER SI	
Deeper rose pink than	precedi	ng; very	free flow	ering all
summer.				
12 to 18 in	\$ .30	\$2.50	\$20.00	\$150.00
18 to 24 in	.35	3.00	25.00	200.00
$2 \text{ to } 2\frac{1}{2} \text{ ft } \dots$	.40	3.50	30.00	250.00
$2\frac{1}{2}$ to 3 ft	.45	4.00	35.00	
		Each		Per 100
— froebeli, 4'			ROEBEL SI	PIRAEA
Smaller, but more vigore				
18 to 24 in			2.00	18.00
2 to 2½ ft			2.50	20.00
$2\frac{1}{2}$ to 3 ft			3.00	25.00
3 to 4 ft		40	3.50	30.00
— fortunei (callosa rosea), 4'		Fo	RTUNE SE	PIRAEA
Pink flowering; more vi	gorous f	orm of fo	llowing v	ariety.
18 to 24 in		20	1.50	
2 to 3 ft		25	2.00	
3 to 4 ft		30	2.50	
— japonica (callosa alba), 3'		$J_{A1}$	PANESE SI	PIRAEA
White, June-July. Purp	lish-gree	en foliage	when you	ng.
12 to 15 in			2.50	18.00
15 to 18 in		35	3.00	22.00
18 to 24 in		.40	3.50	27.00
2 to 2½ ft		.45	4.00	32.00
— prunifolia, 7'-8'			BRIDALW	REATH
White, May. Free-flower	ering: ha			
foliage, turning orange in			8	
2 to 3 ft			3.00	22.00
3 to 4 ft			3.50	28.00
4 to 5 ft			4.00	35.00
— reevesiana, 7′–8′			REEVES SE	PIRAEA
Pure white, May-June.	Grace	ful, archi	ng habit:	retains
leaves until late.			_	
18 to 24 in		25	2.00	15.00
2 to 3 ft		.30	2.50	20.00
3 to 4 ft			3.00	25.00
	Each	Per 10	Per 100	Per 1000
— thunbergi, 4'–5'			NBERG SE	
Slender, arching branch	es clothe	ed with p	ure-white	flowers.
April–May. Small, feat	hery, li	ght-green	leaves.	Valuable
for seaside planting.				
12 to 18 in	.30	2.50	20.00	150.00
18 to 24 in	.35	3.00	22.00	180.00
$2 \text{ to } 2\frac{1}{2} \text{ ft} \dots$	.40	3.50	25.00	220.00

DID 4 D 4	T. 1	D 10	D 100
SPIRAEA—continued	Each	Per 10	
- tomentosa, 3'-4'	С . т	HAE	RDHACK
Woolly, rose-pink flowers, Jule		ves brown	sh under-
side. Good in masses for low 2 to 3 ft		\$2.50	620.00
3 to 4 ft	\$ .30	$\frac{92.30}{3.00}$	$$20.00 \\ 25.00$
Ea	ch Per 10		Per 1000
– van houttei, 8′–9′		NHOUTTE S	
White, May-June. Graceful			
ing and very adaptable.			oc nower
18 to 24 in	2.00	15.00	100.00
2 to 3 ft	2.50	20.00	150.00
3 to 4 ft	3.00	25.00	200.00
TAPHYLEA colchica, 10'-12'	Соь	CHIS BLADI	DERNUT
Flowers white, May-June. F	ragrant. D	ecorative s	eed pods.
	Eacl		Per 100
2 to 3 ft			
3 to 4 ft			
4 to 5 ft	70		
TEPHANANDRA flexuosa, 5'-6	' Chitles	E STEPHAN	JANDDA
Graceful, compact habit; han	dsome folia	ge.	MADILA
18 to 24 in	30	2.50	20.00
2 to 3 ft		3.00	25.00
- 3 to 4 ft	40	3.50	30.00
TYRAX japonica, 12'-15'			
White, bell-shaped, pendant	flowers, Ju	ine-July.	Makes a
handsome specimen.			
18 to 24 in	30	2.50	-
2 to 3 ft		3.00	25.00
3 to 4 ft		4.00	35.00
4 to 5 ft	60	5.00	
YMPHORICARPOS racemosus	, 5′-6′	Snov	VBERRY
Conspicuous, white berries, a			st adapt
able, but best in half shady r			
18 to 24 in		2.00	15.00
2 to 3 ft		$\frac{2.50}{3.50}$	20.0
3 to 4 ft			30.0
– vulgaris, 4'–5'			LBERRY
Coral red berries persisting	throughout	winter.	Good fo
shade, and bank planting.		1.50	10.0
18 to 24 in		2.00	$\frac{10.0}{15.0}$
3 to 4 ft		2.50	20.0
SYRINGA chinensis (rothomagen			
		CHINESI let flowers	
Slender branches, graceful l Free flowering.	iabit. vio	iet nowers	m may
18 to 24 in	35	3.00	25.0
2 to 3 ft		3.50	30.0
3 to 4 ft		4.50	40.0
– — saugeana, 8′–9′		LE CHINES	ELILIC
	I Chri	E CHINES	E LILAC
			25.0
Deep purple flowers.	35	3.00	25.0
18 to 24 in		$\frac{3.00}{3.50}$	
18 to 24 in	40		30.0
18 to 24 in	40 50	$\frac{3.50}{4.50}$	$\frac{30.0}{40.0}$
18 to 24 in	40 50 Japa	3.50 4.50 NESE TRE	30.0 40.0 E Lilac
18 to 24 in		3.50 4.50 NESE TRE ne–July. 1	30.0 40.0 E Lilac
18 to 24 in. 2 to 3 ft. 3 to 4 ft.  japonica, 18'-20' Loose bunches creamy white foliage; grows into well-shape		3.50 4.50 NESE TRE ne–July. 1	30.0 40.0 E Lilac Handsom
18 to 24 in. 2 to 3 ft. 3 to 4 ft.  japonica, 18'-20' Loose bunches creamy white foliage; grows into well-shape 2 to 3 ft.	JAPA flowers, Ju ed specimen40	3.50 4.50 NESE TRE ne-July. 1	30.0 40.0 E Lilac Handsom
18 to 24 in. 2 to 3 ft. 3 to 4 ft.  japonica, 18'-20' Loose bunches creamy white foliage; grows into well-shape		3.50 4.50 NESE TRE ne-July. 1	30.0 40.0 E LILAC Handsom 30.0 40.0
18 to 24 in. 2 to 3 ft. 3 to 4 ft.  — japonica, 18'–20'  Loose bunches creamy white foliage; grows into well-shape 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.		3.50 4.50 4.50 NESE TRE ne–July. 1 3.50 4.50 5.50	30.0 40.0 E LILAC Handsom 30.0 40.0 50.0
18 to 24 in. 2 to 3 ft. 3 to 4 ft.  - japonica, 18'-20'  Loose bunches creamy white foliage; grows into well-shape 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  - josikaea, 9'-10'		3.50 4.50 4.50 4.50 4.50 4.50 4.50 5.50	30.0 40.0 E LILAC Handsom 30.0 40.0 50.0 N LHAC
18 to 24 in. 2 to 3 ft. 3 to 4 ft.  - japonica, 18'-20'  Loose bunches creamy white foliage; grows into well-shape 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  - josikaea, 9'-10'  Violet flowers, June. Good s		3.50 4.50 4.50 4.50 4.50 4.50 4.50 5.50	30.0 40.0 E LILAC Handsom 30.0 40.0 50.0 N LHAC age.
18 to 24 in. 2 to 3 ft. 3 to 4 ft.  — japonica, 18'–20'  Loose bunches creamy white foliage; grows into well-shape 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — josikaea, 9'–10'		3.50 4.50 4.50 3.00 Tree 3.50 4.50 5.50 HUNGARIA	Handsom 30.0 40.0 50.0 N Lilac

40 TRINCETON NO	1631216112		
SYRINGA—continued	Each	Per 10	Per 100
— persica, 9'–10'	PERSIA	N PURPLE	LILAC
Blooms freely, lilac, May-June.			
18 to 24 in		\$3.00	
2 to 3 ft	40	3.50	
— villosa, 7'-8'		LATE	
Pale pinkish-lilac, June. Fragr			
18 to 24 in		2.50	\$20.00
2 to 3 ft		3.50	30.00
3 to 4 ft		4.50	40.00
— vulgaris, 12'-15' Blooms in early May.	Соммо	n Purple	LILAC
18 to 24 in	25	2.00	18.0
2 to 3 ft		3.00	25.00
3 to 4 ft	40	3.50	
— — alba, 12′–15′	Соммо	ON WHITE	LILAC
18 to 24 in		2.50	22.00
2 to 3 ft		3.50	30.00
3 to 4 ft	45	4.00	
FRENCH LILACS—NAM	1ED VAR	IETIES	
These are all grown from cuttings	and are o	n their ow	n roots
which is the best way Lilacs can be gr			
It is the most expensive way to grow t			
favorably with the cheap, grafted	stock. Ti	nese name	d Lilac
generally grow from $6'-12'$ in heigh and locality.	t, depend	ing on the	variety
18 to 24 in	45	4.00	35.00
2 to 2½ ft		5.00	45.00
2½ to 3 ft		6.00	
3 to 4 ft		7.00	
Alphonse Lavalle, double light purpl Charles the Tenth, reddish purple, si	e ngle		
Ludwig Spaeth, single reddish purple	;		
Michel Buchner, double lilac Barrel			
Marie Le Graye, single white	<b>b</b>		
Mme. Lemoine, double white			
Mme. Casimir Perrier, double white			
President Grevy, double blue			
Rubra de Marly, single light blue			
Wm. Robinson, double violet pink			
TAMARIX africana, 12'-14'	Aı	TRICAN TAN	MARIX
Pink, April-May. Has feather		een foliage	e. Very
effective near water; thrives at			
2 to 3 ft		2.00	15.00
3 to 4 ft	30	2.50	20.00
4 to 5 ft		3.00	25.00
— gallica, 8'-9'	. F	RENCH TAN	MARIX
Light pink, May-June, blue-gree	en foliage.	2.00	15.00
2 to 3 ft		2.00	15.00 $20.00$
3 to 4 ft	30 35	$\frac{2.50}{3.00}$	25.00 25.00
TAXUS (See EVERGREENS)	00	3.00	25.00
THUJA (See EVERGREENS)			
TILIA americana, 75'-90'	An	ierican Li	INDEN
Grows rather quickly, forming a	ın open he	ead. Has	fragrani
yellow flowers.		10	
8 to 10 ft	. 1.75	16.00	
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in 9 to 11 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	. 2.00	18.50	
9 to 11 ft.—1½ to 1¾ in	. 2.25	21.00	
10 to 12 ft.—1 <sup>3</sup> / <sub>4</sub> to 2 in	. 2.50 . 3.25	23.50	
12 to 13 ft.—2 to 2½ in	. 3.23 . 4.50		
12 to 13 it.— $2\frac{1}{4}$ to $2\frac{1}{2}$ in	. 4.50		



Two year Weigelia rosea on the left; two-year Weigelia nana variegata on the right. The rosea will average 3 to 4 ft., and the variegata 2 to 3 ft. See Page 44.

TILIA—continued

Each Per 10 Per 100

— euchlora (dasystyla), 60'-75'		Crimean Li	
Beautiful glossy dark green foliage		vellow twigs.	
8 to 10 ft	\$1.75	\$16.00	
8 to 10 ft.—1½ to 1½ in 9 to 11 ft.—1½ to 1¾ in	2.00	18.50	
9 to 11 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25	21 00	
9 to 11 ft.—13/4 to 2 in	2.50	23.50	
10 to 12 ft.—2 to 21/4 in	3.25		
12 to 14 ft.— $2\frac{1}{4}$ to $2\frac{1}{2}$ in	4.50		
— platyphyllos, 60'-75' Bigli		UROPEAN LI	NDEN
8 to 10 ft.— $1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	18.50	
9 to 10 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25	21.00	
10 to 11 ft.— $1\frac{3}{4}$ to $2$ in	3.00		
	4.00		
— tomentosa (argentea), 60'-70'		VERLEAF LI	
Symmetrical and compact. Leaves		y gray unde	rneath;
very noticeable when blown by wir		21.00	
$\frac{1\frac{1}{2}}{13}$ to $\frac{13}{4}$ in	$\frac{2.25}{2.50}$	21.00	
13/4 to 2 in	3.75	23.50	
2 to 2½ in	3.75 4.50		-
2½ to 2½ in	4.30		
— vulgaris, 60'-70'		Common Li	
In late June the fragrant flowers at metrical and compact.	re not	iceable; grov	vs sym-
8 to 10 ft.—1½ to 1½ in	2.00	18.50	
10 to 19 ft $-1\frac{1}{2}$ to $1\frac{3}{2}$ in	2.50	23.50	
10 to 12 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.25	20.50	
11 to 12 ft.—2 to 2½ in	3.75		
TSUGA (See EVERGREENS)	0.70		
ULMUS americana, 80'-100'		American	Етм
Stateliness and dignity are here exe	-mplifi		
growth, this typical American tree			
portions and commands respect of	all wh	o look upon	it.
6 to 8 ft	1.00		\$ 75.00
8 to 10 ft	1.35	12.00	110.00
8 to 10 ft.—1¼ to 1½ in 9 to 11 ft.—1½ to 1¾ in	1.85	17.00	160.00
9 to 11 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25	21.00	
10 to 12 ft.—13/4 to 2 in	2.75	26.00	
— glabra (latifolia), 60'-80'		SCOTCH	ELM
A spreading tree of rapid growth	and a	attractive fo	liage.
8 to 10 ft	1.25		
8 to 10 ft.—1 1/4 to 1 1/2 in 9 to 11 ft.—1 1/2 to 13/4 in	1.75		
9 to 11 ft.— $1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.25		
10 to 12 ft.— $1\frac{3}{4}$ to 2 in	3.00		
11 to 12 ft.—2 to $2\frac{1}{4}$ in	3.75		

ULMUS—continued	Each		
— — <b>camperdowni,</b> 8'–10'  The weeping Elm of good foliage a	CA Lidad badi	MPERDOW	N ELM
		for weep	ng trees.
1 year head, 5 ft. stems	91.30		
2 year head, 5 ft. stems			
VACCINIUM corymbosum, 5'-6'		HBUSH BL	UEBERRY
12 to 18 in	.30	\$2.50	-
18 to 24 in	.35	3.00	-
VIBURNUM acerifolium, 4'-5'	MAPLE	LEAF VIBU	JRNUM
VIBURNUM acerifolium, 4'-5' White, May-June. Black fruits,	maple-li	ke leaves,	turning
purple in autumn; good for dry sh	nady pla	ces.	
18 to 24 in	.35	3.00	
2 to 3 ft	.40	3.50	
— americanum (oxycoccos), 8'-9' Ami	ERICAN (	RANBERR	YBUSH
Bright scarlet berries in large bur	iches, pe	rsisting al	l winter.
18 to 24 in		3.00	\$25.00
2 to 3 ft	.45	4.00	35.00
3 to 4 ft	.55	5.00	54.00
— cassinoides, 5'-6'	,	WITH	E-Rod
White, June-July. Berries pink	k, chang	ıng to da	rk blue
Rich autumn coloring; splendid to	or massu	ng and nea	ar water.
18 to 24 in		3.00	25.00
2 to 3 ft	.45	4.00	35.00
3 to 4 ft		4.50 D 100	D 1000
Each	Per 10	Per 100	
— dentatum, 10'-12'	a blask	ARROW-	
White, May-June. Berries blu purple and red; thrives in wet soi		autumn	coloring
18 to 24 in	2.50	20.00	150.00
2 to 3 ft	3.00	25.00	200.00
3 to 4 ft	3.50	30.00	250.00
4 to 5 ft	4.00	35.00	200.00
1 10 0 11	Each	Per 10	Per 100
— dilatatum, 8′-9′		NDEN VIB	
White, May-June. Scarlet showy some and valuable.			
18 to 24 in	.40	3.50	30.00
2 to 3 ft	.45	4.00	35.00
3 to 4 ft	.50	$\frac{4.50}{4.50}$	40.00
— lantana, 15'–18'		AYFARING	
White, May-June. Handsome, d	1		
Berries red, changing to black	ark gree	n, wrinkle	d leaves
Berries red, changing to black.		n, wrinkle	d leaves
18 to 24 in	.35	n, wrinkle 3.00	d leaves. 25.00
18 to 24 in	$.35 \\ .40$	n, wrinkle 3.00 3.50	d leaves 25.00 30.00
18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.35 .40 .50	n, wrinkle 3.00 3.50 4.50	25.00 30.00 40.00
18 to 24 in	.35 .40 .50 .60 eleaf W	n, wrinkle 3.00 3.50 4.50	d leaves 25.00 30.00 40.00
18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.35 .40 .50 .60 eleaf W	n, wrinkle 3.00 3.50 4.50	d leaves 25.00 30.00 40.00
18 to 24 in	.35 .40 .50 .60 eleaf W	n, wrinkle 3.00 3.50 4.50	d leaves 25.00 30.00 40.00
18 to 24 in 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — rugosum, 15'-18' Wrinkli Has larger and more wrinkled lea 18 to 24 in. 2 to 3 ft.	.35 .40 .50 .60 ELEAF W ves. .40	n, wrinkle 3.00 3.50 4.50 5.50 'AYFARING	d leaves 25.00 30.00 40.00
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft — rugosum, 15'-18' WRINKLI Has larger and more wrinkled lea 18 to 24 in 2 to 3 ft 3 to 4 ft	.35 .40 .50 .60 ELEAF W Ves. .40 .50	3.00 3.50 4.50 5.50 AYFARING 3.50 4.50	d leaves 25.00 30.00 40.00
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft — rugosum, 15'-18' Wrinkli. Has larger and more wrinkled lea 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft	.35 .40 .50 .60 ELEAF W ves. .40	3.00 3.50 4.50 5.50 AYFARING 3.50 4.50 5.50	25.00 30.00 40.00 TREE
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft — rugosum, 15'-18' Wrinkli Has larger and more wrinkled lea 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft — lentago. 18'-20'	.35 .40 .50 .60 ELEAF W ves. .40 .50 .60	3.00 3.50 4.50 5.50 AYFARING 3.50 3.50 4.50 5.50 NANNY	25.00 30.00 40.00 TREE
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft — rugosum, 15'-18' Wrinkli Has larger and more wrinkled lea 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft — lentago, 18'-20' White, May-June. Handsome, s	.35 .40 .50 .60 ELEAF W ves. .40 .50 .60	3.00 3.50 4.50 5.50 AYFARING 3.50 3.50 4.50 5.50 NANNY	25.00 30.00 40.00 TREE
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — rugosum, 15'-18' WRINKLI Has larger and more wrinkled lea 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — lentago, 18'-20' White, May-June. Handsome, s fruits. Splendid shrub for massin	.35 .40 .50 .60 ELEAF W Ves. .40 .50 .60	3.00 3.50 4.50 5.50 (AYFARING 3.50 4.50 5.50 NANNY eaves. B.	d leaves 25.00 30.00 40.00 TREE
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — rugosum, 15'-18' Wrinkid Has larger and more wrinkled lea 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — lentago, 18'-20' White, May-June. Handsome, s fruits. Splendid shrub for massin 18 to 24 in.	.35 .40 .50 .60 ELEAF W Ves. .40 .50 .60 Shining leag.	3.00 3.50 4.50 5.50 AYFARING 3.50 4.50 5.50 NANNY eaves. B	25.00 30.00 40.00 TREE BERRY lue-black
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — rugosum, 15'-18' Wrinklid lea 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — lentago, 18'-20' White, May-June. Handsome, s fruits. Splendid shrub for massin 18 to 24 in. 2 to 3 ft.	.35 .40 .50 .60 ELEAF W ves. .40 .50 .60 shining leng. .35 .40	3.00 3.50 4.50 5.50 AYFARING 3.50 4.50 5.50 NANNY eaves. B. 3.00 3.50	25.00 30.00 40.00 TREE BERRY lue-black 25.00 30.00
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — rugosum, 15'-18' WRINKLI Has larger and more wrinkled lea 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — lentago, 18'-20' White, May-June. Handsome, s fruits. Splendid shrub for massin 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.35 .40 .50 .60 .60 .40 .50 .60 shining leag. .35 .40	3.00 3.50 4.50 5.50 AYFARING 3.50 4.50 5.50 NANNY eaves. B: 3.00 3.50 4.50	25.00 30.00 40.00 TREE
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — rugosum, 15'-18' WRINKLI Has larger and more wrinkled lea 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — lentago, 18'-20' White, May-June. Handsome, s fruits. Splendid shrub for massin 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.	.35 .40 .50 .60 ELEAF Wes. .40 .50 .60 shining leag. .35 .40 .50	3.00 3.50 4.50 5.50 (AYFARING 3.50 4.50 5.50 NANNY eaves. B. 3.00 3.50 4.50 5.50	25.00 30.00 40.00 TREE
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — rugosum, 15'-18' Wrinkin Has larger and more wrinkled lea 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — lentago, 18'-20' White, May-June. Handsome, s fruits. Splendid shrub for massin 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. Each	.35 .40 .50 .60 .60 .40 .50 .60 shining leading shining leading shining leading shining leading shining leading shining shinin	3.00 3.50 4.50 5.50 (AYFARING 3.50 4.50 5.50 NANNY eaves. B 3.00 3.50 4.50 5.50 Per 100	25.00 30.00 40.00 TREE  BERRY lue-black 25.00 30.00 40.00 70.00 Per 1000
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — rugosum, 15'-18' Wrinkli  Has larger and more wrinkled lea 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — lentago, 18'-20' White, May-June. Handsome, s fruits. Splendid shrub for massin 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — molle, 10'-12'	.35 .40 .50 .60 ELEAF W Ves. .40 .50 .60 shining leag. .35 .40 .50 .60 Per 10	3.00 3.50 4.50 5.50 AYFARING 3.50 4.50 5.50 NANNY eaves. B 3.00 3.50 4.50 5.50 Per 100 UCKY VIBN	25.00 30.00 40.00 TREE BERRY lue-black 25.00 40.00 40.00 Per 1000
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — rugosum, 15'-18' WRINKLI Has larger and more wrinkled lea 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — lentago, 18'-20' White, May-June. Handsome, s fruits. Splendid shrub for massin 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  Each  — molle, 10'-12' Larger, darker green leaves, but	.35 .40 .50 .60 ELEAF W Ves. .40 .50 .60 shining leag. .35 .40 .50 .60 Per 10	3.00 3.50 4.50 5.50 AYFARING 3.50 4.50 5.50 NANNY eaves. B 3.00 3.50 4.50 5.50 Per 100 UCKY VIBN	25.00 30.00 40.00 TREE BERRY lue-black 25.00 40.00 40.00 Per 1000
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  — rugosum, 15'-18' Wrinkli Has larger and more wrinkled lea 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  — lentago, 18'-20' White, May-June. Handsome, s fruits. Splendid shrub for massin 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  Each  — molle, 10'-12' Larger, darker green leaves, but tatum."	.35 .40 .50 .60 .60 .40 .50 .60 shining leading	3.00 3.50 4.50 5.50 AYFARING 3.50 4.50 5.50 NANNY eaves. B: 3.00 3.50 4.50 5.50 Per 100 UCKY VIBISE similar	25.00 40.00 40.00 TREE  BERRY lue-black 25.00 40.00 50.00 Per 1000 URNUM to "den-
18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  — rugosum, 15'-18' WRINKLI Has larger and more wrinkled lea 18 to 24 in 2 to 3 ft 4 to 5 ft  — lentago, 18'-20' White, May-June. Handsome, s fruits. Splendid shrub for massin 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  — lentago, 18'-20' White, May-June Handsome, s fruits. Splendid shrub for massin 18 to 24 in 2 to 3 ft 3 to 4 ft 4 to 5 ft  — molle, 10'-12' Larger, darker green leaves, but tatum." 18 to 24 in	.35 .40 .50 .60 .60 .40 .50 .60 shining lead. .50 .60 Per 10 Kentro	3.00 3.50 4.50 5.50  AYFARING 3.50 4.50 5.50 NANNY eaves. B 3.00 3.50 4.50 5.50 Per 100 UCKY VIBB de similar 20.00	25.00 30.00 40.00 ETREE BERRY lue-black 25.00 30.00 40.00 50.00 Per 1000 URNUM to "den-
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — rugosum, 15'-18' WRINKLI Has larger and more wrinkled lea 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — lentago, 18'-20' White, May-June. Handsome, s fruits. Splendid shrub for massin 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. Each  — molle, 10'-12' Larger, darker green leaves, but tatum." 18 to 24 in. 30 2 to 3 ft. 33	.35 .40 .50 .60 .60 .40 .50 .60 shining leading states and states are states and states and states are states and states and states and states are states and states are states and states and states are states	3.00 3.50 4.50 5.50 AYFARING 3.50 4.50 5.50 NANNY eaves. B 3.00 3.50 4.50 5.50 Per 100 UCKY VIBI se similar 20.00 25.00	25.000 30.000 40.000 ETREE  BERRY lue-black 25.000 30.000 40.000 CPER 1000 URNUM to "den-
18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft.  — rugosum, 15'-18' WRINKLI Has larger and more wrinkled lea 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. — lentago, 18'-20' White, May-June. Handsome, s fruits. Splendid shrub for massin 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. Each — molle, 10'-12' Larger, darker green leaves, but tatum." 18 to 24 in	.35 .40 .50 .60 .60 .40 .50 .60 shining lead. .50 .60 Per 10 Kentro	3.00 3.50 4.50 5.50  AYFARING 3.50 4.50 5.50 NANNY eaves. B 3.00 3.50 4.50 5.50 Per 100 UCKY VIBB de similar 20.00	25.00 30.00 40.00 TREE BERRY lue-black 25.00 40.00 40.00 Per 1000

VIBURNUM—continued	Eacl	Per 10	Per 100
— opulus, 9'–10'	EUROPEAN	v Cranberi	RYBUSH
18 to 24 in	\$ .35	\$3.00	\$25.00
2 to 3 ft	45		35.00
nanum, 18''-24''	DWARE	CRANBERE	RYBUSH
Useful edging or facing shrub.	Rarely flor	vers. Very	compact.
4 to 6 in			
6 to 8 in	20		
8 to 10 in	25		
—— sterile, 9'–10'	., a	ommon Sno	
Has showy, round head of wh			
18 to 24 in			30.00
3 to 4 ft			35.00
prunifolium, 10'-12'			40.00 CKHAW
Pure white flowers, April–June	Blue-bl	ack glaucoi	is herries
Sturdy habit; handsome shru	b.	went, gradeoi	is octifics.
18 to 24 in		3.50	
2 to 2½ ft			
$2\frac{1}{2}$ to $3$ ft	60	5.00	
- rhytidophyllum, 6'-8'		ERLEAF VIE	URNUM
Evergreen. Large, oblong le	eaves, dee	green abo	ove, grav
beneath; a bold, handsome sh	rub.		, 8
9 to 12 in	35	3.00	
12 to 15 in			
15 to 18 in			
18 to 24 in			
2 to 2½ ft	1.50		
2½ to 3 ft	2.00		
— sieboldi (japonicum), 9'-10' White, May-June. Berries pi	S munda almi	IEBOLD VIB	URNUM
some, large, dark green leaves	Vicerov	ing to black	. Hand-
18 to 24 in	30	2.50	22.00
2 to 3 ft			30.00
3 to 4 ft			
— tomentosum, 7'-8'		LEFILE VIB	URNUM
Flat heads of white flowers, Ju	ine. Berrie	s red to bla	ck. Good
foliage.			
18 to 24 in			25.00
2 to 3 ft			35.00
3 to 4 ft			
— — plicatum, 7'-8'		PANESE SNO	
Showy white flowers in balls, purple autumn coloring.	June. 11a	indsome fol	lage with
12 to 18 in	35	3.00	25.00
18 to 24 in			30.00
2 to 2½ ft			35.00
$2\frac{1}{2}$ to $\tilde{3}$ ft		5.50	45.00
3 to 4 ft	65	6.00	50.00
VINCA (See PERENNIALS AND		COVERS)	
WEIGELIA amabilis, 7'-8'		Rose Wi	
Light pink.		240011 111	
18 to 24 in	25	2.00	15.00
2 to 3 ft	30	2.50	20.00
3 to 4 ft	35		
— candida, 7'-8'		WHITE WE	EIGELIA .
Large, pure white flowers.			
2 to 3 ft	35		25.00
3 to 4 ft	40		30.00
4 to 5 ft	45	4.00 OWERED WE	35.00
- Eva Rathke, 4'-5'			IGELIA
Carmine, June-August. Mos 12 to 18 in		2.50	20.00
18 to 24 in			25.00
2 to 2½ ft	45		30.00
2½ to 3 ft			35.00
3 to 4 ft		5.00	45.00

WEIGELIA—continued	Each	Per 10	Per 100
— floribunda, 7'–8'	Cri	MSON WE	IGELIA
Crimson, June. Free flowering.			
18 to 24 in	\$ .30	\$2.50	
2 to 3 ft		3.50	
3 to 4 ft	.45	4.00	
— lavalle, 7'-8' Въгдит С Bright crimson.	RIMSON I	LWD. WE	CIGELIA
2 to 3 ft	.30	2.50	\$20.00
3 to 4 ft	.35	3.00	25.00
Each	Per 10	Per 100	Per 1000
— nana variegata, 4'-5' VAI	RIEGATED		
Pale pink flower; variegated leav	es; dwarf	, compac	t growth.
18 to 24 in	2.50	20.00	150.00
$2 \text{ to } 2\frac{1}{2} \text{ ft } \dots $	3.50	25.00	200.00
$2\frac{1}{2}$ to 3 ft	4.00	30.00	250.00
3 to 4 ft	4.50	35.00	300.00
— rosea, 7'-8'		PINK WI	EIGELIA
Showy, pink flowers freely produc	ced, June.	Vigorou	s grower.
18 to 24 in	2.00	15.00	
2 to 3 ft	2.50	20.00	150.00
3 to 4 ft	3.00	25.00	200.00
4 to 5 ft	3.50	30.00	250.00
WISTERIA multijuga (seedlings), 40'–50' Deep blue, long clusters, May. S	Seen to be	USTER W	
trained on old trees or open trell		0.00	
2 to 3 ft		3.00	-
3 to 4 ft	45	4.00	
— sinensis (seedlings), 40'–50' Purple-blue flowers about a week	s before p		ISTERIA
2 to 3 ft		3.00	
3 to 4 ft	45	4.00	
— alba (seedlings), 40'-50'	HINESE V	VHITE W	STERIA
2 to 3 ft		3.50	
3 to 4 ft		4.50	
— grafted (from good flg. plants) This is by far the best stock to pl		BLUE AND terias bec	
will really bloom.			
18 to 24 in		3.50	
2 to 3 ft	50	4.50	
3 to 4 ft	60	5.50	
ZANTHORHIZA apiifolia, 2'-3'		YELLO	WROOT
Good ground cover. Will succeed etc. Small purplish flowers, Ma		sandy so	il, banks
12 to 15 in		1.50	10.00
15 to 18 in		2.00	15.00
18 to 24 in		2.50	20.00
YUCCA (See EVERGREENS)			

#### CCA (See EVENGREENS)

# EVERGREENS AND CONIFERS

Princeton Evergreens have been transplanted frequently. Each time they have been given ample room for proper growth. Every one is sheared into a symmetrical shape. Freshly dug in the nursery for your individual order. Balled and burlapped, at prices named, unless marked with an "\*".




Azalea hinodegiri at Princeton. This shows part of our stock of this variety. Note how symmetrical and bushy the plants are. See page 45.

	Each	Per 10	
ABIES concolor, 70'-80'			re Fir
Grows quickly and forms symmet	trical, b	eautiful s	pecimen.
Large, gray-green needles.			
18 to 24 in	\$2.00		
$2 \text{ to } 2\frac{1}{2} \text{ ft } \dots$	2.75		
$2\frac{1}{2}$ to 3 ft	3.50		
3 to 4 ft	4.50		
- douglasi (See PSEUDOTSUGA doug	glasi)		
— nordmanniana, 60'-70'	9 /	Nordman	IN ETP
Grows slowly when young. Flat	leavee		
green above, silvery white beneath	leaves	are men,	simming
2 to 3 ft	3.00		
3 to 4 ft	5.00		
- Spruce (See PICEA)	0.00		
•	THOE		
ANDROMEDA catesbaei (See LEUCO — japonica (See PIERIS)	THUE)		
AZALEA amoena, 3'-4'	22.25		
Conspicuous purple-red flowers, A	prii–Ma	ıy. Leave	s turn a
rich. bronze-green in winter.		** **	4.500
6 to 8 in.*	.60	\$5.50	\$45.00
8 to 10 in	.75	6.00	50.00
10 to 12 in	1.00	9.00	
— hinodegiri, 3'-4'			
Larger leaves and looser growth	than al	oove; flow	ers very
bright carmine-pink; effective in r	nasses c	r with Rh	ododen-
dron.			
6 to 8 in.*	.85	7.50	65.00
8 to 10 in	1.10	10.00	90.00
10 to 12 in	1.35	12.50	
— indica alba (ledifolia alba), 3'-4'			
Pure white flowers and profuse blo	omer.		
10 to 12 in	1.00	8.50	75.00
12 to 15 in	1.25	11.50	
—— lilacina, 3'-4'			
A beautiful addition to the indica	type wi	th large in	dividual
flowers of pure lilac color.			
10 to 12 in	1.00	8.50	75.00
12 to 15 in	1.25	11.50	
— rosea (magnifica), 3'-4'			
Rose colored flowers.			
15 to 18 in	1.50	13.50	

40 ININCETON N	URSERIE	45	
AZALEA—continued	Each	Per 10	Per 100
— macrantha, $2\frac{1}{2}'-3'$		SALMON A	
A beautiful plant, with large flo	wers that	appear at i	intervals.
and not at one time like the pr			,
8 to 10 in	\$1.00	\$ 9.00	\$80.00
10 to 12 in	1.25	12.00	
12 to 15 in	1.35	12.50	
12 to 15 in	CALEAS		
A new evergreen Japanese type	e, with ser		
white, pink, red and lavender,	making a	a valuable	addition
to the list of plants that can be and Easter trade. These are	e easily fo	orced for C	hristmas
and Easter trade. These are	also suita	ble for pla	anting in
protected locations, and perfect	ctly hardy	r from Wa	ishington
south.	1.0*	10.00	
8 to 10 in		10.00	-
10 to 12 in		$12.50 \\ 15.00$	
12 to 15 in	1.73	15.00	
Christmas Cheer, red semi-double			
Coral Bells, coral pink, semi-double			
Flame, orange red, single			
Pink Pearl, salmon rose, semi-doubl	e		
Snow, pure white, semi-double			
HARDY JAPANES	E AZALE	EAS	
			4 1
We have a number of named	varieties	of Japanes	e Azaleas
which have proven hardy in	this section	on. They	are very
desirable for landscape work.	Sizes ru	n from 10	" to 18"
and prices will be gladly quote			
BERBERIS ilicifolia, 5'-6'		HOLLY BAR	
Holly-like leaves, persisting	until nev	v foliage	appears:
flowers yellow.			
15 to 18 in			
18 to 24 in			
		GREEN BAR	
Beautiful evergreen hardy var			wth with
nice glossy green foliage throug	gnout the	year.	
3 in. pots		6.00 TAL $ m Arbo$	
Rather stiff, columnar habit; h			hrongo in
winter; a good accent plant.	night gice	n ionage,	DIOILZE III
18 to 24 in	75	6.50	55.00
2 to 2½ ft		9.00	80.00
$2\frac{1}{2}$ to 3 ft	1.75	16.50	155.00
3 to 4 ft	2.75	26.50	
4 to 5 ft		36.50	
4 to 5 ft			
Berck	mans Gol	DEN ARBO	RVITAE
A gem for dwarf planting; cor	npact, rou	ındish shaj	pe; warm
golden yellow foliage. Especia	lly good f	or formal	work and
edging.			
8 to 10 in		8.50	75.00
10 to 12 in		11.00	100.00
12 to 15 in		13.50	125.00
15 to 18 in	2.00	18.50	
— elegantissima, 7'-8'	C		
		umn Arbo	
Assumes a rich, deep golden bro	nze color i	n winter.	compact,
columnar.	1.25	11.00	
15 to 18 in		13.50	
18 to 24 in		15.50	
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots 2\frac{1}{2} \text{ to } 3 \text{ ft.} \dots$			
- rosedale, 3'-4'	5.45 R	OSEDALE I	Tyrrin
Fine foliage; soft texture.	11	COLDALE 1	~ 1 1011111
12 to 15 in	1.00	8.50	75.00
15 to 18 in		11.00	
18 to 24 in			

	Each	Per 10	Per 10
BUXUS sempervirens (bush form), 12'			XWOOD
Useful for formal hedges.	10	<b>D</b> 0.	X 11 OOD
8 to 10 in.*	\$.50	\$4.50	\$40.0
10 to 12 in.*	.75	6.00	50.0
12 to 15 in.*	1.00	8.50	75.0
15 to 18 in	1.25	11.00	
18 to 24 in	1.50		
	Per 10	Per 100	Per 100
— — suffruticosa, 3′−4′	Т	RUEDWAR	RF Box
Extensively used for edging.			
3 to 4 in.*. 4 to 6 in.*. 6 to 8 in.*.	1.00	8.00	-60.00
4 to 6 in.*	1.50	12.00	90.00
6 to 8 in.*	2.50	15.00	
8 to 10 in.*	5.00		
	Each	Per 10	Per 10
COTONEASTER francheti, 5'-6'	BANCHE	T Cotoni	EASTER
Upright growing variety with spi			
dark green, white tomentum un			
orange freely produced.			
3 in. pots	.50	4.50	
6 in. pots	.75	6.50	60.0
– horizontalis davidiana, $1'-1\frac{1}{2}'$	Roc	к Сотохі	EASTER
Small box-like leaves; bright red	berries	s: effectiv	e amon
rocks,		,	
3" pots	.50	4.00	30.0
5" pots	.75	6.50	60.0
– lemoinei, 4'–5'			
Similar to Francheti in habit with	smalle	r foliace	and mor
tomentose, giving a silvery effect.			and mor
3" pots	.50	4.50	
5" pots	.75	6.50	
- microphylla, $1\frac{1}{2}'-2'$			KSPRAY
Very small leaves, very deep gre	en R		
than the Rock Cotoneaster.		ather mo	i C Dusii
3" pots	.50	4.00	30.0
5" pots	.75	6.50	60.0
— thymifolia, 1½'–2'		ie Cotoni	
3" pots	.50	4.50	40.0
5" pots	.75	6.50	10.0
5 pots	.79	0.50	
- rotundifolia boxitolia, 1½'-2'	1	e 1°	11:1
Prostrate growing, with small roun	id green	romage a	na origi
red berries.	*0	4.50	10.0
∀ 3" pots	$.50 \\ .75$	$\frac{4.50}{6.50}$	$\frac{40.0}{60.0}$
5" pots			00.0
CRATAEGUS pyracantha lalandi (See	PYRAC	ANTHA)	
DAPHNE cneorum, 1'		Rose D	LDUNE
Gray-green foliage, low spreading	Pret	ty pink f	
April–May. Delightful fragrance.		ty pink i	IOWCIS I
3" nots	.50	4.50	40.0
3" pots	.75	6.00	55.0
8 to 10 in.—field grown	.85	8.00	75.0
		n Burnin	
Lustrous, deep green leaves; up	right b	ushy hab	it; neec
winter protection here.		0.00	20
8 to 10 in.*	.35	3.00	20.0
10 to 12 in.*	.50	3.50	25.0
10 to 12 in.* 12 to 15 in.* 15 to 18 in.*	.75	6.00	40.0
15 to 18 in.*	.85	7.50	
18 to 24 in.*	1.00	9.00	
— — latifolia marginata alba, 4′–5′			
Identical to the type in growth by	at with	larger fol	iage ver
nicely variegated.			
5'' pots	.50	4.00	



Part of our evergreens. On the right are Juniper pfitzeriana, one of the best and hardiest evergreen. See page 49.


EUONYMUS—continued — patens (sieboldianus), 6'-8' Grows vigorously, forming broad, persist until late winter. Orna among denser conifers.	SPREA rather	Per 10 DING EUOR loose shrul fruits.	NYMUS o; leaves
12 to 15 in.*	\$.50 .60 .75		
Low growing variety, with box-lik able for edging. Hardy in protect Philadelphia. Perfectly hardy fro 2" pots	e foliag ed loca m Wasl .20	tions in vi hington so \$1.50	en, suit- cinity of uth. \$10.00
<ul> <li>radicans, climbing to 15'</li> <li>Self-clinging vine. Good for cove for under planting among evergree</li> </ul>	ring lov	Wintercr v walls, als	
8 to 12 in.,* 2 year, bushy 12 to 15 in.,* 3 year, bushy		$\frac{1.50}{2.00}$	$10.00 \\ 15.00$
—— acutus, 6"-12" Shar A graceful form, with long narrow plish underneath.	PLEAF leaves	Wintercr	
2 year		WINTERCR	EEPER
	.25	2.00	15.00
12 to 15 in.,* 2 year	.30	2.50	20.00
12 to 15 in.,* 2 year. 15 to 18 in.,* 3 year. — colorata, 6"-12"	.35	3.00	
Long narrow leaves purple undern- Very effective in winter.	eath, ti	nged purpl	e above.
2 year*	.30		
		Per 100	
— — minimus, 6"−12"	BABY	Wintercr	EEPER
Has tiny evergreen leaves and Charming rock subject.	a dair	nty trailin	g habit.
3" pots		20.00 Per 10	180.00 Per 100
— variegatus Variegatei Leaves veined and marked yellowing vine.	LEAF	WINTERCR	EEPER
8 to 12 in.,* 2 year, bushy	.18	1.50	12.00
12 to 15 in.,* 3 year, bushy	.20	1.80	
,			

EUONYMUS—continued	Each	Per 10	Per 100
— — vegetus, 3'–4'	BIGLEAF	WINTERCR	EEPER
Bushy, interesting growth.	. Leaves,	round, dul	l green.
Bright scarlet fruits, freely	produced.	Handsome	among
evergreens. 8 to 12 in.,* 2 year	¢ 20	\$2.50	\$20.00
8 to 12 m., 2 year	\$ .00 25	$\frac{52.30}{3.00}$	4
12 to 15 in.,* 3 year 15 to 18 in.,* 3 year, bushy.	40	3.50	25.00
IEDERA colchica dentata, 20'-5		ANT ENGLIS	
Strong growing climber, wit leaves. Very decorative.	n large ever	green, near	snaped
$3\frac{1}{2}$ " pots	30	2.50	
			7
– gracilis, 8′–10′ Similar to English Ivy wit	MINIAT	URE ENGLIS	HIVY
	n sman dar.	k green ton	age. A
most graceful vine.	25	2.00	
3" pots			
helix, 20'-50'		Englis	HIVY
Evergreen; good ground cov	er in shady	locations	An ideal
wall cover.		2.00	10.00
2 year field grown*		2.00	18.00
LEX crenata, 8'-10'		Japanese I	
Box-like leaves, rich, deep gr	een, and lead	hery. Stiff	branch-
ing, makes a good hedge. B			
12 to 15 in		6.50	-
15 to 18 in		9.00	-
18 to 24 in		-	
– microphylla, 6'-8'			$_{ m Iolly}$
Smaller leaves and more har			
12 to 15 in		6.50	
15 to 18 in		9.00	
18 to 24 in		14.00	
2 to 3 ft	2.25	21.50	
– glabra, 5′–6′		Inki	BERRY
Shining, dark green leaves, p	ourplish in w	inter; black	berries
Useful for shady spots, also		un.	
12 to 15 in	75		
UNIPERUS chinensis oblonga,	7'-8'		
Forms a broad, irregular, p	vramid with	feathery b	ranches.
Grayish foliage.	yrumin writi	reaction, s	
18 to 24 in	1.50		
2 to 2½ ft			· ·
2½ to 3 ft			
- — pfitzeriana, $5'-6'$		PFITZER JU	NIPED
Broad hushy habit Gray	-green folia	ge giving	feathers
Broad, bushy habit. Gray appearance. A most adap	table, hards	, giving evergreen	. hjøhlv
recommended.	caore, nardy	creigicen	, mgmy
12 to 18 in	1.60	15.00	
		16.50	
10 10 29 10			
18 to 24 in			
2 to 2½ ft	2.50	24.00 34.00	
2 to 2½ ft	2.50 3.50	24.00	
2 to 2½ ft	2.50 3.50 5.00	24.00 34.00	NIDED
2 to 2½ ft	2.50 3.50 5.00	24.00	NIPER
2 to 2½ ft	2.50 3.50 5.00	24.00 34.00 —— Common Ju	NIPER
2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. - communis, 2′-2½' Forms a yase-shaped bush. 12 to 18 in.	2.50 3.50 5.00	24.00 34.00 ———————————————————————————————————	NIPER
2 to 2½ ft 2½ to 3 ft 3 to 4 ft - communis, 2′-2½' Forms a vase-shaped bush. 12 to 18 in 18 to 24 in	2.50 3.50 5.00 1.25 1.35	24.00 34.00 ———————————————————————————————————	NIPER
2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. - communis, 2′-2½′ Forms a vase-shaped bush. 12 to 18 in. 18 to 24 in. 2 to ½ ft.	2.50 3.50 5.00 1.25 1.35 1.85	24.00 34.00 ———————————————————————————————————	NIPER
2 to 2½ ft 2½ to 3 ft 3 to 4 ft - communis, 2'-2½' Forms a vase-shaped bush. 12 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft	2.50 3.50 5.00 1.25 1.35 1.85 2.15	24.00 34.00 ———————————————————————————————————	NIPER
2 to 2½ ft 2½ to 3 ft 3 to 4 ft - communis, 2'-2½' Forms a vase-shaped bush. 12 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 4 ft		24.00 34.00 COMMON JU 11.50 12.50 17.50	
2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft.  - communis, 2'-2½'  Forms a yase-shaped bush. 12 to 18 in. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft.  - aurea, 1'-1½'		24.00 34.00 COMMON JU 11.50 12.50 17.50 ————————————————————————————————————	NIPER
2 to 2½ ft 2½ to 3 ft 3 to 4 ft - communis, 2'-2½' Forms a vase-shaped bush. 12 to 18 in. 18 to 24 in. 2 to 2½ ft 2½ to 3 ft 3 to 4 ft. - aurea, 1'-1½' Low spreading habit. Golde		24.00 34.00 COMMON JU 11.50 12.50 17.50 ————————————————————————————————————	NIPER
2 to 2½ ft 2½ to 3 ft 3 to 4 ft — communis, 2'-2½' Forms a vase-shaped bush. 12 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft — aurea, 1'-1½' Low spreading habit. Goldespring.		24.00 34.00 —— COMMON JU 11.50 12.50 17.50 —— COMMON JU	NIPER
2 to 2½ ft 2½ to 3 ft 3 to 4 ft. - communis, 2'-2½' Forms a vase-shaped bush. 12 to 18 in. 18 to 2½ in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. - aurea, 1'-1½' Low spreading habit. Goldespring. 12 to 15 in.	2.50 3.50 5.00 1.25 1.35 1.85 2.15 2.65 GOLDEN en foliage, po	24.00 34.00 COMMON JU 11.50 12.50 17.50 ————————————————————————————————————	NIPER
2 to 2½ ft 2½ to 3 ft 3 to 4 ft - communis, 2'-2½' Forms a vase-shaped bush. 12 to 18 in 18 to 2½ in 2 to 2½ ft 2½ to 3 ft 3 to 4 ft. - aurea, 1'-1½' Low spreading habit. Goldespring. 12 to 15 in 12 to 18 in	2.50 3.50 5.00 1.25 1.35 2.65 2.65 Golden en foliage, p 1.00 1.50	24.00 34.00 —— COMMON JU 11.50 12.50 17.50 —— COMMON JU	NIPER
2 to 2½ ft 2½ to 3 ft 3 to 4 ft  - communis, 2'-2½' Forms a yase-shaped bush. 12 to 18 in. 18 to 2½ in. 2 to 2½ ft 2½ to 3 ft 3 to 4 ft.  - aurea, 1'-1½' Low spreading habit. Goldespring. 12 to 15 in.	2.50 3.50 5.00 1.25 1.35 2.15 2.65 GOLDEN en foliage, p 1.00 1.50 1.75	24.00 34.00 —— COMMON JU 11.50 12.50 17.50 —— COMMON JU	NIPER

UNIPERUS—continued		Per 10	
— canadensis, $2\frac{1}{2}'-3'$		Canada Ju	
Forms a low vase-shaped bush.	Leaves	dark gree	n above
bluish underneath.			
12 to 15 in		\$ 7.50	-
15 to 18 in	. 1.15	10.00	
18 to 24 in		14.00	-
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$	2.00		-
— cracovica, 4'–5'		Polish Ju	UNIPER
Upright, branching from ground	d. makin	g verv na	rrow co.
umn.	,		
18 to 24 in	. 1.50	14.00	
2 to 2½ ft			
2½ to 3 ft			
	. ~.00	T T.	
— hibernica, 7'-8'	1 6 2	Irish Ju	UNIPER
A very narrow pyramid. Usef			
18 to 24 in		9.00	\$80.0
$2 \text{ to } 2\frac{1}{2} \text{ ft } \dots$	. 1.25	11.50	
— — suecica nana, 3′−3½′	DWARF S	Swedish Ju	JNIPER
A narrow, compact column.			
12 to 15 in	90	8.00	
15 to 18 in		11.50	
– excelsa stricta, 4′–5′	Spins	GREEK JU	TATIDED
Compact, well-shaped pyramid.			
useful for formal effects.	ronage	gray-gree	II. A108
	. 1.00	0.00	75.0
10 to 12 in		9.00	75.0
12 to 15 in		12.50	
15 to 18 in		16.50	. —
– horizontalis (sabina porstrata), 1'-	$-1\frac{1}{2}$	Creeping	
Branches trail along ground.	Adapted	l to rockw	ork an
ground covering.			
2 to 2½ ft	. 2.00		
$2\frac{1}{2}$ to $\overline{3}$ ft	2.50		
– — douglasi, 1′−1½′			
- uougiasi, 1 -1 79	$W_{A}$	UKEGAN JU	INIPER
Long branches trailing along g	round.	Steely-blue	foliage
Long branches trailing along g	round.	Steely-blue	foliage
Long branches trailing along g A splendid ground cover; also effe	round.	Steely-blue	foliage
Long branches trailing along g A splendid ground cover; also effe purple hue in winter.	round. ective an	Steely-blue	foliage
Long branches trailing along g A splendid ground cover; also effe purple hue in winter. 12 to 15 in	round. ective am . 1.00	Steely-blue	foliage
Long branches trailing along g A splendid ground cover; also effe purple hue in winter. 12 to 15 in. 15 to 18 in.	round. ective an . 1.00 . 1.50	Steely-blue	foliage
Long branches trailing along g A splendid ground cover; also effe purple hue in winter. 12 to 15 in. 15 to 18 in.	round. ective am . 1.00 . 1.50 . 2.00	Steely-blue long rock.	foliage Distinc
Long branches trailing along g A splendid ground cover; also effe purple hue in winter. 12 to 15 in	round. ective and . 1.00 . 1.50 . 2.00	Steely-blue ang rock.  APANESE JU	foliage Distinct  ———————————————————————————————————
Long branches trailing along g A splendid ground cover; also effer purple hue in winter. 12 to 15 in	round. ective am . 1.00 . 1.50 . 2.00 JA s, dark g	Steely-blue along rock.  APANESE Jugreen, scal	foliag Distinction
Long branches trailing along g A splendid ground cover; also effe purple hue in winter. 12 to 15 in	round. ective am . 1.00 . 1.50 . 2.00 JA s, dark g	Steely-blue aong rock.  APANESE Jugreen, scaly	foliag Distinction
Long branches trailing along g A splendid ground cover; also effe purple hue in winter. 12 to 15 in. 15 to 18 in. 18 to 24 in. — japonica, 3'-4' Los grower, spreading branches Adapted to rock planting. Grov 12 to 15 in.	round. ective an . 1.00 . 1.50 . 2.00 . JA s, dark g vs slowly . 1.00	Steely-blue and rock.  APANESE Jugreen, scaly.  9.00	foliage Distinct  ———————————————————————————————————
Long branches trailing along g A splendid ground cover; also effe purple hue in winter. 12 to 15 in. 15 to 18 in. 18 to 24 in.   japonica, 3'-4' Los grower, spreading branches Adapted to rock planting. Grov 12 to 15 in. 15 to 18 in.	round. ective an . 1.00 . 1.50 . 2.00 . J/ s, dark g vs slowly . 1.00 . 1.35	Steely-blue aong rock.  APANESE Jugreen, scaly	foliage Distinct  ———————————————————————————————————
Long branches trailing along g A splendid ground cover; also effe purple hue in winter. 12 to 15 in. 15 to 18 in. 18 to 24 in.  japonica, 3'-4' Los grower, spreading branches Adapted to rock planting. Grov 12 to 15 in. 15 to 18 in. 18 to 24 in.	round. ective an . 1.00 . 1.50 . 2.00 . J/ s, dark g vs slowly . 1.00 . 1.35	Steely-blue tong rock.  APANESE JU green, scaly.  9.00 12.50	e foliage Distinction
Long branches trailing along g A splendid ground cover; also effer purple hue in winter. 12 to 15 in	round. ective am . 1.00 . 1.50 . 2.00 J s, dark g vs slowly . 1.00 . 1.35 . 2.00	Steely-blue tong rock.  APANESE JU green, scaly  9.00  12.50  SAVIN JU	e foliage Distinct Distinct Distinct Distinct Distinct Distinct Distinct Distinct Distinct District Di
Long branches trailing along g A splendid ground cover; also effe purple hue in winter. 12 to 15 in. 15 to 18 in. 18 to 24 in. — japonica, 3'-4' Los grower, spreading branches Adapted to rock planting. Grov 12 to 15 in. 15 to 18 in. 18 to 24 in. — sabina, 6'-7' Dense, dark green foliage. Sp	round. ective am . 1.00 . 1.50 . 2.00 J s, dark g vs slowly . 1.00 . 1.35 . 2.00	Steely-blue tong rock.  APANESE JU green, scaly  9.00  12.50  SAVIN JU	e foliage Distinct Distinct Distinct Distinct Distinct Distinct Distinct Distinct Distinct District Di
Long branches trailing along g A splendid ground cover; also effer purple hue in winter.  12 to 15 in.  15 to 18 in.  18 to 24 in.   japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grov 12 to 15 in.  15 to 18 in.  18 to 24 in.  sabina, 6'-7'  Dense, dark green foliage. Spirregular vase-shaped bush.	round.  1.00 1.50 2.00 J/ s, dark g vs slowly 1.00 1.35 2.00 coreading	Steely-blue and rock.  APANESE JU green, scaly  9.00 12.50  SAVIN JU branches,	e foliage Distinct Distinct Distinct Distinct Distinct Distinct Distinct Distinct Distinct District Di
Long branches trailing along g A splendid ground cover; also effe purple hue in winter.  12 to 15 in.  15 to 18 in.  18 to 24 in.   japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grov 12 to 15 in.  15 to 18 in.  18 to 24 in.  — sabina, 6'-7'  Dense, dark green foliage. Spirregular vase-shaped bush.  10 to 12 in.	round.  1.00 1.50 2.00 Jas, dark grass slowly 1.00 1.35 2.00 1.35 2.00 Dreading 35	Steely-blue tong rock.  APANESE JUgreen, scaly.  9.00 12.50 SAVIN JUbranches, 7.50	of foliage Distinct Distinct Distinct Distinct Distinct Distinct Distinct Distinct Distinct District D
Long branches trailing along g A splendid ground cover; also effe purple hue in winter. 12 to 15 in. 15 to 18 in. 18 to 24 in.  - japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grov 12 to 15 in. 15 to 18 in. 18 to 24 in.  - sabina, 6'-7' Dense, dark green foliage. Spirregular vase-shaped bush. 10 to 12 in. 12 to 15 in.	round.  1.00 1.50 2.00 J/s, dark gws slowly 1.00 2.00 preading 35 1.05 1.05 1.05	Steely-blue tong rock.  APANESE Jugreen, scaly.  9.00 12.50 SAVIN Jubranches, 7.50 9.00	of foliage Distinct Distinct Distinct Distinct Distinct Distinct Distinct Distinct Distinct District D
Long branches trailing along g A splendid ground cover; also effer purple hue in winter.  12 to 15 in.  15 to 18 in.  18 to 24 in.    japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grow 12 to 15 in.  15 to 18 in.  18 to 24 in.   — sabina, 6'-7'  Dense, dark green foliage. Spirregular vase-shaped bush.  10 to 12 in.  12 to 15 in.  13 to 15 in.  15 to 18 in.	round	Steely-blue tong rock.  APANESE JUgreen, scaly.  9.00 12.50 SAVIN JUbranches, 7.50	Property leaves  UNIPER to leaves  UNIPER formin  80.0
Long branches trailing along g A splendid ground cover; also effe purple hue in winter. 12 to 15 in. 15 to 18 in. 18 to 24 in.  japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grov 12 to 15 in. 15 to 18 in. 18 to 24 in.  sabina, 6'-7' Dense, dark green foliage. Spirregular vase-shaped bush. 10 to 12 in. 12 to 15 in.	round	Steely-blue tong rock.  APANESE Jugreen, scaly.  9.00 12.50 SAVIN Jubranches, 7.50 9.00	Property leaves  UNIPER to leaves  UNIPER formin  80.0
Long branches trailing along g A splendid ground cover; also effer purple hue in winter.  12 to 15 in.  15 to 18 in.  18 to 24 in.   japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grow 12 to 15 in.  15 to 18 in.  18 to 24 in.  sabina, 6'-7'  Dense, dark green foliage. Spirregular vase-shaped bush.  10 to 12 in.  12 to 15 in.  15 to 18 in.  18 to 24 in.  2 to 21/4 ft.	round	Steely-blue tong rock.  APANESE JUgreen, scaly .  9.00 12.50 SAVIN JUbranches, 7.50 9.00 12.50 19.00	e foliage Distinction   UNIPER V leaves   UNIPER formin   80.0
Long branches trailing along g A splendid ground cover; also effer purple hue in winter.  12 to 15 in.  15 to 18 in.  18 to 24 in.   japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grow 12 to 15 in.  15 to 18 in.  18 to 24 in.  — sabina, 6'-7'  Dense, dark green foliage. Spirregular vase-shaped bush.  10 to 12 in.  12 to 15 in.  15 to 18 in.  18 to 24 in.  2 to 24' ft.	round	Steely-blue tong rock.  APANESE JUGGERN, SCALY.  9.00 12.50  SAVIN JUBRANCHES, 7.50 9.00 12.50	e foliage Distinction   UNIPER V leaves   UNIPER formin   80.0
Long branches trailing along g A splendid ground cover; also effer purple hue in winter.  12 to 15 in.  15 to 18 in.  18 to 24 in.   japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grow 12 to 15 in.  15 to 18 in.  18 to 24 in.  — sabina, 6'-''  Dense, dark green foliage. Spirregular vase-shaped bush.  10 to 12 in.  12 to 15 in.  15 to 18 in.  18 to 24 in.  2 to 2½ ft.  — tamariscifolia, 1'-1½'	round. ective am  1.00 1.50 2.00 JA s, dark g vs slowly 1.00 0.1.35 2.00 0.1.35 2.00 0.1.35 2.00 0.2.50	Steely-blue tong rock.  APANESE JUGGERN, SCALY.  9.00 12.50 SAVIN JUBORANCHES, 7.50 9.00 12.50 19.00 TAMARIX	e foliage Distinc
Long branches trailing along g A splendid ground cover; also effer purple hue in winter.  12 to 15 in.  15 to 18 in.  18 to 24 in.   japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grow 12 to 15 in.  15 to 18 in.  18 to 24 in.  — sabina, 6'-7'  Dense, dark green foliage. Spirregular vase-shaped bush.  10 to 12 in.  12 to 15 in.  15 to 18 in.  18 to 24 in.  2 to 21/4 ft.	round. ective am  1.00 1.50 2.00 JA s, dark g vs slowly 1.00 0.1.35 2.00 0.1.35 2.00 0.1.35 2.00 0.2.50	Steely-blue tong rock.  APANESE JUGGERN, SCALY.  9.00 12.50 SAVIN JUBORANCHES, 7.50 9.00 12.50 19.00 TAMARIX	e foliage Distinc
Long branches trailing along g A splendid ground cover; also effer purple hue in winter.  12 to 15 in	round	Steely-blue tong rock.  APANESE JUGGERN, SCALY.  9.00 12.50 SAVIN JUBORANCHES, 7.50 9.00 12.50 19.00 TAMARIX	e foliage Distinc
Long branches trailing along g A splendid ground cover; also effer purple hue in winter.  12 to 15 in.  15 to 18 in.  18 to 24 in.   japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grow 12 to 15 in.  15 to 18 in.  18 to 24 in.  sabina, 6'-7'  Dense, dark green foliage. Spirregular vase-shaped bush.  10 to 12 in.  12 to 15 in.  15 to 18 in.  12 to 15 in.  15 to 18 in.  2 to 24' ft.  — tamariscifolia, 1'-1½  Flat, spreading growth, making low evergreen planting.  10 to 12 in.	round	Steely-blue and steely-blue an	e foliage Distinction    UNIPER v leaves    EVENIPER formin    80.0   115.0    SAVIN
Long branches trailing along g A splendid ground cover; also effer purple hue in winter.  12 to 15 in.  15 to 18 in.  18 to 24 in.   japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grow 12 to 15 in.  15 to 18 in.  18 to 24 in.  — sabina, 6'-7'  Dense, dark green foliage. Spirregular vase-shaped bush.  10 to 12 in.  12 to 15 in.  15 to 18 in.  12 to 15 in.  15 to 18 in.  2 to 2½ ft.  — tamariscifolia, 1'-1½'  Flat, spreading growth, making low evergreen planting.  10 to 12 in.  12 to 15 in.	round	Steely-blue and rock.  APANESE JUgreen, scaly.  9.00 12.50 SAVIN JUbranches, 7.50 9.00 12.50 19.00 TAMARIX but soft to	e foliage Distinc
Long branches trailing along g A splendid ground cover; also effer purple hue in winter.  12 to 15 in.  15 to 18 in.  18 to 24 in.   japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grow 12 to 15 in.  15 to 18 in.  18 to 24 in.  — sabina, 6'-7'  Dense, dark green foliage. Spirregular vase-shaped bush.  10 to 12 in.  12 to 15 in.  15 to 18 in.  18 to 24 in.  — tamariscifolia, 1'-1½'  Flat, spreading growth, making low evergreen planting.  10 to 12 in.  12 to 15 in.  15 to 18 in.  19 to 15 in.  110 to 12 in.  110 to 13 in.  110 to 15 in.  110 to 18 in.	round. ective am  1.00 1.50 2.00 J s, dark g vs slowly 1.00 1.35 2.00 preading 1.00 1.35 2.00 compact 1.00 1.25 1.50	Steely-blue and rock.  ———————————————————————————————————	e foliage Distinction Distinction Distinction Distinction Distinction Distinction Distriction District
Long branches trailing along g A splendid ground cover; also effer purple hue in winter.  12 to 15 in.  15 to 18 in.  18 to 24 in.   japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grow 12 to 15 in.  15 to 18 in.  18 to 24 in.  — sabina, 6'-7'  Dense, dark green foliage. Spirregular vase-shaped bush.  10 to 12 in.  12 to 15 in.  15 to 18 in.  18 to 24 in.  — tamariscifolia, 1'-1½'  Flat, spreading growth, making low evergreen planting.  10 to 12 in.  12 to 15 in.  15 to 18 in.  19 to 15 in.  110 to 12 in.  110 to 13 in.  110 to 15 in.  110 to 18 in.	round. ective am  1.00 1.50 2.00 J s, dark g vs slowly 1.00 1.35 2.00 preading 1.00 1.35 2.00 compact 1.00 1.25 1.50	Steely-blue and rock.  ———————————————————————————————————	e foliage Distinction Distinction Distinction Distinction Distinction Distinction Distriction District
Long branches trailing along g A splendid ground cover; also effer purple hue in winter.  12 to 15 in.  15 to 18 in.  18 to 24 in.   japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grow 12 to 15 in.  15 to 18 in.  18 to 24 in.  sabina, 6'-7'  Dense, dark green foliage. Spirregular vase-shaped bush.  10 to 12 in.  12 to 15 in.  15 to 18 in.  18 to 24 in.  — tamariscifolia, 1'-1½'  Flat, spreading growth, making low evergreen planting.  10 to 12 in.  12 to 15 in.  15 to 18 in.  17 to 15 in.  18 to 15 in.  19 to 15 in.  10 to 19 in.  11 to 15 in.  12 to 15 in.  15 to 18 in.  15 to 18 in.  16 to 19 green growth, deep green green deep green	round. ective am  1.00 1.50 2.00 J s, dark g vs slowly 1.00 1.35 2.00 preading 1.00 2.50 compact 1.00 1.25 1.50 n foliage	Steely-blue and rock.  APANESE JU green, scaly  9.00 12.50 SAVIN JU branches, 7.50 9.00 12.50 19.00 TAMARIX but soft to 9.00 11.50 14.00 RED RED , purplish in	e foliage Distinction Distinction Distinction Distinction Distinction Distinction Distriction District
Long branches trailing along g A splendid ground cover; also effer purple hue in winter.  12 to 15 in.  15 to 18 in.  18 to 24 in.   japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grow 12 to 15 in.  15 to 18 in.  18 to 24 in.  sabina, 6'-7'  Dense, dark green foliage. Spirregular vase-shaped bush.  10 to 12 in.  12 to 15 in.  15 to 18 in.  18 to 24 in.  2 to 2½ ft.  tamarisciolia, 1'-1½'  Flat, spreading growth, making low evergreen planting.  10 to 12 in.  12 to 15 in.  15 to 18 in.  15 to 18 in.  15 to 18 in.  17 to 18 in.  18 to 19 in.  19 to 19 in.  19 to 19 in.  10 to 19 in.  10 to 19 in.  11 to 19 in.  12 to 15 in.  15 to 18 in.  15 to 18 in.  15 to 18 in.  15 to 18 in.  16 to 18 in.  17 to 18 in.  18 to 19 in.  19 to 19 in.  19 to 19 in.  19 to 19 in.  19 to 19 in.  10 to 19 in.  10 to 19 in.  10 to 19 in.  11 to 18 in.  12 to 15 in.  15 to 18 in.  15 to 18 in.  16 to 18 in.  17 to 18 in.  18 to 18 in.  19 to 19 in.  19 to 19 in.  10 to 19 in.  10 to 19 in.  10 to 19 in.  11 to 19 in.  12 to 15 in.  15 to 18 in.  15 to 18 in.  16 to 18 in.  17 to 18 in.  18 to 24 in.	round. ective am  1.00 1.50 2.00 J s, dark g solvy 1.00 1.35 2.00 preading . 85 1.00 2.50 compact . 1.00 1.25 1.50 un foliage planting	Steely-blue and rock.  APANESE JUgreen, scaly.  9.00 12.50 SAVIN JUbranches, 7.50 9.00 12.50 19.00 TAMARIX but soft to 9.00 11.50 14.00 RED 5 purplish in s.	Foliage Distinction of the Company o
Long branches trailing along g A splendid ground cover; also effer purple hue in winter.  12 to 15 in.  15 to 18 in.  18 to 24 in.   japonica, 3'-4'  Los grower, spreading branches Adapted to rock planting. Grow 12 to 15 in.  15 to 18 in.  18 to 24 in.  sabina, 6'-7'  Dense, dark green foliage. Spirregular vase-shaped bush.  10 to 12 in.  12 to 15 in.  15 to 18 in.  18 to 24 in.  — tamariscifolia, 1'-1½'  Flat, spreading growth, making low evergreen planting.  10 to 12 in.  12 to 15 in.  15 to 18 in.  17 to 15 in.  18 to 15 in.  19 to 15 in.  10 to 19 in.  11 to 15 in.  12 to 15 in.  15 to 18 in.  15 to 18 in.  16 to 19 green growth, deep green green deep green	round. ective am  1.00 1.50 2.00 Jan s, dark g vs slowly 1.00 1.35 2.00  preading 2.50 compact 1.00 1.25 1.50  n foliage planting 3.00	Steely-blue and rock.  APANESE JU green, scaly  9.00 12.50 SAVIN JU branches, 7.50 9.00 12.50 19.00 TAMARIX but soft to 9.00 11.50 14.00 RED RED , purplish in	e foliage Distinction Distinction Distinction Distinction Distinction Distinction Distriction District

TRINCHION, NEW	9121631	12.1	91
JUNIPERUS—continued	Each	Per 10	Per 100
— glauca, 15'-20'	S	ILVER RED	CEDAR
Bluish-gray foliage. Distinct.			
18 to 24 in	\$1.25		
2 to 2½ ft	1.85		
$2\frac{1}{2}$ to $3$ ft	2.50		
3 to 4 ft	3.50		
— tripartita, 4'-5'	Fou:	NTAIN RED	CEDAR
A bushy, half upright grower with	ı feathe	ry branche	·s.
18 to 24 in	1.50		
2 to 2½ ft	2.00		
2½ to 3 ft	2.75		
— waukegan (See horizontalis douglas	si)		
KALMIA latifolia, 5'-7'	$\mathbf{M}$	DUNTAIN L	AUREL
Most effective in June when the cl	usters of	f pink flow	ers open.
This stock is nursery grown. Goo			
12 to 18 in	1.50	\$12.50	\$100.00
18 to 24 in	$\begin{array}{c} 1.75 \\ 2.25 \end{array}$	$\frac{16.00}{20.00}$	135.00
2 to 2½ ft		20.00	165.00
$2\frac{1}{2}$ to 3 ft	3.00		
LEUCOTHOE catesbaei, 3'-4'	Droo	PING LEUC	OTHOE
Attractive white flowers, May.	Handsor	ne, lustrou	s leaves,
rich autumn coloring. Splendid fo	or under	· planting	
12 to 15 in	.85	7.50	65.00
15 to 18 in	1.10	10.00	90.00
LIGUSTRUM lucidum, 6'-8'	. 1.1	GLOSSY I	
A very attractive evergreen prive	et with	rıch, gloss	y leaves.
Not hardy in the North.	00	0.70	
3" pots	.30 .50	2.50	
LONICERA pileata, 2'-3' Dwarf spreading evergreen shrub.	PRIVE	T HONEYS	UCKLE
Dwarf spreading evergreen shrub.	Not n	ardy in th	e North,
2 year			~
MAHONIA aquifolium, 4'-5'	UREGO	N HOLLY	GRAPE
Shining green leaves turn rich so	ariet in	Autumn;	striking
in May when yellow flowers a Best in half shade.	appear;	blue-blac	K Iruits.
12 to 15 in	1.00	9.00	
15 to 18 in	1.25	11.00	
— japonica, 5'-6'			*******
A broad-leaved evergreen with		ANESE MA	
Yellow flowers in June are very sh	10aves	similar to	o mony.
12 to 18 in	1.25	11.50	
18 to 24 in	1.50		
OSMANTHUS aquifolium, 3'-4'		OLLY OSMA	NUMBER
Evergreen shrub with holly-like	o leaves	derk or	oon and
glossy. Suitable for protected loc	ations.	, dark gr	cen and
3" pots	.60	5.00	
3½" pots	.75	6.50	
PICEA alba, 50'-60'		WHITE S	PRICE
Silvery foliage; develops into shap	elv sne		
ture.	reij spe	cimen or c	TOBE TEX
12 to 15 in	.85	7.50	
15 to 18 in	1.00	9.00	
18 to 24 in	1.25		
$2$ to $2\frac{1}{2}$ ft	1.50		
excelsa, 80'-100'	1	Norway S	PRUCE
Has dark green foliage and grow			a good
windbreak, and also lends itself v			
15 to 18 in	.75	6.50	50.00
18 to 24 in	1.00	8.50	75.00
2 to 2½ ft	1.50	13.50	125.00
2½ to 3 ft	1.85	17.50	
3 to 3½ ft	2.50	23.50	
$3\frac{1}{2}$ to 4 ft	3.50		

PICEA—continued	Each		Per 100
	ROWHEAD Y		
Grows slowly. Compact and sy	mmetrical.	Good for	r founda-
tion planting.	41.00		
10 to 12 in			
12 to 15 in			
15 to 18 in			
$2 \text{ to } 2\frac{1}{2} \text{ ft.} \dots$			-
$2\frac{1}{2}$ to 3 ft		DLORADO S	
Branches in distinct whorls, fo	rming han	deema lax	PRUCE
men.	iming nan	usome iav	vii speci-
18 to 24 in	. 1.25		
2 to 21/6 ft		-	
2 to 2½ ft	5'-6' JAPAI	NESE ANDI	ROMEDA
Thick, shiny leaves, turning h	oronze in	winter. I	Propring
clusters of small white flowers	pen in Ma	av. Grow	s slowly.
Best in moist, partially shaded			
12 to 15 in		\$14.00	\$130.00
15 to 18 in		16.50	
18 to 24 in	. 2.25	21.50	
PINUS densiflora		NESE REI	PINE -
Foliage dark green. A good de	sirable var	iety.	
18 to 24 in		11.50	105.00
2 to 2½ ft		14.00	130.00
$2\frac{1}{2}$ to 3 ft		16.50	155.00
3 to 4 ft	. 2.75	26.00	
— flexilis, 30'–40'		Limbei	? PINE
Dark bluish green foliage; very			
18 to 24 in			
$\frac{2 \text{ to } 2\frac{1}{2} \text{ ft.}}{2 \text{ to } 2\frac{1}{2} \text{ ft.}}$			-
$2\frac{1}{2}$ to 3 ft			
3 to 3½ ft	. 3.00	Мисно	Dryp
— montana mughus,2½'-3' Forms a round-topped clump.	Usoful for		
foundation work.	C serui 101	rock plan	ting and
12 to 15 in	. 1.60		
15 to 18 in			
— nigra austriaca, 60'-70'	. 1100	Austrian	PINE
Rich, dark green. Vigorous, de	ense growe	r. Good f	or back-
ground. Thrives at seashore.	0		
18 to 24 in	. 1.00		
2 to 2½ ft			
$2\frac{1}{2}$ to $\bar{3}$ ft	. 2.00	-	
— ponderosa		n Yellow	
A rapid-growing Pine, growing t	to large din	nensions.	Silvery-
green foliage.			
2 to 2½ ft		-	
$2\frac{1}{2}$ to 3 ft		-	•
3 to 4 ft	. 2.50		
— resinosa, 50′-60′	. 1 1		PINE
Rich, green, stiff leaves; redd	ish brown	bark. V	igorous,
symmetrical grower. 2 to $2\frac{1}{2}$ ft	. 1.50		
2 to 2/2 it	2.00		
2½ to 3 ft	3.00		
— rigida, 40'–50'	. 5.00	Prece	PINE
Irregular, picturesque habit. U	Iseful for		
seashore planting; quick grower		ar, poor	con und
2 to 2½ ft	. 1.50		
$2\frac{1}{2}$ to $3$ ft		•	
3 to 4 ft			
— strobus, 80′–100′		WHITE	
Probably our most adaptable as	nd useful p		
esque when old.			
2 to 2½ ft		14.00	
2½ to 3 ft		19.00	
3 to 4 ft	, 2.50	24.00	



In the foreground is part of a row of Retinospora squarrosa veitchi. They are sheared and are almost as broad as they are high. Next is Retinospora pisifera, which is a more open grower, although the plants have been sheared frequently. Behind is Juniper cracovica and other sorts. See pages 53 and 54.

PINUS—continued	Each	Per 10	Per 100
— sylvestris, 25′-30′		Scotci	PINE
A rapid-growing, handsome tree,	especi		
Good for windbreaks.	, copre		, Journey
18 to 24 in	\$1.00	\$ 9.00	
2 to 2½ ft	1.50	14.00	
2½ to 3 ft	2.00	19.00	
3 to 4 ft	2.75	26.00	
— thunbergi	JAPAN	ESE BLACK	PINE
A large growing tree with rich, da			
needles; good for grouping effects.	0		0
18 to 24 in	1.00	9.00	
2 to 2½ ft	1.50	14.00	
$2\frac{1}{2}$ to $\tilde{3}$ ft	2.00	19.00	
3 to 4 ft	2.50	24.00	
4 to 5 ft	3.50		
PSEUDOTSUGA douglasi, 70'-80'		Dougl	AS FIR
Very hardy; dark bluish-green colo	rino F		
situation.	img. i	Tereis wer	diamed
18 to 24 in	1.50	14.00	
2 to 2½ ft	2.00	19.00	
$2\frac{1}{2}$ to 3 ft	2.50	24.00	
3 to 4 ft	3.25	31.50	
		AND FIRE	THODA
PYRACANTHA coccinea lalandi, 9'-12			
A beautiful broad-leaved evergre orange berries in the fall. Needs	en witi	tion in the	North
orange berries in the fail. Needs	.40	3.50	\$30.00
3" pots	.60	5.50	ф30.00
5" pots		0.00	
RETINOSPORA ericoides, 3'-4'		rh Retino	
Has heather-like leaves, giving	woolly	effect.	rorms a
round, broad bush.	***	0.00	<b>70.00</b>
12 to 15 in	.70	6.00	50.00
15 to 18 in	.90	8.00	
18 to 24 in		11.50	
— obtusa compacta, 2½'-4'		OTBALL CY	
Almost spherical in shape. Good	green t	hroughou	t winter.
Very useful in foundation or formal 12 to 15 in	1.00		
	1.75		
15 to 18 in	1.70		

RETINOSPORA—continued	Each	Per 10	
— pisifera, 25'-35' Quick grower. Loosely pyramid	o l	Sawara C	YPRESS
15 to 18 in		\$11.50	\$100.00
18 to 24 in		13.50	125.00
2 to 2½ ft		18.50	175.00
2½ to 3 ft			
3 to 3½ ft			
— — aurea, 25′–35′	GOLDEN	Sawara C	YPRESS
Foliage bright yellow, especially	in sprin	g.	
15 to 18 in		13.00	
18 to 24 in		16.50	
2 to 2½ ft		24.00	
2½ to 3 ft		29.00	
3 to 3½ ft	3.75	D G	
— plumosa, 25′–35′	т*	PLUME C	
Forms a dense cone of fine textur	re. Use	ful for shea	ring into
formal shapes.	1.00	9.50	65.00
12 to 15 in		$8.50 \\ 11.50$	65.00 $90.00$
18 to 24 in		13.50	120.00
2 to 2½ ft		19.00	
2½ to 3 ft		26.50	
3 to 3½ ft	3.75		
		NPLUME C	VPRESS
12 to 15 in	1.10	10.00	85.00
15 to 18 in		12.50	115.00
18 to 24 in	1.75	16.50	
2 to 2½ ft	2.50		
$2\frac{1}{2}$ to 3 ft	3.00		
— — lutescens, 2½'-3' Dwarf Forms a low, broad, round-topped branchlets.	d bush;	bright yello	w tipped
10 to 12 in			
15 to 18 in	1.75		
		RANCHED C	rnnree
Has long, stringy, drooping branc			
Graceful and decorative.		~g g	
12 to 15 in	1.00	9.00	85.00
15 to 18 in	1.25	11.50	100.00
18 to 24 in	1.75	16.50	150.00
$2 \text{ to } 2\frac{1}{2} \text{ ft} \dots$	2.50		
$2\frac{1}{2}$ to $\frac{3}{2}$ ft	3.00		
$3 \text{ to } 3\frac{1}{2} \text{ ft} \dots$	4.00		
<ul> <li>— — aurea, 10'-12' GOLDEN THE Very bright, conspicuous, golden than preceding.</li> </ul>			
8 to 10 in	1.00	9.00	
10 to 12 in	1.35	12.50	
12 to 15 in	1.75	16.50	
15 to 18 in	2.25		
- squarrosa veitchi, 25'-30' Foliage blue-gray, feathery and	dense,		rpress t woolly
appearance. Broad pyramidal or	1.00	9.00	75.00
15 to 18 in	1.25	$\frac{9.00}{11.50}$	100.00
18 to 24 in	1.75	16.50	
2 to 2½ ft	2.25		
RHODODENDRON maximum, 8'-12 Beautiful light pink flowers free Large, handsome foliage, most ef	Rosei	uced in Ma	
2 to 3 ft	2.50	22.50	200.00
3 to 4 ft	3.00	27.50	250.00
4 to 5 ft	4.25	40.00	325.00



Pyramidal Arborvitae. Good, bushy, well trimmed stock. Globe Arborvitae on the right. See page 56.

	Each	Per 10	Per 100
TAXUS baccata adpressa erecta, 3'-5' S			
Compact, upright habit. Stiff, d			
on branches.	SI	cen reaves	cromaca
	\$1.00	\$9.00	
		ng Englisi	TVEW
Spreading, horizontal branches,			
Valuable for low planting.	Citti	bide green	icaves.
10 to 12 in	1.00	9.00	\$ 75.00
12 to 15 in	1.25	11.50	100.00
15 to 18 in	1.75	16.50	150.00
— canadensis, 2'-21/2'	2110	CANAD	
Spreading habit. Bronzy in winte	r. Pre	fers shade:	good for
underplanting.		rero omac,	good 101
10 to 12 in	1.00		
· 12 to 15 in	1.25		
15 to 18 in	1.75		
— cuspidata, \( \lambda' - 5' \) Spr	READIN	G JAPANES	e Yew
Rich, deep green leaves. Spreadir	ig, bus	hy habit.	Valuable
in foundation plantings. Exception	nally l	hardy.	
12 to 15 in	1.25	11.00	85.00
15 to 18 in	1.75	16.00	140.00
18 to 24 in	2.50	22.50	200.00
2 to 2½ ft	3.50	33.00	
— — brevifolia, 2'-3'	DWAF	RF JAPANES	e Yew
Broad, thick leaves, blackish green		v growing a	
ular, spreading habit. Exceptiona			Ü
8 to 10 in	.85	7.50	
10 to 12 in	1.15	10.00	
12 to 15 in	1.35	12.50	
15 to 18 in	1.75		
— capitata, $5'-10'$		IT JAPANES	E YEW
The upright type of Taxus Cuspid	lata.		
12 to 15 in	1.25		
15 to 18 in	1.75		
18 to 24 in	2.75		
THUJA occidentalis, 15'-30'	AMER	ICAN ARBO	RVITAE
Slender pyramid with broad base	. Bro	nzy winter	coloring.
Good accent plant or for a hedge.			
18 to 24 in	1.00	9.00	80.00
2 to 2½ ft	1.25	11.50	105.00
2½ to 3 ft	1.75	16.50	155.00
3 to 3½ ft	2.35	22.50	
$3\frac{1}{2}$ to 4 ft	3.00		
4 to 5 ft	4.00		

THUJA—continued	Each	Por 10	Per 100
— compacta, 2½'-4'		ONS ARBOI	
Almost globe-shaped. Bright gr			
foundation planting.			01
10 to 12 in	\$ .75	\$ 6.00	\$50.00
12 to 15 in	1.00	9.00	75.00
15 to 18 in	1.25	11.50	
18 to 24 in	1.85		
— elegantissima, 10'-15' Gor	DENTIP	PED ARBOI	RVITAE
Branches tipped with yellow. Rie 18 to 24 in		ous green.	
2 to 2½ ft	2.00		
2½ to 3 ft			
— ellwangeriana, 4'-6'	ом Тн	UMB ARBOI	
Has heather-like leaves; dense l	habit; s	soft, close	texture.
Forms low, broad, blunt pyran	aid. B	lich purpl	e winter
coloring.	~ -	0.00	
12 to 15 in	$\frac{.75}{1.00}$	$\frac{6.00}{8.50}$	
18 to 24 in	1.25	11.00	
2 to 2½ ft	1.50		
$2 \text{ to } 2\frac{1}{2} \text{ ft } \dots$	-	OBE ARBOI	RVITAE
Useful in formal work. Naturally	globe :	shaped.	
8 to 10 in	.65	5.50	45.00
10 to 12 in	.85	7.50	65.00
12 to 15 in	1.00	9.00	
15 to 18 in	1.35	VEY ARBOI	
— hoveyi, 3'-4' Oval in shape, nearly as broad as 1			
12 to 15 in	.90		65.00
15 to 18 in	1.25	11.00	100.00
18 to 24 in	1.50	13.50	125.00
2 to 2½ ft	1.75	16.00	
		ODY ARBOI	
Conspicuous golden yellow form.		nar outline	e.
15 to 18 in	$\frac{1.00}{1.50}$		
2 to 2½ ft	2.00		
2½ to 3 ft	2.75		
— — plicata, 10'–20'		Ioss Arboi	
Rich, deep blue-green foliage.			
pleasing effect in light and shade.		al pyramid	
18 to 24 in	$\frac{1.25}{1.50}$	11.50	100.00
$2 \text{ to } 2\frac{1}{2} \text{ ft } \dots $	$\frac{1.30}{2.00}$	$\frac{14.00}{19.00}$	130.00
3 to 3½ ft	2.50	10.00	
		DAL ARBO	DITTIE
Retains bright green coloring th	roughoi	it winter.	Narrow
columnar shape; splendid for ac	cents of	or formal	planting.
15 to 18 in	1.00	8.50	75.00
18 to 24 in	1.25	11.50	100.00
2 to 2½ ft	1.50	13.50	125.00
2½ to 3 ft	$\frac{2.00}{2.75}$	18.50 $26.50$	175.00
$3 \text{ to } 3\frac{1}{2} \text{ ft } \dots $	$\frac{2.75}{3.50}$	20.50	250.00
	Rosent Slow gro	HAL ARBOI	RVITAE
15 to 18 in	1.25		
18 to 24 in	1.50		
2 to 2½ ft	1.75		
— vervaeneana, 8'-12'	VERVA	ENE ARBOI	RVITAE
Variegated with greenish yellow			
Broadly pyramidal.			
18 to 24 in	1.25		
2 to 2½ ft	1.50		
$2\frac{1}{2}$ to 3 ft	$\frac{2.00}{2.75}$		
J to 5/2 tt	2.10		

Name - Control of the			
THUJA—continued — wareana, 12'-15'	Each	Per 10 AN ARBOR	
Light green, fleshy foliage. Bros	adly pyra	amidal, ru	gged in
appearance. 15 to 18 in	$\$1.00 \\ 1.35$	$\$9.00 \\ 12.50$	\$80.00
TSUGA canadensis, 75'-90'			
Most graceful and adaptable,	the spre	NADA HEM Pading ho	iLOCK rizontal
branches making effective shadow clipped hedge or informal planting	v effects.	Useful a	s either
18 to 24 in	1.50		
$2 \text{ to } 2\frac{1}{2} \text{ ft } \dots $	$\frac{2.00}{2.50}$		
3 to 3½ ft	3.25		
<ul> <li>caroliniana         One of our choicest native evergre above.     </li> </ul>	Card ens; slow	OLINA HEM er in grow	iLock th than
above. 2½ to 3 ft			
		***	
VIBURNUM rhytidophyllum, 6'-8' I Large, oblong leaves, deep green bold, handsome shrub.	LEATHERI 1 above,	gray ben	RNUM eath; a
9 to 12 in	.35	3.00	
12 to 15 in	$.50 \\ .75$	4.50	
18 to 24 in	1.00		
2 to 2½ ft	1.50		
YUCCA filamentosa, 2'-3'	2.00	Adam's Ne	
June-July. Numerous creamy flow give tropical effect. Useful for greens or shrubbery.	massing	with eith	er ever-
1 year* trsp		.80 1.30	$\frac{5.00}{10.00}$
PERENNIALS AND GR	OUND	COVE	RS
Each ENONYMUS radicans minimus, 6"-1		Per 100 P	er 1000
	BABY V	VINTERCRE	
A dainty trailing plant with tiny equally well in shaded locations work.			
3" pots	2.50	20.00	180.00
WEDDER A W. and and	Each	Per 10	
HEDERA helix, 20'-50' Evergreen; good ground cover in wall cover. Ready April first.	shady lo	Englist eations. A	
2 year field grown	.25		18.00
HIBISCUS 2 year field grown	15	MA 1.20	LLOW 10.00
Crimson eye, moscheutos, militaris,	mallow 1	narvel.	10.00
	Per 10	Per 100 P	URGE
places.			
2" pots	$\frac{1.50}{1.50}$	$10.00 \\ 10.00$	80.00
VINCA minor 3" pots	1.20	PERIWI 8.00	NKLE 70.00

# FRUIT DEPARTMENT

Graded according to Horticultural Standards, 1923, of the American Association of Nurserymen. Caliper taken two inches above bud.

asove sud.	Each	Per 10	Per 100
APPLES			
Standards and C	RABS		
1 in. and up $7$ ft. and up $XX$	\$.75	\$6.50	\$60.00
$\frac{7}{8}$ to 1 in 6 ft. and up X	.55	4.50	40.00
$\frac{11}{16}$ to $\frac{7}{8}$ in 5 ft. and up A	.45	3.50	30.00
$\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up M	.35	2.50	20.00
$\frac{7}{16}$ to $\frac{9}{16}$ in	.25	1.50	10.00
SUMMER	AU'.	ΓUMN	
Early Harvest	Duchess		
Gravenstein	Fall Pippin		
Red Astrachan		s Golden	
Yellow Transp.	King		
·	Wolf 1	River	
WINTER			
Baldwin	Northern Spy		
Ben Davis	Rome	Beauty	
Delicious	Roxbi	ıry Russe	t
Golden Russet	Stayn	nans Wine	esap
Jonathan	Stark		-
McIntosh	York	Imperial	

# DWARF APPLES

Crab Apples:—Hyslop, Red Siberian, Transcendent.

Winter Banana

N. W. Greening

1 in. and up6 ft. and upXX	.85	7.50	
$\frac{3}{4}$ to 1 in 5 ft. and up X	.70	6.00	
$\frac{5}{8}$ to $\frac{3}{4}$ in 4 ft. and up A	.50	4.00	
$\frac{1}{2}$ to $\frac{5}{8}$ in 3 ft. and up M	.40	3.00	

Dwarf Apples:—Baldwin, Delicious, Fall Pippin, Red Astrachan, R. I. Greening, Stayman Winesap, Yellow Transparent.

#### CHERRIES (SOUR)

$\frac{11}{16}$ in. and up4 ft. and upX	.75	6.50	.60,00
$\frac{9}{16}$ to $\frac{11}{16}$ in $3\frac{1}{2}$ ft. and up A	.60	5.00	45.00
$\frac{7}{16}$ to $\frac{9}{16}$ in 3 ft. and up M	.45	3.50	30.00
$\frac{5}{16}$ to $\frac{7}{16}$ in	.35	2.50	20.00
Sour Cherries: Early Richmond, M	lay Duke,	Montn	norency.

#### CHERRIES (SWEET)

$\frac{11}{16}$ in. and up 5 ft. and up X	.85	7.50	
$\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up A	.70	6.00	-
$\frac{7}{16}$ to $\frac{9}{16}$ in $3\frac{1}{2}$ and up M	.50	4.00	
$\frac{5}{16}$ to $\frac{7}{16}$ in 3 ft. and up B	.40		
Sweet Cherries - Ring Black Tarta	rion	Dykeman	Lambert


Napoleon, Windsor.

# PEACHES

PEACHES			
1 in. and up7 ft. and upXXX	.50	4.50	40.00
$\frac{13}{16}$ to 1 in 6 ft. and up XX	.40	3.50	30.00
$\frac{11}{16}$ to $\frac{13}{16}$ in 5 ft. and up X	.35	3.00	25.00
$\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up A	.30	2.50	20.00
$\frac{7}{16}$ to $\frac{9}{16}$ in 3 ft. and up M	.25	2.00	15.00
$\frac{5}{16}$ to $\frac{7}{16}$ in2 ft. and upB	.20	1.50	10.00
Peaches:—Belle of Georgia, Carmo	en, Cha	mpion.	Crawford

Early, Crawford Late, Elberta, Fitzgerald, Fox, Greensboro, Hale, Hiley, Iron Mountain, Krummells October, Miss Lola, Mountain Rose, Ray.

New Varieties:—Cumberland, Eclipse, Radiance, Oriole. These last named were originated at the New Jersey Experimental Station. Prices and description will be sent on request.



Two year Apples, grown at Princeton. Our fruit trees are clean, fully up to size, and true to name. We do not grow immense quantities of fruits, but have enough to supply the needs of customers who want a medium quantity to go in an assortment order. By growing them ourselves, we can stand back of them and know that we are delivering the right kind of stock.

of fruits, but have enough to supply it want a medium quantity to go in an as ing them ourselves, we can stand back are delivering the right kind of stock.	sortment	t order. By	grow-
	Each	Per 10	Per 100
PEARS (STANDA	(RD)		
1 to $1\frac{1}{8}$ in 6 ft. and up X	\$.90	\$8.00	\$
$\frac{11}{16}$ to 1 in 5 ft. and up A	.60	5.00	45.00
$\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up M	.50	4.00	35.00
$\frac{7}{16}$ to $\frac{9}{16}$ in	.40	3.00	25.00
Standard Pears:—Bartlett, Clapps I Lawrence, Seckel, Sheldon, Vermont B		, Duchess	, Kieffer,
PLUMS			
(All Budded on Plu	м Root	s)	
$1\frac{1}{8}$ in. and up7 ft. and upXX	.85	7.50	
1 to $1\frac{1}{8}$ in 6 ft. and up X	.70	6.00	55.00
$\frac{11}{16}$ to 1 in 5 ft. and up A	.60	5.00	45.00
$\frac{9}{16}$ to $\frac{11}{16}$ in 4 ft. and up M	.50	4.00	35.00
Plums:—Abundance, Bradshaw, Bun Prune, Imperial Green Gage, Wickson,			German
QUINCES			
$\frac{5}{8}$ in. and up3 ft. and upA	.70	6.00	55.00
$\frac{1}{2}$ to $\frac{5}{8}$ in	.55	4.50	40.00
3/8 to 1/2 in 2 ft. and up B Quinces:—Champion, Orange.	.40	3.00	25.00
GRAPES			
2 year, No. 1	.20	1.80	15.00
Grapes:—Catawba, Concord, Mod Early, Niagara.	ore's I	Diamond,	Moore's
NUTS			
WALNUT, black			
2 to 3 ft	.75	6.50	
3 to 4 ft,	1.00	9.00	
4 to 5 ft	1.25	11.50	
— English			
2 to 3 ft	1.00	9.00	-
3 to 4 ft	1.50	14.00	
— Japan 4 to 6 ft	1.00	9.00	
6 to 8 ft	1.50	$\frac{9.00}{14.00}$	
8 to 10 ft	2.00	19.00	

# BROADLEAVED EVERGREEN SHRUBS

Andromeda
Azalea amoena
Azalea hinodegiri
Berberis illicifolia
Berberis julianae
Buxus
Cotoneaster acutifolia
Cotoneaster francheti
Cotoneaster horizontalis
Cotoneaster lemoinei
Cotoneaster microphylla
Cotoneaster simonsii
Cotoneaster thymifolia
Daphne cneorum

Euonymus patens
Euonymus radicans and varieties
Ilex crenata microphylla
Ilex glabra
Ilex opaca
Kalmia latifolia
Leucothoe catesbasi
Lonicera pileata
Mahonia acquifolia
Fieris floribunda
Pieris japonica
Rhododendrons in variety
Yucca filamentosa

#### PLANTS FOR SHADED SITUATIONS

SHRUBS AND SMALL TREES

## Deciduous

Acanthopanax pentaphylla—7'-8' Amelanchier canadeusis—12'-15' Aronia melanocarpa—8'-10' Azalea arborescens—10′–12′ Azalea nudiflora—6'-8' Azalea vaseyi—5'-6' Azalea viscosa—4'-5' Benzoin aestivalis—10'-12' Calycanthus floridus—4'-5' Cephanlanthus occidentalis—5'-6' Cercis canadensis—12'-15' Chionanthus virginica—15'-18' Clethra alnifolia—1′–5′ Cornus alternifolia—15′-18′ Cornus amomum—8'-9' Cornus florida—15′-25′ Cornus florida rubra—15'-20' Halesia tetraptera—12'-15' Hydrangea arborescens—4'-5' Hydrangea quercifolia—3'–4'

Hypericum aureum—3'-4' Ligustrum ibota regelianum
—5'-6' Ligustrum vulgare—10'-12' Lonicera fragrantissima—6'-8' Lonicera Morrowi—7'-8' Lonicera tatarica—9'-10' Myrica cerifera—4'-5' Oxydendrum arboreum—25′-30′ Philadelphus—9'-10' Physocarpus opulifolia—9'-10' Pyrus arbutifolia—6'-8' Rhodotypos kerrioides—4'-5' Rubus odoratus—5'-6' Symphoricarpos racemosa—5'-6' Symphoricarpos vulgare—4'-5' Viburnum dentatum—10′-12′ Viburnum lentago—18'-20' Viburnum molle—10′–12′

#### Evergreen

Andromeda floribunda—4'
Andromeda japonica—4'–5'
Azalea amoena—2½'/2'3'
Azalea hinodegiri—3'-4'
Buxus sempervirens—12'–15'
Ilex crenata microphylla—6'–8'
Ilex glabra—5'–6'
Juniperus canadensis—2½'–3'
Kalmia latifolia—5'–7'
Leucothoe—3'–4'
Mahonia aquifolium—4'–5'
Pachysandra terminalis—6'–8'

Rhododendron carolinianum

-5'-6'
Rhododendron catawbiense

-6'-9'
Rhododendron catawbiense varieties—3'-8'
Rhododendron maximum—8'-12'
Taxus canadensis—2'-2\frac{1}{2}'
Taxus cuspidata—1'-2'
Taxus cuspidata—4'-3'
Tsuga canadensis—75'-90'

#### PLANTS FOR WET OR MARSHY PLACES

# Trees

#### Deciduous

Acer rubrum—50'-75' Betula nigra—50'-60' Larix leptolepsis—50'-60' Liquidambar styraciflua—50'-60' Quercus bicolor—75'-90' Quercus palustris—75'-90' Salix babylonica—50'-60' Salix discolor—15'-20' Ulmus americana—80'-100'

#### Shrubs

Aronia arbutifolia—6'-8'
Aronia melanocarpa—8'-10'
Azalea viscosa—4'-5'
Benzoin aestivalis—10'-12'
Calycanthus floridus—4'-5'
Cephalanthus occidentalis—5'-6'
Clethra alnifolia—4'-5'
Cornus amomum—8'-9'
Cornus stolonifera—7'-8'

Ilex glabra—5'-6'
Ilex verticillata—6'-8'
Itea virginica—3'-4'
Rosa palustris—6'-7'
Sambucus canadensis—8'-9'
Spiraea tomentosum—3'-4'
Viburnum cassinoides—5'-6'
Viburnum dentatum—10'-12'
Viburnum lentago—18'-20'

#### PLANTS FOR DRY SOILS

#### TREES

# Deciduous

Acer negundo—60' Ailanthus glandulosus—50'–60' Betula populifolia—30'–40' Quercus rubra—75'–90'

# Evergreen

Pinus resinosa—50′-60′ Pinus regida—40′-50′ Pinus strobus—80′-100′

#### Shrubs

## Deciduous

Acanthopanax pentaphylla—7'-8' Colutea arborescens—8'-10' Cornus paniculata—10'-12' Lespedeza bicolor—5'-6' Myrica cerifera—4'-5' Prunus maritima—9'-10' Rhamnus cathartica—9'-10' Rhus canadensis—4'-5'

Juniperus communis—2'-2½'

Rhus typhina—15′-18′ Ribes aureum—7′-8′ Robinia hispida—5′-6′ Rosa setigera—5′-6′ Symphoricarpos racemosus—5′-6′ Symphoricarpos vulgare—4′-5′

Viburnum lantana—15'-18'

# Evergreen

Juniperus sabina—6"-7" Mahonia aquifolia—4'-5' Pachysandra terminalis—8" Pinus montana mughus—2½'-3'

# Juniperus communis depressa —1'-1½' Juniperus horizontalis—1'-1½'

# PLANTS FOR BINDING AND COVERING SOIL ON STEEP BANKS

SHRUBS

Aralia pentaphylla—7′–8′
Berberis thunbergi—4′–5′
Lonicera tatarica—9′–10′
Myrica cerifera—4′–5′
Rhus canadensis—4′–5′
Rhus glabra—10′–12′
Rhus typhina—15′–18′

SHRUBS

Rosa rugosa—4′–5′
Rosa setigera—5′–6′
Sambucus canadensis—8′–9′
Spiraea tomentosa—3′–4′
Symphoricarpos racemosus—5′–6′
Symphoricarpos vulgare—4′–5′

VINES

# Celastrus scandens—20'-25' Lonicera japonica—15'-20' Lycium chinense—12'-15'

Rosa lucida—5'-6' Rosa nitida—3' Rosa wichuraiana—

# PLANTS FOR AUTUMN COLORING


#### TREES

Acer rubrum—50′–75′ Acer saccharum—50′–75′ Cornus florida—15′–25′ Crataegus cordata—12'-15' Liquidambar styraciflua—50'-60' Quercus palustris—75'-90'

#### Shrubs

Aronia arbutifolius—6'-8'
Aronia nigra—8'-10'
Berberis thunbergi—4'-5'
Cornus alternifolia—15'-18'
Cornus paniculata—10'-12'
Euonymus alatus—9'-10'

Euonymus americana—7'-8'
Oxydendrum arboreum—25'-30'
Rhus aromatica—4'-5'
Rhus copallina—12'-13'
Rhus glabra—10'-12'
Viburnum (all species)



Partial view of our eight greenhouses and six sash houses, with potting shed in the center.

# BERRY-BEARING TREES AND SHRUBS

# RED BERRIES

Benzoin aestivale—10′-12′ Lonicera Maackii—8'-9' Lonicera morrowii—7'-8' Berberis thunbergi—4'-5' Berberis vulgaris—7'-8' Lonicera tatarica—9'-10' Cornus florida—15′–25′ Rosa blanda—4'-5' Cotoneaster horizontalis—1'-1½' Rosa rubiginosa—5'-6' Crataegus coccinea—15′–20′ Crataegus cordata—12′–15′ Rosa rugosa—4'-5' Sambucus racemosus—8'-10' Crataegus Crus-galli—15' Sorbus aucuparia—25'-30' Euonymus alatus—9'-10' Viburnum americanum—8'-9' Viburnum dilatatum—8'-9' Euonymus bungeana—12'-14' Euonymus europaeus—12'-14' Viburnum opulus—9′–10′ Ilex verticillata—6'-8'

# White Berries

Cornus alba—8'-10' Cornus stolonifera—7'-8' Symphoricarpos racemosus—5'-6

#### Yellow Berries

Eleagnus angustifolia—15′–18′ Eleagnus longipes—6′–8′

#### Black Berries

Amelanchier canadensis—12'-15' Aralia spinosa—18'-20' Aronia melanocarpa—8'-10' Ilex crenata microphylla—6'-8' Ilex glabra—5'-6' Ligustrum vulgare—10'-12'

Rhamnus cathartica—7'-10' Rhodotypos kerrioides—4'-5' Sambucus canadensis—8'-9' Viburnum lantana—15'-18' Viburnum plicatum—7'-8' Viburnum sieboldi—9'-10'

## DEEP BLUE-BLACK BERRIES

Mahonia acquifolia—4'-5' Viburnum cassinoides—5'-6' Viburnum dentatum—10'-12' Viburnum lentago—18'-20'

#### Blue Berries

Callicarpa purpurea—3'-4'


Cornus amomum—8'-9'

# INDEX

Deciduous Trees, Shrubs, Vines	Page	5
EVERGREENS AND CONIFERS	Page	44
PERENNIALS AND GROUND COVERS	Page	57
Fruits	. Page	58
Appended Classified Lists	Page	60

# Freight and Express

A Pennsylvania Railroad siding at our packing shed enables us to make shipments to all points with minimum exposure, both carloads and less.



# Location

Princeton Nurseries are located at Kingston, Middlesex Co., N. J. (three miles East of Princeton) just off the Lincoln Highway. We are halfway between New York City and Philadelphia.

# PRINCETON PRODUCTS

The Standard of Excellence